

77044-70

P.D. 19

11/22/79

11/22/79

Not Previewsed. The following claims to be in accordance with  
Standardization of Pesticide Product Guidance for Phase 2  
Suspense, Page 2-14, Active to Label Claims in Part 12.

## PRECAUTIONARY STATEMENTS

## CAUTION

**Hazards to Humans & Domestic Animals:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.  
 Do not apply directly to food. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.  
 Remove pets, birds and cover fish aquariums before spraying.  
**Physical or Chemical Hazards:** Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE &amp; DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool dry area away from heat or open flame.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

## FOR HOME USE

Shake well before each use.

Remove protective cap. Aim spray opening away from person.

Push button to spray.

**CONTROL HOUSEHOLD PESTS: HOUSEFLIES, MOSQUITOS, AND GNATS:** Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**FOR CRAWLING INSECTS: ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS, AND CENTIPEDES:** Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**OUTDOORS - TO REDUCE ANNOUNCE FROM FLYING INSECTS:** Keds, cat mosquitoes, gnats (midges), houseflies, biting flies and pyralid and noctuid flying moths by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow, sweeping motion at the rate of one to 3 seconds per cubic yard of space while moving away from the treated area. To reduce annoyance from these flying insects treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**OUTDOORS - TO PROTECT ORNAMENTAL PLANTS:** To control aphids, exposed thrips, adult white flies, leafhoppers, two spotted mites, plant bugs, spittlebugs and Japanese beetles on smaller rhododendrons, pines, spruce, fir, hemlock, spruce, dogwood, palm, mimosa, lily, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 16 inches from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, geraniums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, lobelia, queen sage and broad leaf acacia for control of aphids, exposed thrips and white flies. Leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

**USE WITH CAUTION** on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf drop or browning under certain conditions of use.

**PROTECT HOUSE PLANTS:** Spray infested African violets, phlox, geraniums, begonias, coleus for listed pests. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

**HUMAN TESTS - ONCE ENTERING BUILDINGS**

**WASP APPLICATION:** Should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on spray-wands that enter buildings.

ANTS: Spray trails and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

DEANITICS: Spray directly on doorways, entrances and other hiding places on outdoor porches, patio floor and doorway entrances.

User assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

• Not for use in California on these insects.

E.P.A. Reg. No 9444-70

E.P.A. Est. No 9444-LA-1

Manufactured by  
**CLINE-BUCKNER INC.**  
Cerritos, CA 90701 and Independence, LA 70443



**CLINE-BUCKNER**

# house & garden

**Kills: Flies, Ants, Mosquitos, Small Flying Moths, Centipedes, Earwigs, Gnats, Grain Mites, Roaches, Sowbugs, Spiders, Wasps, Adult White Flies, Aphids, Exposed Thrips, Japanese Beetles, Spittlebugs, Two spotted Mites, Plant Bugs on Garden Trees and plants listed on back label.**

## ACTIVE INGREDIENTS

\*Resmethrin (4-phenyl-methyl-3-isopropyl-1-methyl-2,2-dimethyl-3,2-methyl-1-propenyl-1-hydroxy-carboxylate) 0.22%

Related compounds 0.02%

d-Trans-Alethrin (alpha, gamma, 1-Cis-2-

Related compounds 0.15%

e-Trans-Alethrin (alpha, gamma, 1-Cis-2-

Related compounds 0.05%

NET WT 61.1X3

100% trans-isomer (alpha, gamma, 1-Cis-2-

trans,

F.D.A. Reg. No. 3455-027

KEEP OUT OF REACH OF CHILDREN

**CAUTION:**

© 1979 Cline-Buckner Inc., Cerritos, CA 90701