PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS & BOTHESTIC ANHMALS CANTION

Harmful if swallowed or absorbed through shin. Avoid breathing of vapors or spray mist. Avoid contact with shin and eyes in case of contact. Immediately flush eyes with plenty of water. Obtain medical attention if irritation persists, if swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying, wash all equipment, benches, shelving, etc. with potable water. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL MAZAROS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed — Do not induce vomiting. Get medical attention

immediately.
If inhaled — Remove sixtim to fresh air. Apply respirator if indicated

If on Skin. Remove contaminated clothing and wash affected area with soap and mater.

If in Eyes — Flush eyes with plenty of water. Get medical attention

DIRECTIONS FOR USE

It is a wolation of Federal law to use this product in a manner inconsistent with its labeling

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a deodorized petroleum oil is recommended.

Vacate premises after transment and centilate before reoccupping. Repeat treatment when reinfestation occurs

for maximum effectiveness, a combination of localized surface application and space treatment is recommended.

AS A SURFACE SPANY: For initial clean up of severe insect infestations, difute at a rate of 1 part concentrate in 4 parts water or oil This dilution may not be used in edible product areas of federally inspected meat and poultry plants. In these plants and for normal infestations, dilute 1 part concentrate in 9 parts water or oil.

To Control reaches, ants, severtish, spiders, crickets, clover mitrs, choose mites, granery weavits, rice weavits, confused flour bootles, rust red flour bootles, substacted grain bootles, spider bootles, cigarette bootles, Drugstore bootles, meel worms, grain mites, and cadelles: Use a good

sprayer adjusted to deliver a course not spray. Direct the spray into hiding places, cracks and crevices, under pollets, around contenses of starting feets, around the base of machinery, befund shelves and drawers. For situariish, spray bookcases, For ants, spray traits, nests and points of entry. If surface application only is to be used, spray floors, walls and other surfaces at a rate of 1 gallon to 750 square feet of surface.

To control carpet beating, spray edges of carpeting and under carpeting and rugs. Make localize \$ application to floor and baseboards. Spray directly into cracks: closets and infested areas of shelving. Repeat treatment as needed.

To control hedbugs: Spray mattresses lightly, particularly around tufts and seems. Take beds apart and spray in all joints. Treet baseboards, moldings and floors. Pepeat treatment as needed,

To control floes and brewn dag tiche: Theroughly spray infested areas, pet bads resting quarters, marriy cracks and crevices, along and behind baseboards, moldings, window and door frames and foculated areas of floor and floor covering. Fresh badding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approximate the foculation of recommended. Report treatment as applied.

proved insecticide is recommended. Repeat treatment as needed.

AS A SPACE SPRAY: Odute at a rate of I part concentrate to 19 parts water or oil. Apply with mechanical or compressed air equipment (non-thermal) adjusted to deliver a fine mist. Close doors and windows and shut off ventilating systems. For rapid control of flim, fruit flim, grats, mangaines, shipper flies, weeps, hereets, Angiumnis grain moths, Reddorramen floor moths, Indian meel moths, and fabocco moths: direct spray at an upward angle distincting it uniformly through the entire area at a rate of 1 ounce per 1000 cubic feet of space. Reep area crosed for at least 10 minutes. Ventilate and sweep up dead insects before reoccuping. For rapid bull of exposed or accessible states of the insects named on this

For rapid full of exposed or accessible stages of the insects named on this label, dilute 1 part concentrate to 1 to 9 parts water or oil. Apply using mechanical or compressed air equipment (not thermal), following directions for space spraying. Apply the above dilutions at rate of from 1 to 10 ounces per 1000 cubic feet of space.

When used in meat and pouttry processing plants, a dilution of no less than 1 to 1 (50%) is acceptable and it must be dispersed from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

STORAGE & DISPOSAL

Storage: Store in a coul dry area away from heat or open flame. Disposal Do not reuse empty container Wrap container and put in trash collection.

Buyer assumes all risks of use storage or handling of this material not in strict accordance with directions given herewith

Wandard by CLINE-BUCKNER INC.

Cerritos CA 90701 and Independence LA 70443

C-B INDUSTRIAL SPRAY E.C.

A FOOD INDUSTRY INSECT SPRAY

MAY BE DILUTED WITH EITHER WITER OR OIL

PROVIDES RAPID KILL OF INSECTS WITHOUT LEAVING OBJECTIONABLE RESIDUES OR ODOR

For use in homes, restaurants, food handling establishments, food preparation areas of restaurants and food precessing plants, stores, farms, dairies, borns, kennels, factories, achoels, hotels, motels, offices, ships, hospitals, nursing homes, day care centers, ogg and mith handling areas of dairies and chicken houses.

ACTIVE INGREDIENTS:
Altethrin (Ally) Homolog of Cinerin ()
Related Compounds
*Priperony! Butoxide Technical
Petroleum Distillate
INERT INGREDIENTS

100 00%

*Equivalent to 8% (butylcarbityl) (6-propylpiperonyl) ether and 2% related compounds.

E P A Reg No 9444 72

EPA. Est. No. 9444 LA-1

CAUTION
KEEP OUT OF REACH OF CHILDREN

Net Contents 1 Gallon

See side panel for additional precautions