

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

PA 17 EPA# 9444-14
P, 10
F 11/22/74

Wasps and Hornets:

Direct the spray at these insects when possible. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants:

Spray trails, nests and points of entry. Spray directly on ants when possible. Repeat as necessary.

- | | |
|---------------|-------------|
| Cockroaches | Crickets |
| Sowbugs | Earwigs |
| Boxelder Bugs | Grain Mites |
| Centipedes | Spiders |

Apply as a coarse droplet spray directed into cracks, crevices and other hiding places along baseboards, around the base of machinery and under pallets. Spray thoroughly contacting insects directly whenever possible. Spray badly infested areas daily. In other areas, repeat treatments twice weekly or when reinfestation occurs.

INDOORS AND OUTDOORS:

HOUSE PLANTS AND GREENHOUSES AND ORNAMENTALS OUTDOORS

For control of: Aphids Two-spotted spider mites

Plants:

- | | |
|------------------|-------------------|
| African Violets | Lantana |
| Aralia | Neatle bella palm |
| Christmas Cherry | Petunia |
| Chrysanthemum | Rose |
| Cineraria | Snapdragon |
| Diffenbachia | Azalea |
| Fuschia | Euonymus |
| Gloxinia | Marigold |
| Ivy | Zinnia |

Direct the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when wind is still.

Buyer assumes all risks of use, storage or handling of this product and in strict accordance with directions given herewith.



Manufactured by:

CLINE-BUCKNER INC.

Cerritos, CA 90701 and Independence, LA 70443

CB HOUSE & GARDEN SPRAY

**Ready-To-Use for Control of residential,
industrial and garden insect pests.
Non-food areas of industrial buildings.**

**Contains a combination of two highly
active synthetic pyrethroid compounds.**

ACTIVE INGREDIENTS:

*Tetramethrin	0.250%
Related compounds	0.034%
**Resmethrin-[5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)	0.250%
Related compounds	0.046%

INERT INGREDIENTS:

	99.420%
	100.000%

*(1-cyclohexene-1,2-dicarboximide) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

**Cis/trans isomer ratio: max. 30% (±) cis and min. 70% (±) trans.

U.S. Patent No. 3,463,007

E.P.A. Reg. No. 9444-74

E.P.A. Est. No. 9444-LA-1

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not smoke while spraying. Do not use on edible crops. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying, wash all equipment, benches, shelving, etc. with potable water. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. In the home, all food should be covered or removed during treatment and all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Shake well before using.

INDOORS:

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS:

- | | |
|------------|--------------------|
| Flies | Cats |
| Mosquitoes | Small Flying Moths |

Close doors and windows and shut off ventilating systems. Using a conventional mechanical or compressed air spraying or fogging equipment, apply as a fog or fine mist, directing the spray toward the upper portions of the room and toward windows and other light sources which attract these insects. Thoroughly fill the area with mist using 1/2 to 1 ounce per 1000 cubic feet of space. Keep area closed for at least 10 minutes. Vacate after treatment and ventilate before reoccupying. Repeat treatment as needed.

9444-71

11/22/89

Not Reviewed. Registration to be in accordance with
Regulation of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

PRECAUTIONARY STATEMENTS
CAUTION

Hazards to Humans & Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemical Hazards: Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a dry cool place.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

FOR HOME USE: Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

CONTROL HOUSEHOLD PESTS: HOUSEFLIES, MOSQUITOS, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

FOR CRAWLING INSECTS: ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS, AND CENTIPEDES: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage area. Spray directly on insects where possible. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - TO REDUCE ANNOYANCE FROM FLYING INSECTS: Reduce mosquitoes, gnats (midgits), houseflies, biting flies and pyralid and noctuid flying moths by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow, sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS: To control aphids, exposed thrip, adult white flies, leafhoppers, two-spotted mites, plant bugs, spittlebugs and Japanese beetles on smaller rhododendrons, pines, spruce, hemlock spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and arhea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 16 inches from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control. Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisy, geraniums, margolds, daphne, latshadera, ivy, tabira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering or pine, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use.

PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, geraniums, begonias, coleus for listed pests. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

NUISANCE PESTS - ON OR ENTERING BUILDINGS


ANTS: Applications should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, contact as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

SPIDERS: Spray trails and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor benches, patio floor and doorway entrances.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



Manufactured by

E. I. DU PONT DE NEMOURS AND COMPANY
ELINE-BUCKNER INC.

Ceritos, CA 90701 and Independence, LA 70443

Bug Boss

HOUSE & GARDEN BUG KILLER II

**Kills: Ants, Centipedes, Earwigs, Gnats,
Grain Mites, Houseflies, Mosquitos, Roaches,
Sowbugs, Spiders, Wasps, Adult Whiteflies, Aphids,
Exposed Thrips, Japanese Beetles, Spittlebugs,
Two Spotted Mites, Plant Bugs on garden trees
and plants listed on back label.**

ACTIVE INGREDIENTS:

† Resmethrin [(5-phenylmethyl)-3-furanyl]
methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate 0.200%
Related compounds 0.027%

INERT INGREDIENTS **99.773%**
100.000%

*Cis/trans isomers ratio; max. 30% (±) cis and min. 70% (±) trans.

†U. S. Patent No. 3,465,007

E.P.A. Reg. No. 9444-71

E.P.A. Est. No. 9444-1A-1

CAUTION:

KEEP OUT OF REACH OF CHILDREN

(See additional precautionary statements on side panel.)

Net Weight 13½ Oz.