

2/2

"AFTER"

BEST AVAILABLE COPY

Wasps and Hornets:

Direct the spray at these insects when possible. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants:

Spray trails, nests and points of entry. Spray directly on ants when possible. Repeat as necessary.

- | | |
|---------------|-------------|
| Cockroaches | Crickets |
| Sowbugs | Earwigs |
| Boxelder Bugs | Grain Mites |
| Centipedes | Spiders |

Apply as a coarse droplet spray directed into cracks, crevices and other hiding places along baseboards, around the base of machinery and under pallets. Spray thoroughly contacting insects directly whenever possible. Spray badly infested areas daily. In other areas, repeat treatments twice weekly or when reinfestation occurs.

INDOORS AND OUTDOORS:

HOUSE PLANTS AND GREENHOUSES AND ORNAMENTALS OUTDOORS

For control of: Aphids Two-spotted spider mites

Plants:

- | | |
|------------------|-------------------|
| African Violet: | Lantana |
| Aralia | Neatle bella palm |
| Christmas Cherry | Petunia |
| Chrysanthemum | Rose |
| Cineraria | Snapdragon |
| Diffenbachia | Azalea |
| Fuchsia | Euonymus |
| Gloxinia | Marigold |
| Impatiens | Zinnia |

Use the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Manufactured by:
Waterbury Companies, Inc.
Waterbury, CT 06722

CB HOUSE & GARDEN SPRAY

Ready-To-Use for Control of residential,
industrial and garden insect pests. |
Non-food areas of industrial buildings.

Contains a combination of two highly
active synthetic pyrethroid compounds.

ACTIVE INGREDIENTS:

- *Tetramethrin
- Related compounds
- **Resmethrin-[5-(phenylmethyl)-3-furanyl] methyl
2,2-dimethyl-3-(2-methyl-1-propenyl)
- Related compounds

INERT INGREDIENTS:

- 99.420%
- 100.000%
- *(1-cyclohexene-1,2-dicarboximide) methyl 2,2-dimethyl-3-(2-methylpropenyl)
cyclopropanecarboxylate
- **Cis/Trans isomer ratio: max. 30% (±) cis and min. 70% (±) trans.
- U.S. Patent No. 3,463,007

E.P.A. Reg. No. 9444-74

E.P.A. Est. No. 9444-LA-1

CAUTION

KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions.

Net Contents 1 Gallon

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered with the U.S. Environmental Protection Agency. Do not contain ORANGE SOLID DISPOSAL: Do not

**INDOORS:
FOR CONTROL OF**

Close doors and windows. Turn off conventional mechanical ventilation, apply as a fog in portions of the room which attract these insects. 1 ounce per 1000 cubic feet. Vacate 10 minutes. Vacuum. Repeat treatment as

**PRECAUTIONS
HAZARDOUS TO**

Harmful if swallowed or inhaled. Avoid contact of vapors or spray mist with skin. Obtain medical attention immediately if contact occurs. Do not smoke while using. Apply directly to food containers, cover or remove any food before application. Do not use in areas where food is prepared. After space spraying, ventilate with potable water. Containers should be covered during use. In the home, all food should be covered during treatment and all food should be covered during treatment. Remove pets, birds and

ACCIDENTS
MAY 14 1991
9444