191

Wasp and Hornets: Direct the spray at these insects when possible. Spray thoroughly into nests, hiding and breeding places when insects nave settled at night.

Ants: Spray trails, nests and points of entry. Spray directly on ants when possible. Repeat as necessary.

Cockroaches Sawbugs Crickets Earwids

Boxelder bugs Centipedes

Grain mites Soiders

Apply as coarse droplets directed into cracks, crevices and other hiding places along baseboards, around the base of machinery and under pallets. Spray thoroughly, contacting insects directly whenever possible, Spray infested areas daily. In other areas, repeat treatments twice weekly or when reinfestation occurs.

INDOORS AND OUTDOORS

HOUSE PLANTS AND GREENHOUSE AND ORNAMENTALS OUTDOORS:

For control of Aphids and Twospotted spider mites

Plants

African violets

Lantana

Aralla Christman cherr Neanthebella paim

Christmas cherry Chrysenthemum Petunia Rose

Cineraria Diffenbechia Fuschia Snapdragon Azales Eugnymus

Glozinia

Marigold Zinnia

Direct the spray so that upper and lower leaf surfaces are cont. Jed. Use caution on new growth and tender foliage. Reput treatment as necessary. When using outdoors, spray when air is still.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry place away from heat or open flame.

DISPOSAL: Do not reuse empty container. Replace cap, wrap container in newspaper and put in trash collection.

WATERBURY COMPANIES, INC.

P.O. Son 1812 Waterbury, CT 05722

HOUSE & GARDEN SPRAY

Ready-To-Use for Control of residential, industrial and garden insect pests. Non-food areas of industrial buildings. Contains a combination of two highly active synthetic pyrethroid compounds.

ACTIVE INGREDIENTS:

★ Tetramethrin 1-cyclohexene-1,2-dicarbox-imidomethyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate. 0.250% ★★ Resmethrin(5-(phenylmethyl)-3-furanyl) methyl2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.250% 0.250% NERT INGREDIENTS 99.500%

CONTAINS PETROLEUM DISTILLATES

 Ciartrans memor content: Mex. 30% (±) cm and Min. 79%(±) trans. U.S. Patent No. 3,465,007.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Net Contents 1 Gal

EPA Reg. No. 9444-74

EPA Est No. 9440LA-

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin or eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if imtation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not smoke while spraying. Do not use on edible crops. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying, wash all equipment, benches, shelving, etc. with potable water. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. In the home, all food should be covered or removed during treatment and all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using.

INDOORS

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS:

Files

Gnets

Mosquitoes

Small flying moths

Close doors and windows and shut off ventilating systems. Using conventional mechanical or compressed air spraying or fogging equipment, apply as a fog or fine mist, directing the spray toward the upper portions of the room and toward windows and other light sources which attract these insects. Thoroughly fill the area with mist using 1/2 to 1 ounce per 1000 cubic foot of space, Keep area closed for at least 10 minutes. Vacate after treatment and ventilate before reoccupying. Repeat treatment as needed.

FILENAME D:\VENTURA\SLV001\9444-C74.CHP USING C:\9444-074.DOC AND D:\VENTURA\SLV001\9444-074.STY PAGE WAS TYPESET USING POSTSCRIPT TPYEFACES. TYPESET BY: JANZALONE

D6/21/91

FILE USES DINGBATS symbol AND HELVETICA FACES revision #4 revised6/24/91

JUL 9 1991 Insecticide Act July 1991 Insecti

