

PAL 117 ED # 11/20/77

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:
CAUTION:
 Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.
 Do not apply directly to food. Avoid contamination of feed, food and utensils by keeping them well covered while spraying the area.

ENVIRONMENTAL HAZARD
 This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS
 It is a violation of Federal law to use this product in a manner inconsistent to its labeling.

STORAGE & DISPOSAL
 Storage: Store in a cool, dry area away from heat or open flame.
 Disposal: Do not reuse empty container. Wrap container and put in trash collector

Dilution of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.
To Control Insects on Animals
 Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon with water or 1 fluid ounce in 18 fluid ounces of water.

For rapid control of ticks, fleas and lice on dogs and cats, apply this dilution as a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray directly on ticks. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary.

For temporary protection from mosquitoes, eye gnats, biting flies, and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

To Control Insects in Kennels and Animal Quarters
 Dilute at the rate of 13 fluid ounces in 1 gallon with water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets, birds and cover fish aquariums before spraying.
 For rapid cleanout of fleas and ticks in kennels apply as a surface spray in a good machine adjusted to deliver coarse droplets. Apply to the point of run-off with special attention to cracks and crevices and other insect hiding places. Bedding should be removed or sprayed thoroughly.

To control flies, mosquitoes, and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for each 1000 cubic feet of space. Fill the enclosed area with mist. Wherever practical, keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

PURGE SMALL ANIMAL KENNEL INSECTICIDE E.C.

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats.
 Protects Against Chiggers, Eye Gnats, Biting Flies and Mosquitoes.

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space, surface or fogging spray.


ACTIVE INGREDIENTS:

Pyrethrins	1.18%
*Piperonyl Butoxide, Technical	11.84%
INERT INGREDIENTS:	86.98%
	100.00%

*Equivalent to 9.47% (butylcarbonyl) (6-propylpiperonyl) ether and 2.37% related compounds.
 E.P.A. Reg. No. 9444-83 E.P.A. Est. No. 9444-LA-1

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 See rear panel for additional precautions

Net Contents 1 Quart



Manufactured by:
CLINE-BUCKNER INC.
 Cerritos, CA 90701 and Independence, LA 70443

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.