

PRECAUTIONARY STATEMENT - WARNING

Reg # 9444-9

Hazards to Humans and Domestic Animals

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should illness occur, get prompt medical aid. To Physician - Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS:

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

CRACK AND CREVICE INJECTION USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Purge Dursban Crack & Crevice Insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/8" into cracks, crevices, holes and other small openings where insects may be a problem. Release approx. 1 second spray per spot. In serious infestation, if possible, place spots approx. 12" apart. In light infestation or preventive treatment place spots approx. 3 feet apart. See the additional directions below for effective control of specified insects.

**CRAWLING PESTS: COCKROACHES, WATERBUGS, SPIDERS, TICKS, EARWIGS, CRICKETS, SOYBUGS, MILLIPEDES, CENTIPEDES.** Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

**BOOKLICE & SILVERFISH:** Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

**ANTS:** Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

**GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG STORE BEETLES** (in exposed adult and larvae stages) and hibernating stages of: **BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES.** Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas. Repeat as necessary.

**Localized treatment of wood-infesting insects: Beetles and Borers** (such as the following families: Anobiidae, Bostrichidae, Buprestidae, Cerambycidae, Lyctidae, Oedemeridae, Sesiidae), Carpenter Ants, Carpenter Bees, Termites and Wood Wasps

Locate

suspected infestation and/or insect tunnels and cavities. Inject 5 to 10 seconds of spray into insect tunnels, gallery, inaccessible closed void. In infested sites, pilot holes should be drilled eight to ten inches apart to insure thorough insecticide gallery treatment. Make sure not to contact electrical wiring, plumbing, etc. when drilling and never use metal wood injectors where electrical shock could occur. Use standard plastic void injector if there is danger of electrical contact.

Application of this product is not a substitute for other professional termite treatments applied by a certified pest control operator. For carpenter bees, seal entrance openings with small pieces of stainless steel wool after application.

**RED IMPORTED FIRE ANT:** To treat, use the specially designed soil injector nozzle. Locate fire ant mounds in school yards, parks, playgrounds, church grounds, etc. To quiet active ants on ground surface, begin spraying 1" from the surface of the mound in a circular motion, then continue spraying while inserting the nozzle into the mound as far as possible. Inject the mound at 3-5 sites, including the center of the mound, with 5-10 second sprays per site. Mounds of less than 12" in diameter would require 5 second sprays per site; greater than 12" in diameter would require 10 second sprays per site. For best results, spray in cool weather, 65-80°F or in early morning or late evening. Repeat treatment as necessary and as new mounds appear.

APPLICATIONS WITHIN FOOD AREAS

OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack and Crevice Treatment only - Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into areas which could contaminate food or food processing surfaces. Application of this product in food handling establishments, other than as a crack and crevice treatment, are prohibited.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool dry area away from heat or open flame. **PESTICIDE DISPOSAL:** Pesticide that cannot be used according to label instructions must be disposed of according to applicable federal, state and local procedures. **CONTAINER DISPOSAL:** Replace cap and discard empty container in a safe way (landfill, etc.) by other approved state and local procedures. Do not incinerate or puncture.

Authorized for use under USDA Inspection & Grading Programs.

A

Under Fung as a regis EPA