

ACCEPTED

DEC 19 1977

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9444-92



**CRACK AND CREVICE INJECTION USE ONLY
PRECAUTIONARY STATEMENT - CAUTION**

Hazards to Humans and Domestic Animals

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should illness occur, get prompt medical aid. To Physician - Atrazine sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

- If Inhaled - Remove victim to fresh air. Apply respiration if indicated.
- If Swallowed - Call a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If on Skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in Eyes - Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted or varnished surface, or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/8" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12" apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

CRAWLING PESTS: COCKROACHES, WATERBUGS, SPIDERS, BROWN DOG TICKS, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES, CENTIPEDES. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG STORE BEETLES (in exposed adult and larvae stages) and hibernating stages of: **BOXELDER BUGS, ELMLEAF BEETLES, CLUSTER FLIES AND CLOVER MITES.** Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: CARPENTER ANTS, CARPENTER BEES: Locate source of infestation. Inject 5-10 seconds spray into insect tunnels and cavities. For Carpenter Bees, seal entrance openings with small pieces of stainless steel wool after spray application.

FOR TERMITES: Locate source of infestation. Apply to voids and channels in damaged wooden members of a structure or to cracks, spaces or bearing joints between wooden members of a structure. Inject 5-10 seconds spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment but is merely a supplemental treatment. This product is intended to kill workers or winged reproductive forms which may be present in the treated area.

**APPLICATIONS WITHIN FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS**

Limited to Crack and Crevice Treatment only—Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK & CREVICE TREATMENT ARE NOT PERMITTED.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool dry area away from heat or open flame

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable federal, state and local procedures.

CONTAINER DISPOSAL: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture

Manufactured by:

CLINE-BUCKNER, INC.

A Subsidiary of Wadsworth Companies, Inc.
Artesia, CA 91001 • In Southern California, LA 7744

PURGE™

BAYGON®

**crack & crevice
INDUSTRIAL INSECTICIDE**

KILLS: Cockroaches, Waterbugs, Spiders, Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Chocolate Moths, Drug Store Beetles, Boxelder Bugs, Elmleaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, Carpenter Bees and Termites.

For use in: Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (buses, boats, ships, trains, trucks, planes), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and other Commercial Buildings.

ACTIVE INGREDIENTS:

2-(1-methylethoxy) phenol	
methylcarbamate	1.00%
INERT INGREDIENTS	99.00%
	100.00%

BAYGON is a reg. TM of the Parent Company
Fabren Fabriken Bayer GmbH, Germany.

E.P.A. Reg No. 9444-92

E.P.A. E.I. No. 9444-LA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional warnings.

NET WEIGHT 30 oz. / 851 g

BEST AVAILABLE COPY

CAV H 210 X 008