

MAR 10 1989

Cline-Buckner, Inc.
16317 Piura Avenue
Cerritos, CA 90701

Gentlemen:

Subject: Purge Dursban Crack & Crevice Industrial Insecticide
EPA Registration No. 9444-93
Your Amendment Dated December 6, 1988

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - Under the directions for use on imported fire ants, delete "etc." since this implies unknown additional sites.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.
4. The revised Confidential Statement of Formula is acceptable.

50393:I/C:Edwards:LE-15:KENCO:3/8/89:3/22/89:AS:VO:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosure

Under
Pungl
as is
regist**CRACK AND CREVICE INJECTION USE ONLY
PRECAUTIONARY STATEMENT — CAUTION****Hazards to Humans and Domestic Animals**

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should illness occur, get prompt medical aid. To Physician — Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

If on Skin: Remove contaminated clothing and immediately wash skin with soap and water.

If Inhaled: Remove victim to fresh air and apply respiration if necessary.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12" apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

CRAWLING PESTS: COCKROACHES, WATERBUGS, SPIDERS, BROWN DOG TICKS, EARWIGS, CRICKETS, SAWFLIES, MILLIPEDES, CENTIPEDES. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

BOOGLICE & SILVERFISH: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAN MITEVIL, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG STORE BEETLES (in exposed adult and larvae stages) hibernating stages of: **BOXELDER BUGS, BILMORPH BEETLES, CLUSTER FLIES and CLOVER MITES.** Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: **CARPENTER ANTS, CARPENTER BEES:** Locate source of infestation. Inject 5-10 second spray into insect tunnels and cavities. For Carpenter Bees, seal entrance openings with small pieces of stainless steel wool after spray application.

BEH IMPORTED FIRE ANTS: To treat, use the specially designed soil injector nozzle. Locate fire ant mounds in school yards, parks, playgrounds, church grounds, etc. To quiet active ones on mound surface, begin spraying 1" from the surface of the mound in a circular motion, then continue spraying while inserting the nozzle into the mound as far as possible. Inject the mound at 3-6 sites, including the center of the mound, with 5-10 second sprays per site. Mounds of less than 12" in diameter would require 5 second sprays per site; greater than 12" in diameter would require 10 second sprays per site. For best results, spray in cool weather, 65-80°F or in early morning or late evening. Repeat treatment as necessary and as new mounds appear.

APPLICATION WITHIN FOOD**AREAS OF FOOD HANDLING ESTABLISHMENTS**

Limited to Crack and Crevice Treatment only — Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, meter housing, junction boxes or switch boxes, conduits or hollow equipment legs, where insects hide. Care should be taken to avoid depositing the product into exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK & CREVICE TREATMENT ARE NOT PERMITTED.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable federal, state and local procedures.

CONTAINER DISPOSAL: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

Manufactured by:

CLINE-BUCKNER, INC.

A Subsidiary of Waterbury Companies, Inc.

Artesia, CA 90701

Independence, LA 70443