

Pro 11

After

ACCEPTED

JUN - 2 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9444-94



CRACK AND CREVICE INJECTION USE ONLY

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician -- Atropine Sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
If Swallowed: Call a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/2 inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

CRAWLING PESTS: Cockroaches, Waterbugs, Spiders, Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes—Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray into cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into nests, trails and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of **BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES:** Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: CARPENTER ANTS, CARPENTER BEES, and TERMITES—Locate source of infestation. Inject 5-10 seconds of spray into insect tunnels and cavities. For CARPENTER BEES, seal entrance openings with small pieces of stainless steel wool after spray application.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack & Crevice Treatment Only. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool, dry area away from heat or open flame.
DISPOSAL: Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate.

Authorized for use under USDA Inspection & Grading Programs.

Manufactured by
WATERBURY COMPANIES, INC.
P. O. Box 1612
Waterbury, CT 06722

**SYSTEM 22
CRACK & CREVICE
INSECTICIDE
with Baygon®**

KILLS: Cockroaches, Waterbugs, Spiders, Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Chocolate Moths, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Cluster Mites, Cluster Flies, Carpenter Ants, Carpenter Bees & Termites

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings

ACTIVE INGREDIENT:

2-(1-methylethoxy) phenyl methylcarbamate 2.00%

INERT INGREDIENTS 98.00%
100.00%

BAYGON® is a reg. TM of the parent company Farbentfabriken Bayer GmbH Germany.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-94

EPA Est. No. 9444-LA-

NET WEIGHT 30 oz / 851 g

1992-05-05 05:03:32 (REV 3/92)