

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

RR: DCR-05166:A.Heward:RD-4P:KIM:Fendrick:R98-1270:10/10/84:Del. 10/16/84 *AH*



PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin and eyes. Do not contaminate food or feed stuffs. Do not remain in treated areas. Vacate premises for at least 15 minutes after spraying. Ventilate the area after treatment is completed and before re-entering. Remove pets and birds. Cover fish aquariums before spraying. In commercial food handling facilities, cover or remove any food and food processing equipment during application or thoroughly wash equipment after use. Do not apply while food processing is under way. When using the product in these food areas, apply when the facility is not in operation.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.
If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.
If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

STORAGE & DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.
Disposal: Do not reuse empty container. Wrap empty container and put in trash collection.

DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.
FLYING INSECTS: Fleas, mosquitoes, small flying moths, wasps, gnats
Spray all cubic feet of space to be treated. Close all doors and windows. Spray in sweeping motion on all parts of the room. Apply for 2-3 seconds per 100 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.

CRAWLING INSECTS: Roaches, ants, spiders, silverfish
Calculate square feet of floor area to be treated. Open all cabinets, storage areas, closets. Spray directly on insects or in cracks and crevices where insects hide.

FOR ROACHES: For best results spray directly on roaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. Also spray around door and window frames. Repeat as necessary.

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, door frames, bookcases and storage areas should be made. For adequate control spray directly on insects.

FOR CRICKETS: Spray throughout and frequently behind stoves, refrigerators, under cabinets in food storage areas, and especially in closets, basements, and other damp areas. For best results, spray directly on insects.

FOR ANTS: Spray ant trails, nests and points of entry. For initial clean up apply for 10-15 seconds per 100 square feet of floor area. Then per day, spray as a space aerosol 3-5 seconds per 100 cubic feet of space.

FOR INDIAN MEAL MOTHS AND ARBOURNIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of room especially around stored food products, containers, pectens and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

FOR CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

FOR CONFUSED FLOUR BEETLES, SAW-FOOTED GRAIN BEETLES, GRAMARI WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray all cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 10 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

FOR PEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and furniture. Repeat treatment as necessary.

FOR FLEAS: Spray sleeping quarters, bedding, floor and foot covering where pets are kept. Repeat as necessary. Use only as recommended per instructions on pets.

Note: When using this product in an enclosed area, such as the home, barn, or stable, remove animals before spraying.

DAIRY FARM USE: Milking Parlor and Milk Room: Close all windows and doors. Direct spray upwards, spraying for 2-3 seconds per 1000 cubic feet of area. Do not remain in treated areas. Ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray or dead insects.

ANIMAL USE: Thoroughly spray entire animal from approx. 2' feet distance. Do not spray directly toward animal's eyes. Spot treat in others areas of body and back where saliva accumulates from head tossing.

STANCHION BARN USE: Walk behind animals and direct spray over backs, aiming 5 seconds per animal. For most effective results, apply each time.

POULTRY OPERATIONS: In poultry houses, close all windows and doors. Spray at the rate of 2-3 seconds per 1000 cubic feet of space. Do not remain in treated areas after 15 minutes venting the area. Repeat application as necessary.

SWINE USE: For animal application, direct spray over backs of hogs and spray for 5 seconds per hog. Do not spray directly towards the animal's face or eyes. Repeat application daily or as necessary.

HEG OPERATIONS: In hog houses, close all windows and doors. Spray at the rate of 2-3 seconds per 1000 cubic feet of space. Do not remain in treated areas after 15 minutes venting the area. Repeat the application as necessary.

HORSE BARN OR STABLES: In horse and pony barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1000 cubic feet of area. Do not remain in the treated area. After 15 minutes ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, lightly mist over backs of horses and ponies from a distance of 2' feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1000 cubic feet of space. Do not remain in treated area. After 15 minutes ventilate the area. Repeat application as necessary.

ANIMAL USE: For animal application, thoroughly spray entire animal from approx. 2' feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

CCT 1 1084

CLINE-BU
PURC
CB-
PROFESSIONAL
insecti

**For Use In Food Handling Areas and Pantries
Commercial or Institutional Areas and Pantries
Supermarkets, Food Plants, Bottling Plants, Hospitals, Stores, Dairies, Stables, Daycare Centers, Egg and of Dairies and Chickens**

KILLS FLIES, MOSQUITOES, ROACHES, ANTS, CRICKETS AND SILVERFISH

Concentrated Power, Fast Acting Formula, New Filtered Valves, P

ACTIVE INGREDIENTS

Pyrethrins
•Piperonyl Butoxide, Technical
Petroleum Distillate

INERT INGREDIENTS

*Equivalent to 0.2% (Butylcarbitol) and 0.8% related compounds

EPA Reg No 9444-96

KEEP OUT OF REACH OF CHILDREN
Read additional precautions

NET WT. 32 OZ. (2)