#### PRECAUTIONARY STATEMENTS CAUTION

Hazarda to Humans & Domestic Animals

Harmful if swallowed or obsorbed through skin. Avoid breathing of vopors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of ware. Obtain medical attention if irritation persists.

Do not apply directly to food. Volumetric Treatment of Food Areas and/or Food has this Establishments: Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space apraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled and rinse with potable water. Volumetric Treatment in Homes: In the home, c# food processing surfaces and utensits should be covered during treatment or thoroughly washed before use,

Remove pets, birds and cover fish aquariums before apraying.

PHYSICAL OR CHEMICAL HAZARUS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting

the not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs. computers, etc.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Contact a physician immediately

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists If on Skin: Wash with plenty of soap and water. Get medical attention if imitation Jersists.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling ELYMOINSECTS FEETS, MOROUNTOES SMALL ELYING MOTHS, WASHS, MARY Calculate Cubic faet of sprice to be treated. Close all doors and windows. Spray in sweeping including in all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.

CRAWLING INSECTS: COCKROACHES, ANTS, SPIDERS, SILVERFISH. Calculate square feet of floor area to be treated. Open all cabinets, storage areas, closets. Spray directly on insects or in cracks and crevices where insects hide.

FOR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door and window frames. Repeal as necessary,

CRACK & CREVICE APPLICATION: Food areas and/or food handling establishments. Spray in cracks and crevices, using the crack and crevice nozzle provide. A crack and crevice application may be done in lood areas and/or food handling establishments white these facilities are in operation by taking extreme care not to contaminate surfaces.

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, door frames, bookcuses and storage areas should be made. For adequate control, spray directly on insects.

FOR CRICKETS: Spray thoroughly and frequently behind ticker, refrigerators, under cabinets, in food storage areas, and especially in closets, basements, and other damp areas. For best results, spray directly on insects.

FOR ANTS: Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 100 square feet of floor area. Then periodically spray as a space aerosol 3-5 seconds per 100 cubic feet of space

FOR INDIANMEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of : oom especially around stored food product containers, oallets and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of sprice. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. FOR CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and

carpets, Repeal treatment as necessary. FOR CONFUSED FLOU'S BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around carbons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square leet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application

as necessary. FOR BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat haseboards, moldings and floors. Repeat treatment as

FOR FLEAS: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not rause empty container. Reptace cap, wrup empty container in newspaper and discard in trash. Do not puncture or incinerate.

Authorized for use under USDA Inspection & Grading Programs.

Manufactured hi WATERBURY COMPANIES, INC. P O Bhr 1812 Wele-Sury, CT 06722



## **PURGE** PROFESSIONAL AEROSOL insecticide

KILLS: Flies, Mosquitoes, Wasps, Gnats, Cockroaches, Ants, Crickets, Spiders, Silverfish, Small Flying Moths, Indianmeal Moths, Angoumois Grain Moths. Carpet Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites, Bedbugs and Fleas.

FOR USE IN Food Handling Establishments. Commercial or Institutional Kitchens, Dining Areas and Pantries of Restaurants. Supermarkets, Food Plants, Food Warehouses, Bottling Plants, Hospitals, Hotels, Motels, Homes, Stores Nursing Homes and Daycare Centers.

Concentrated power, fast knockdown and kill.

#### **ACTIVE INGREDIENTS:**

Pyrethrins		0.50%
* Piperonyl Butoxide, Techn	ilcal	4.00%
INERT INGREDIENTS	S S	95.50%
	•••••	100.000%

\* Equivalent to 3.2% (butylcarbity (Graw opylpiperonyl) ether and 0.6% artification pourts

KEEP OUT OF REACH OF CHILDREN CAUTION.

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-96

EPA CS1, No. 9444-LA-1

NET WEIGHT 23 oz / 652 g

#### PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans & Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Volumetric Treatment of Food Areas and/or Food Handling Establishments: Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying lood processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed lood will be handled and rinse with potable water. Volumetric Treatment in Homes: In the home, all lood processing surfaces and utensits should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperalures above 130°F may cause bursting

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. n Skin: Wash with plenty of soap and water. Cet medical attention if irritation

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling FLYING INSECTS: FLIES, MOSOUITOES, SMALL FLYING MOTHS, WASPS, GNATS Calculate cubic feet of space to be realted. Close all doors and windows. Spray in sweeping indicented all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.

CRAWLING INSECTS: COCKROACHES, ANTS, SPIDERS, SILVERFISH Calculate square feet of floor area to be treated. Open afficabinets, storage areas, closets. Spray directly on insects or in cracks and crevices where insects hide

FOR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts or the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind sloves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door and window frames. Repeat as necessary

CRACK & CREVICE APPLICATION: Food areas and/or food handling establishments Spray in cracks and crevices, using the crack and crevice nozzle provided. A crack and crevice application may be done in food areas and/or food handling establishments while these facilities are in operation by taking extreme care not to contaminate surfaces

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, door frames, bookcases 1 storage areas should be made. For adequate control, spray directly on insects

FOR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under thinets, in food storage areas, and especially in closets, basements, and other damp is. For best results, spray directly on insects

RANTS: Spray ant trails inests and points of entry. For initial cleam-up, apply for 10/15 ands per 100 square feet of floor area. Then periodically spray as a space aerosol 3.5. .... ands per 100 cubic feet of space

FOR INDIANMEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of room especially a ound stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed

FOR CARPET BEETLES: Spray directly on berillas, baseboards, floors, chelves and carpets. Repeat treatment as necessary.

FOR CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 39 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application

FOR BEDBUGS: Spray mattresses, particularly around tutts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as

FOR FLEAS: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal STORAGE: Store in a cool, dry area away from heat or open flame D'SPOSAL: Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate.

Authorized for use under USDA Inspection & Grading Programs

Manufactured by WATERBURY COMPANIES, INC.





# **PURGE** PROFESSIONAL AEROSOL insecticide

KILLS: Flies, Mosquitoes, Wasps, Gnats, Cockroaches, Ants, Crickets, Spiders, Silverfish, Small Flying Moths, Indianmeal Moths, Angoumois Grain Moths, Carpet Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites, Bedbugs and Fleas.

FOR USE IN Food Handling Establishments. Commercial or Institutional Kitchens. Dining Areas and Pantries of Restaurants, Supermarkets, Food Plants, Food Warehouses, Bottling Plants, Hospitals, Hotels, Motels, Homes, Stores, Nursing Homes and Daycare Centers.

Concentrated power, fast knockdown and kill.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.50%
* Piperonyl Butoxide, Technical	4.00%
INERT INGREDIENTS	95.50%
	100.00%

Equivalent to 3.2% (butylcarbityl)(6-prepyloperonyl) ether and 0.8% related compounds.

### BEST AVAILABLE COPY KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionally Statements.

EPA Reg. No. 9444-96

EPA Ect. No. 9444-LA-1

NET WEIGHT 23 oz / 652 g