

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
DANGER

Causes eye damage. Wear goggles or safety glasses when applying. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Avoid contamination of food and foodstuffs. Do not use in serving areas while food is exposed.

When prolonged exposure to spray mist occurs, wear a pesticide dust respirator jointly approved by the Mining Enforcement & Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provisions of 30 CFR Part II.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES - Flush eyes with plenty of water. Get medical attention.

IF SWALLOWED - Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS


Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plants. Do not spray on painted, plastic or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers or into outlets or switches where powdery residue may foul or short electric contacts and circuits.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PURGE™ DRIONE® PRESSURIZED SPRAY



Fast Acting Spray Powder

KILLS: Roaches, crickets, beetles, spiders, earwigs, sowbugs, silverfish, ants, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, waterbugs, firebrats, powder post beetles, bed bugs, fleas, ticks.

For use in: Homes, hospitals, restaurants, schools, institutions, warehouses, factories, food plants, supermarkets, motels, hotels, apartments, utilities, meat packing and food processing plants, planes, buses, trains, boats, food storage areas, commercial buildings.

Kills up to 7 Months When Left Undisturbed.

ACTIVE INGREDIENTS:

- Pyrethrin.....0.10%
- Piperonyl Butoxide Technical*.....1.00%
- Silica Gel.....4.00%
- Petroleum Distillate.....4.90%

INERT INGREDIENTS.....90.00%
100.00%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl)ether and 0.2% related compounds.

DRIONE-Registered trademark of Fairfield American Corp.

KEEP OUT OF REACH OF CHILDREN
DANGER

Harmful if swallowed. Causes eye damage. See side panel for Statement of Practical Treatment and additional precautions.

E.P.A. Reg. No. 9444-109 E.P.A. Est. No. 9444-LA-1

Net Weight 18 oz./510 gr.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Store in a cool dry area away from heat or open flame. Do not reuse empty container. Wrap container and put in trash collection.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE.

Before storing after use, invert container and spray until only air comes out to clear valve and spray nozzle.

Do not use as a space spray. FOOD AREA APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food in exposed and facility in operation) also would be considered a food area.

In food handling establishments, use only when facility not in operation. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK & CREVICE TREATMENT ARE NOT PERMITTED.

Apply in small amounts directly into cracks and crevices using injection nozzle provided in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

INDOORS. To control roaches, crickets, beetles, spiders, earwigs, sowbugs, millipedes, centipedes. Spray into hiding places such as cracks & crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, in dark storage areas and all other areas where these pests are found. Spray directly on insects in these locations where possible. Repeat as necessary.

Silverfish, firebrats, booklice: Spray crack & crevices in baseboards, door frames, bookcases, and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

Ants: Locate ant colonies and spray 5-10 sec. directly into nest. Spray into trails and point of entry around doors, windows, structural cracks and crevices. Spray directly on ants in these locations where possible. Repeat as necessary.

Fleas, Ticks & Lice in Animal Quarters: Treat bedding, floor and floor coverings and all areas where pests may hide at the rate of one second spray per square foot. Treat cracks and crevices behind moldings, shelving, baseboards, pipe openings and all other cracks at the rate of 1 second spray per linear foot. If left undisturbed, this product will continue to kill these pests for several weeks. Repeat application as needed.

Bedbugs: Take bed apart and treat cracks, joint and interior of framework. Mattresses and box springs should be treated, especially tufts, folds and edges. Picture frames, moldings, and all cracks and crevices in the room should also be treated. Do not use in hospital patient quarters.

Powder Post Beetles: Treat infested wood using injection nozzle. Apply small amounts directly into and around entrance holes.

Treatment in wall void areas, false ceilings, equipment voids, attics, crawl spaces and man holes where human contact with treated area will be minimal: Spray exposed stages of roach, earwigs, crickets, silverfish, ants, beetles by calculating surface area and treat at a rate of 1 second per square foot. Spray by inserting injection nozzle tip into crack or crevice, hole or other small opening into void space. Repeat as necessary.

OUTDOORS. To control roaches, sowbugs, centipedes, crickets, millipedes, earwigs, spiders, ground beetles, and ants. Clean up debris around premises. Spray into cracks around doors, windows, under siding at foundation level, beneath guards on loading docks, into cracks in foundations and floors and in all other places where these pests may enter building. Repeat application as necessary.

Manufactured by: Cline-Buckner, Inc. Artesia, CA 90701 & Independence, LA 70443