

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray. Wash thoroughly with soap and water after handling.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to ventilated area. Apply artificial respiration if necessary.
IF IN EYES: Flush eyes with plenty of water. Contact a physician if irritation persists.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF SWALLOWED. DO NOT INDUCE VOMITING. Call a physician or Poison Control Center immediately. Vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: Hold container upright, nozzle away from you and spray infested surfaces only until wet. **ROACHES, ANTS, WATERBUGS, SILVERFISH, SPIDERS, CRICKETS:** Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks and stoves. Spray other localized areas infested with these pests. Repeat treatment as required. Do not spray leadstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

FLEAS AND BROWN DOG TICKS: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Allow the sprayed areas to dry thoroughly. Applications should be repeated as infestations warrant and reinfestation occurs. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation. Treat pets with a product registered for application to animals to control the source of your flea infestation.

FLIES, MOSQUITOES, WASPS, HORNETS AND FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat treatment as necessary. For control of Wasps and Hornets apply after dark when all of the insects have returned to the nest. Repeat if necessary.

FLEAS, ANTS, BROWN DOG TICKS, CLOVER MITES, EARWIGS, CRICKETS, MILLIPEDES OUTDOORS: For treatment of localized infestations of these insects in outdoor areas or where these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. For Fleas and Brown Dog Ticks, spray weeds and bushy non-crop vegetation. Repeat treatment as necessary. Do not spray desirable vegetation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool dry place away from heat or open flame. **DISPOSAL:** Do not reuse empty container. Replace cap, wrap container and put in trash collection.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Manufactured by:

CLINE-BUCKNER, INC.

A subsidiary of Waterbury Companies, Inc.
Artesia, CA 90701 Independence, LA 70443



3004CB-8-Rev. 9/88

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.