CRACK AND CHEL INJECTION USE ONLY

PRECAUTE NO A STATEMENTS

WARNING Hazards to Humans and . mals. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of structed. Contact with skin, even in clothing a 3 2 provide adequate ventilation of area being treat ed Contact with skin leves in clething to to be avoided. Wash thoroughly after using. Avoid contamination of food leters is and techniques areas. Should illness occur, get prompt medicallaid To Physician - Atronne Suita e sain

STATEMENT OF FRACTICAL TREATMENT

If Ishaled - Remove victim to fresh a line, his respiration if indicated

Call a physician or F !! Swallowed -Center Induce vomiting by touching back of

throat with 1 oger, Recently somit fluid is clear. Do not induce vomiting or give

anything by mouth to arrun. Haus person

Remove confaminated corning and wash affected areas with spap and water It on Skin

- Flush eves with plents of care. Call a physician immediately H in Eyes

EN . FINMENTAL HAZARDS

This product is toxic to hish and birds. Do hishapply directly to water. Do not contaminate water by cleaning of equipment or disposal of watts. Apply this product only as specified on the label

PHYSICAL CRITHEMICAL HAZAROS

Contents under pressure. On not puncture or or nerate container. Do not use or store near heat or open flame. Exposure to temperature lettine. LOSE may cause bursting. Do not spray on plastic painted or varnished surfaces or directly into electronic equipment such as radios, televisions, computers etc

CIRECT CAS FOR USE

foris a violation of Federal taw to use that could Til a manner inconsistent with its labeling SYSTEM 22 R SYNERGIZED CRACE & CREVICE INSECTICIDE is for use only with injection tube and for injecting into cracks and crackes somere insects may be hiding, living and breeding. Place injector tip %" into cracks, crevices, ha scand other small openings where insects may be a problem Release approximately 1 second spr. her spot in serious infestations, if possible, place spots epproximately 12" apart. In light infer a 2017, preventative treatment, place spots approximately 3 feet apart. See the additional directions ballow for effective control of specified insects

CRAWLING PESTS: Cockroaches, Waterbugs: Spiders, Ticks, Earwigs, Crickets, Sowbugs, Mill ipedes, Centipedes: Spray into hiding plates such as cracks and crevices, moist areas, openings around: pipes and sinks, under refrigerators, behind baseppards, colfee makers, meter boxes and manholes Spray directly on insects in these locations where possible. Repeat as necessary

BOOKLICE & SILVERFISH. Spray cracks and crevices in baseboards, door frames, bookcases and istorage areas. Spray directly on insects in these ideations where possible. Repeat as necessary

ANTS Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary,

GRAIN WEEVILS, FLOUR BEETLES CHOCOLATE MOTHS DRUG STORE BEETLES (in exposed adult and larvae stages)and hiberrating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES. Contact as many insects as possible when treating infested areas such as cracks and crevices in well-podt a ound windows and door frames under siding in machinery, and in dark secluded areas. Pepeat as necessary

Localized treatment of wood destroying insert. CARPENTER ANTS, CARPENTER BEES, and TERMITES. Locate source of infestation. Inject 5.10 second spray into insert tunnels and cavities For CARPENTER BEES, sea entrance openings with small pieces of stainless steel worl after spray application. The purpose of this treatment is to kill workers or winged reproductive forms which may be present in the treated channels and spaces at the time of treatment. Such application is not intended as a substitute for mechanical afteration, soil treatment or foundation treatment

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHEMENTS For Ure In: Restaurants, Homes, Supermarkets, Meat Packing Plants, Food Processing Plants, Food Storage Areas of Warehouses and other Food Handling Establishments

Limited to Crack & Crevice Treatment Only. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, was voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal STORAGE: Store in a cool dry area away from heat or open fleme PESTICIDE DISPOSAL: Pesticide that cannot be use be used according label 10 instructions must be disposed of according to applicable federal, state and local procedures CONTAINER DISPOSAL: Replace cap and discard empty container in Irash, sanitary length by other approved state and local procedures. Do not incinerate or punctual.

Authorized for use under USBA Inspect on & Grading Programs

Manufactured by

CLINE-BUCKNER INC.

A subsidiary of Waterbury Companies, Inc. Arresia: CA 90701 Independence, LA 70443

Under the Federal La Funging to, and Rodesta as a rim felt, for the par Etron & No 9