

AFTER



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

Food Processing Areas of Food Plants: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. When using the product in these areas, apply only when plant is not in operation.

In hospitals, patients should be removed from room prior to treatment. The room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

This is a warning label. Refer to the use instructions on the manufacturer's product with its labeling.

FLYING INSECTS: Houseflies, Mosquitoes, Gnats, Small Flying Moths, Fruit Flies. Close all windows and doors and direct fog toward a volume of 10 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.

DRAWLING INSECTS: Cockroaches, Waterbug. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES in exposed adult and larvae stages: Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, and dark secluded areas. For Carpet Beetles, treat matted area of carpet, localized areas of floors, baseboards and under cracks and under carpet where these pests may be found. Repeat treatment as necessary.

SPIDER AND SCORPION: Spray thoroughly into hiding places such as baseboards, sinks, bathtubs, under furniture, and manholes. Repeat treatment as necessary.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area away from heat or open flame. **DISPOSAL:** Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate.

Authorized for use under USDA Grading & Inspection Program.

Manufactured By:

Waterbury Companies, Inc.
Waterbury, CT 06722

CB S-312 insecticide

with Esbiothrin

**KILLS: Cockroaches, Houseflies, Mosquitoes
Gnats, Small Flying Moths, Fruit Flies,
Grain Weevils, Flour Beetles, Chocolate Moths,
Carpet Beetles, Drug Store Beetles,
Ants, Silverfish, Crickets**

*A heavy-duty commercial formula insecticide
for use in hospitals, restaurants, food plants,
supermarkets, motels, homes, hotels, utilities.*

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans chrysanthemate	0.20%
**Piperonyl Butoxide Technical	1.20%
††INERT INGREDIENTS	98.50%
	100.00%

*ESBIOTHRIN® — Registered trademark of Roussel-UCLAF; Paris, France.

Min. 72% d-trans-Chrysanthemum monocarboxylic ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one.
Max 28% Other Isomers.

**Equivalent to 0.96% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.24% related compounds.

††This product contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on side panel.

EPA REG NO 9444-1126

EPA EST No 9444-LA-1

NET WEIGHT: 23 oz / 652 g

NOTIFICATION
LABEL NOT REVISED
PER PR NOTICE 68-8
DATE: JUL 6 2007

BEST AVAILABLE COPY