PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of valor. Avoid contact with skin, eyes or clothing, in case of contact, immediately flush eyes or skin with plenty of water. Get medical attenuor if irritation persists. Do not contaminate water, food or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

Food Processing Areas of Food Plants: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. When using the product in these areas, apply only when plant is not in operation.

In hospitals, patients should be removed from room prior to treatment. The room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open fiame. Do not puncture or incinerate container. Exposure to temperatures above 130°F ma, cause bursting.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

FLYING INSECTS: House Flies, Mosquitoes, Gnats, Small Flying Moths, Fruit Flies, Close all windows and doors and direct fog upward at a rate of 1-3 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.

CRAWLING INSECTS: Cockroaches, Waterbugs. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

GRAIN WEEVILD, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUGSTORF BEETLES in exposed adult and larvae stages.

contact as including of the possible when treature intested and a cracks, crevices, stored products, machinery, and dark secluded areas, from Carpet Beetles, treat infested areas of carpet, localized areas of ficors, baseboards, and into cracks and under carpet where these pests may be found. Repeat treatment weekly or as insects appear.

ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and spray directly into them contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes and manholes. Repeat treatment as necessary.


APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.

Apply a small amount of material directly into cracks and drevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

STORAGE & DISPOSAL

Do not contain, riate water, food or feed by storage or disposal STORAGE: Store in a cool, dry area away from heat or open flame DISPOSAL: Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate

Authorized for use under USDA Grading & Inspection Programs





CBS-312 insecticide

with Esbiothrin®

KILLS: Cockroaches, Waterbugs, House Flies, Mosquitoes, Gnats, Small Flying Moths, Fruit Flies, Grain Weevils, Flour Beetles, Chocolate Moths, Carpet Beetles, Drugstore Beetles, Ants, Silverfish and Crickets.

A heavy-duty commercial formula insecticide for use in Hospitals, Restaurants, Food Plants. Supermarkets, Motels, Homes, Hotels, Utilities.

ACTIVE INGREDIENTS:

dilallethrolone ditransi

chrysanthemate . * * Piperonyl Butoxide, 7	0.30% Technical1.20%
INERT INGRÉDIENTS	

* ESBIOTHRING AN Registered trademark of Roussel-UCLAF; Paris France Min. 72% d-trans-chrysanthemum monocarboxylic ester of

Min. 72% d-trans-chrysanthemum monocarboxylic ester et d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one.

Max 28% Other Isomers

 Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and '% related compounds.

THIS PRODUCT CONTAINS PETROLEUM DISTILLATES.

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements.

LADE PER PR NUERA Reg. No. 9444-120

EPÅEst No. 9444-LA-1

NET WEIGHT 23·0X少652 g