

Do not remain in treatrid areas and venticate the area after treatment is completed. Avoid breathing of ve, or. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

Food Processing Areas of Food Plants: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. When using the product in these areas, apply only when plant is not in operation.

In hospitals, patients should be removed from room prior to treatment. The room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLYING INSECTS: House Flies, Fruit Flies, Mosquitoes, Gnats, Small Flying Moths-Close all windows and doors and direct fog upward at a rate of 1-3 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes

CRA 7LING INSECTS: Cockroaches, Waterbugs-Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUGSTORE BEETLES in exposed adult and larval stage: Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, and dark, secluded areas. For Carpet Beetles, treat infested areas of carpet, localized areas of floors, baseboards, and into cracks and under carpet where these pests may be found. Repeat treatment weekly or as insects appear

ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and spray directly into them contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes and manholes. Repeat treatment as necessary.

FLEAS & TICKS: Treat pet's bedding, reating areas, walkways, and other areas heavily travelled by the animal. Spray to give adequate coverage. To reduce reinfestation, pets should be treated with registered flea and tick control products pnor to reentening treated premises. Spray entire interior surfaces of doghouses. Repeat as necessary, thoroughly spraying floors, bedding, cracks and crevices. Spray directly on as many insects as possible.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS Apply a small amount of material directly into cracks and crevices such as expansion

joints between different elements of construction or between equipment bases and the floor, walf voids, motor housing, junction boxes are witch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry area away from heat or open flame. DISPOSAL: Do not reuse empty container. Replace con him permitty container. in newspaper and discard in trash. Do not puncture or incinerate,

Authorized for use under USDA Grading & Inspection Programs.

Manular foredt ,
WATERBURY COMPANIES, INC P. O. Post 1812 Waterbury, CT 0872; Made in 17 A

UPC SYMBOL

ACCEPTED 26 MAY 1992

Under the Federal Insecticide. Fungicide, end e planticlide Act. as amended, it in posticide registered under 9444-126



CB S-31 insecticide

with Esbiothrin[©]

KILLS: Cockroaches, Waterbugs, House Flies, Fruit Flies, Mosquitoes, Gnats, Small Flying Moths, Grain Weevils, Flour Beetles, Chocolate Moths, Carpet Beetles, Drugstore Beetles, Ants, Silverfish, Crickets, Fleas and Ticks

For Use in Hospitals, Rescaurants, Food Plants, Supermarkets, Motels, Homes, Hotels, Utilities

ACTIVE INGREDIENTS:

d/I-allethrolone d-trans chrysanthemate 0.30% * * Piperonyl Butoxide, technical 1.20% INERT INGREDIENTS 98.50% 100.00%

* ESBIOTHRING — Registered trademark of Roussel-UCLAF; Paris, France.

Min. 72% d-trans-chrysanthemum monocarboxylic acid ester of (+)-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one. Max 28% Other Isomers

Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and 0.24% related compounds.

THIS PRODUCT CONTAINS PETROLEUM DISTILLATES.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-126

EPA Est. No. 9444-LA-1

NET WEIGHT 23 oz / 652 g