

**SHAKE WELL BEFORE USING**

**Precautionary Statements  
Hazards to Humans and Domestic Animals  
WARNING**

Causes substantial but temporary eye injury. Do not get in eyes or on clothing or skin. Wear goggles or face shield when applying. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food, utensils and food preparation areas.

**PHYSICAL OR CHEMICAL HAZARDS:**

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers, motors or into outlets and switches or any other location where the powder residue may foul or obstruct contacts and circuits.

**DIRECTIONS FOR USE:**

Read the label of Federal law to use this product in a manner consistent with its labeling.

Shake well before use. Before storing after use invert container and spray until only air comes out to clear valve and spray nozzle. **SPRAY IN UPRIGHT POSITION ONLY.**

**BORIC ACID CRACK & CREVICE RESIDUAL**

**CREVICE RESIDUAL** is for use only with injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, laying and breeding. Place inject. tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per foot. In serious infestation, place spots approximately 12" apart. In light infestation or preventive treatment, place spots approximately 3 ft. apart. In long running cracks, move the inject. tip along the crack while spraying. Move at the rate of 1" linear foot per second. In heavy infestation or 3 ft. per second in light infestation. This powder spray leaves a white residue. Should misapplication occur, wipe off visible residue. See the additional directions below for effective kill of specified insects.

**CRAWLING INSECTS:** Cockroaches (Waterbugs), Earwigs, Crickets, Sowbugs, Millipedes, Centipedes. Spray into hiding places such as cracks and crevices, under areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Apply into cracks and crevices, under tables and chairs.

**BOOKLICE SILVERFISH AND FIREBRATS:** Spray cracks and crevices in baseboards, door frames, book cases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

**ANTS:** Spray onto trails, nests and points of entry and doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

**GRAIN WEEVILS, FLOUR BEETLES, DRUG STORE BEETLES** (in exposed larvae and adult stages) and hibernating stages of **BOXELDER BUGS, ELMLEAF BEETLES, CLUSTER FLIES AND CLOVER MITES:** Contact as many insects as possible when treating infested areas such as cracks and crevices, wall voids, around windows and door frames, under siding, in machinery and in other secluded areas. Repeat as necessary.

**TERMITES:** For treatment of termite infestations, contact your local health department. **CARPENTER ANTS, CARPENTER BEES AND TERMITES:** For treatment of termite infestations, contact your local health department.

**VOLUME TREATMENT OF "INACCESSIBLE VOIDS"** (Face ceilings, wall voids, equipment voids and attic crawl spaces and manholes where human contact with treated surfaces will be minimal.) For exposed stages of Cockroaches (Waterbugs), Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants and Beetles. Calculate void horizontal surface area and treat at a rate of 1" second per sq. ft. Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat use every thirty days. For more efficient application in large void areas, use Bond.

**APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS--APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (milk, dairies, edible oils, syrups). Serving areas, where food is exposed and facility is in operation, also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool area away from heat and flame. Product should be kept in a locked storage area.

**DISPOSAL:** Do not reuse empty container. Do not incinerate or puncture. Replace cap and discard container in trash collection.

Manufactured by  
**WATERBURY  
COMPANIES, INC.**  
WATERBURY, CT

WATERBURY  
PESH PAH  
10/1/78  
1111 2-9000



**SYSTEM 22**

**BORIC ACID  
Crack & Crevice  
Residual**

**KILLS:** Cockroaches (Waterbugs), Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants, C in Weevils, Flour Beetles, Drugstore Beetles, Boxelder Bugs, Elmleaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, Carpenter Bees and Termites.

For use in hospitals, supermarkets, motels, hotels, homes, apartments, buses, boats, ships, trains, trucks, planes, utilities, meat packaging and food processing plants, food storage areas, restaurants and other food handling establishments, schools, warehouses and other commercial buildings.

**ACTIVE INGREDIENT:**  
Boric Acid ..... 20%  
**INERT INGREDIENTS:** ..... 80%  
**TOTAL** ..... 100%

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

Special precautions should be taken so that all residue will be out of reach of children or domestic animals. Avoid contamination of food and food-stuffs. See side panel for additional precautions.

**STATEMENT OF PRACTICAL TREATMENT**

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention immediately.

EPA Reg. No. 9444-133

EPA Est. No. 11623-GA-7

**NET WEIGHT 16 oz / 454 g**

