

OCT 10 1991

S 398880 345
38

Waterbury Companies, Inc.
100 Calhoun Street
P.O. Box 640
Independence, LA 70443

Gentlemen:

Subject: Borid Turbo
EPA Registration No. 9444-130
Your Letter Dated June 27, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Label Comments

- Under Physical or Chemical Hazards remove the statement "Do not puncture or incinerate container," and place it under the heading "Storage and Disposal" in front of "Disposal."

Note the Confidential Statement of Formula (CSF) dated June 27, 1991 is accepted and placed in our files.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

61109:I:A-27:Cromwell:L14-18:KEVRIC:09/13/91:10/12/91:DD:WO:DD

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

Jacke's

SHAKE WELL BEFORE USING

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**

Causes substantial but temporary eye injury. Do not get in eyes or on clothing or skin. Wear goggles or face shield when applying. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food, utensils and food preparation areas.

STATEMENT OF PRACTICAL TREATMENT

If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes: Flush eyes with plenty of water. Get medical attention immediately.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers, motors or into outlets and switches or any other location where the powdery residue may foul or short electric contacts and circuits.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake well before use. Before storing after use, invert container and spray until only air comes out to clear valve and spray nozzle. **SPRAY IN UPRIGHT POSITION ONLY.**

This insecticide is for use only with injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, lying and breeding. Place injector tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestation, place spots approximately 12" apart. In light infestation or preventive treatment, place spots approximately 3 feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestation or 3 feet per second in light infestation. This powdery spray leaves a white residue. Should misapplication occur, wipe off visible residue. See the additional directions below for effective kill of specified insects.

CRAWLING INSECTS Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes: Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Apply into cracks and crevices, under tables and chairs.

BOOKLICE, SILVERFISH, & FIREBRATS: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray onto trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, DRUGSTORE BEETLES (exposed adult and larvae stages and hibernating stages of) **BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES, AND CLOVER MITES:** Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery, and in dark secluded areas. Repeat as necessary.

CARPENTER ANTS, CARPENTER BEES, AND TERMITES: Localized treatment of wood-destroying insects. Locate source of infestation. Inject spray 5-10 seconds into insect tunnels and cavities.

VOLUME TREATMENT OF INACCESSIBLE VOIDS: (false ceilings, wall voids, equipment voids and attics, crawlspaces and manholes where human contact with treated surfaces will be minimal) For exposed stages of Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants, and Beetles. Calculate void horizontal surface area and treat at a rate of 1 second per square foot. Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat use every thirty days.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs, and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, IS NOT PERMITTED.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool, dry area away from heat or open flame.
DISPOSAL: Do not use empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate.

Manufactured For
**WATERBURY
COMPANIES, INC.**
P. O. Box 1812
Waterbury, CT 06722



BORID TURBO

KILLS: Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants, Grain Weevils, Flour Beetles, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, Termites, and Carpenter Bees.

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Apartments, Buses, Boats, Ships, Trains, Trucks, Planes, Utilities, Meat Packaging and Food Processing Plants, Food Storage Areas, Restaurants and other Food Handling Establishments, Schools, Warehouses, and other Commercial Buildings.

ACTIVE INGREDIENT:	
Orthoboric Acid	20.0%
INERT INGREDIENTS	80.0%
	100.0%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

Special precautions should be taken so that all residue will be out of reach of children or domestic animals. Avoid contamination of food and foodstuffs. See back panel for additional precautionary statements.

EPA Reg. No. 9444-133

EPA Est. No. 11623-GA-1

NET WEIGHT 16 oz / 454 g