

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Do not use in nurseries or rooms where infants, ill or aged persons are confined. Use 12 feet or more from exposed food or food handling or dispersing surfaces.

(For Reviewer: Read and "bulletproof" format will be used if label space permits; otherwise a paragraph format will be used.)

FIRST AID

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If on Skin or Clothing: Take off contaminated clothing. Remove skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and flush slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue flushing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBERS: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (800) 878-6761, Monday through Friday, 9:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 557-1812, Monday-Friday, 9:00 am to 6:00 pm EST.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

Corrosive under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause boiling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Product Name) is engineered for use in automatic released dispensers. The dispenser automatically activates the sprayer released valve every 15 and/or 30 and/or 45 minutes. Within 24 hours the area is relatively free of flies, mosquitoes, gnats, and small flying insects and with continued use releases annoyance from them. Effectiveness of this product will be noticeable within one hour after the Dispenser is activated. Recommended use is for 24 hours but if less than 24 hour use is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Factors such as air flow rate, size of space treated, humidity and room temperature affect insect activity and control. Therefore, one unit per 4,000 cubic feet of unobstructed space should be considered as an average with adjustments made depending on specific conditions at usage site. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed.

OPERATION: Remove protective cap from top of can and insert can in dispenser. Suspend dispenser 7 feet from the floor and at a point where wind flow will carry the particles throughout the room.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store near heat or open flame. Store in cool dry area away from children.

DISPOSAL: Do not puncture or incinerate. If empty: Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Best graphics symbol is optional if label space allows it.]

EPA Reg. No. 9444-138

EPA Est. No. 9444-LA-1

INTELMIST

3000 SPRAYS

REGISTERED FOR EFFICIENCY AND ECONOMY

CAUTION
KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements.

NET WEIGHT 7.5 oz. / 207 g

