US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	i -	28 NUV 1994
	9444-150	1 20 110 1 1334
REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	•
17.51111G QN, DC 20400	Conditional	
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Aerosol Boric Acid	
IAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Reg # 9444-150	PM - 14	193
Waterbury Companies, Incorporated 100 Calhoun Street		
Independence, Louisiana 70443		
L	Т	
NOTE: Changes in labeling formula differing in substance from submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	to use of the label in commerce.	
On the basis of information furnished by the registrant, the a the Federal insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby	Registered/Reregistered under
A cupy of the labeling accepted in connection with this Regi	istration/Reregistration is return	ned herewith,
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any named Act is not to be construed as giving the registrant a right to by others.	, may at any time suspend or can ne in connection with the registr	ncel the registration of a pest- ation of a product under this
This product is conditionally registered in acthat you:	cordance with FIFRA section	3(c)(7)(A) provided
•	ation/reregistration of your pr rants of similar products to sul	oduct under FIFRA bmit such data, and
that you: 1. Submit and/or cite all data required for registrates section 3(c)(5) when the Agency requires all registrates.	ation/reregistration of your pr rants of similar products to sul ration of your product under F	oduct under FIFRA bmit such data, and IFRA section 4.
that you: 1. Submit and/or cite all data required for registrates section 3(c)(5) when the Agency requires all registrates submit acceptable responses required for reregistrates.	ation/reregistration of your pr rants of similar products to sul ration of your product under F asing the product for shipmen	oduct under FIFRA bmit such data, and IFRA section 4.
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistra. 2. Make the following label revisions prior to release	ation/reregistration of your properties of similar products to substation of your product under Fasing the product for shipment 444-150" to the label.	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites.
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistra. 2. Make the following label revisions prior to release. Add the phrase "EPA Registration No. 94" b. Delete any label reference to the following	ation/reregistration of your products of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. The pests: Cockroaches, water of this product for these insection of the product label.	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. pel: meat packaging
 Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistr Make the following label revisions prior to release. Add the phrase "EPA Registration No. 94" Delete any label reference to the following Efficacy data is required to support the use Delete the following text from the FOR US 	ation/reregistration of your properties of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. The pests: Cockroaches, water of this product for these insertesand other food processing the product laborated the product laborat	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. pel: meat packaging ing establishments.
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistration. 2. Make the following label revisions prior to release. a. Add the phrase "EPA Registration No. 94" b. Delete any label reference to the following Efficacy data is required to support the use c. Delete the following text from the FOR US and food processing plants, food storage and	ation/reregistration of your properties of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. The pests: Cockroaches, water of this product for these inserts of the product labers and other food procession. Causes moderate eye irritation.	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. pel: meat packaging ing establishments. el to read as follows: tion. Avoid contact
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistration 2. Make the following label revisions prior to release. Add the phrase "EPA Registration No. 94 b. Delete any label reference to the following Efficacy data is required to support the use c. Delete the following text from the FOR US and food processing plants, food storage and d. Revise the PRECAUTIONARY STATEMEN	ation/reregistration of your properties of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. The pests: Cockroaches, water of this product for these inserts of the product labereasand other food processing the product labereasand other food processing the product labereas and the product l	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. cel: meat packaging ing establishments. el to read as follows: tion. Avoid contact vater after handling.
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistration acceptable responses required for reregistration. Add the phrase "EPA Registration No. 94" b. Delete any label reference to the following Efficacy data is required to support the use c. Delete the following text from the FOR US and food processing plants, food storage and d. Revise the PRECAUTIONARY STATEMEN Harmful if absorbed through skir with skin, eyes, and clothing. Was	ation/reregistration of your properties of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. In pests: Cockroaches, water of this product for these inserts of this product for these insertsand other food processing section of the product labersand other food processing the section of the product labersand other food processing the section of the product labersand other food processing the section of the product labersand other food processing the section of the product labers. Causes moderate eye irritarish thoroughly with soap and water. Contact a physician if irritarish.	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. cel: meat packaging ing establishments. el to read as follows: tion. Avoid contact vater after handling. ear as follows:
1. Submit and/or cite all data required for registra section 3(c)(5) when the Agency requires all registra submit acceptable responses required for reregistration acceptable responses required for reregistration. Make the following label revisions prior to release. a. Add the phrase "EPA Registration No. 94" b. Delete any label reference to the following Efficacy data is required to support the use c. Delete the following text from the FOR US and food processing plants, food storage and d. Revise the PRECAUTIONARY STATEMEN Harmful if absorbed through skir with skin, eyes, and clothing. Was e. Revise the STATEMENT OF PRACTICAL. If in eyes: Flush eyes with plenty of was	ation/reregistration of your products of similar products to substation of your product under Fasing the product for shipment 444-150" to the label. In pests: Cockroaches, water of this product for these inserts of this product for these insertsand other food procession. Causes moderate eye irritarish thoroughly with soap and water. Contact a physician if irrand water. Get medical attention	oduct under FIFRA bmit such data, and FIFRA section 4. t: bugs, and termites. ect pests. cel: meat packaging ing establishments. el to read as follows: tion. Avoid contact vater after handling. ear as follows:

- f. Remove any label direction which indicates that this product should be sprayed directly on pests when possible. This practice may leave visible residue in areas which may be accessible to children and pets.
- g. Include the following text on the product label:

Reapply as necessary. Any powder visible after application must be removed. Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants, or other places where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contaminate of feed and foodstuffs.

- h. Expand the STORAGE section of the product label to appear as follows: Store in a cool, dry area away from heat and open flame. Do not store where children or pets may gain access.
- 3. The dermal sensitization study has been graded supplementary and is not acceptable to support this product registration. A new study must be generated and submitted to the Agency for review within 120 days of the date of this Registration Notice. A copy of the precautionary review of the five acute toxicity studies has been enclosed for your records.
- 4. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

)

Mr. Marion J. Johnson, Jr. Acting Product Manager 10 Insecticide-Rodenticide Branch

Registration Division

SHAKE WELL BEFORE USING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

CAULE NOTE

Causes substantial but temporary eye injury. Do not get in eyes or on clothing or sidn. Wear goggles or face shield when applying. Wash thoroughly with scep and water after handling and before smoking or eating. Remove contaminated clothing and wesh before suses. Avoid contamination of food, utensits and food preparation erees.

and food preparation erees.

STATEMENT OF PRACTICAL TREATMENT

If on Sidn: Remove contaminated ciothing and wash effected areas with toop and water.

If in Eyes: Flush eyes, with plenty of water. Get medical ettention immediately.

PHYSICAL OR CHEMICAL HAZARDS

Flemmable, Contents under pressure, Keep away from heat, aparts, and open flame. Do not puncture or incinerate container. Exposure to temperatures abov.: 130°F may cause bursting. Do not apprey on plastic, painted or vernished surfaces. Do not apray directly into arry electronic equipment such as radios, televisions, computers, motors or into outlets and switches or any other location where the powdery residue may foul or short electric contacts and circuits.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistant with its lab SHAKE WELL BEFORE USE. Before storing after use, invertigation and spray until only air comes out to clear valve and spray nozzle. SPRAY IN UPRIGHT POSITION ONLY.

to clear valve and spray nozzle. SPRAY IN UPRIGHT POSITION ONLY.

The rescricide is foruse only with injection tube and for injecting into cracks and cravices and void spaces where insects may be hiding, fying and breading. Place injector tip ½ inch into cracks, cravices, holes and other small openings where insects may be a problem. Release approximately 1 second of spray. In section in infestation is pray approximately 12 inches apart. In light infestation or preventive treatment, spray approximately 3 feet apart. In long running cracks, move the injector tip along the crack while apraying. Move at the rate of 1 sinear foot per second in heavy infestation or 3 feet per second in light infestation. This powderly spray leaves a white residue. Should misepplication occur, wips off visible residue. See the additional directions below for effective till of specific a insects.

CRAWURG INSECTS: Coctoreaches, Weterburg, Earnings, Crickets, Sewburgs, Millippeles, and Centipedes-Spray into hiding places such as clacks and cravices, motet sees, openings around pipes and sinks, under refrigerators, behind baseboards, coffee maters, mater bores and manholes. Spray directly on insects in these locations when possible. Apply into cracks and cravices, under tables and chairs.

BOOKLICE, SELVERFISH. A EXPERIENTS according to the content of the cont

BOOKLICE, SILVERFISH, & FIREBRATIK: Spray crucks and cravices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations when possible. Repeat as

ANTS: Spray onto traits, neets and points of entry around doors, windows, structural cracks and cravices. Spray directly on insects in these locations when possible. Repeat as necessary. GRAIN WEEVILS, FLOUR BESTILES, DRUGSTORS SEETILES (exposed adult and larvel stages and inherenting stages of) BOXELDER BUGS, ELM LEAF BESTILES, CLUSTER FLIES, AND CLOVER MITES: Contact as many insects as possible when treating infected areas such as cracks and crawices, in wall voids, around windows and doorframes, under siding, in machinery, and in dark, sectuded areas.

CARPENTER ANTS, CARPENTER BEES, AND TERMITES: Localized treatment of wood-destroying insects. Locate source of infestation, inject apray 5-10 seconds into insect tunnels and cavries.

VOLUMETRIC TREATMENT OF INACCESSIBLE VOIDS: (take cellings, wall voids, equipment voids in attics, crawlepaces and menholes where human contact with treated surfaces will be minimal.-For exposed stages of Cockrosches, Watertuss, Earwigs, Cricitets, Sewburgs, Millipedes, Carribpe des, Bookdios, Silverfish, Firebrish, Ants, and Beetles-calculate void horizontal surface area and treat at rate of 1 second per square foot. Spray by placeing injection tip into crack or cravice, hole or other small opening "No void space. Repeat use every thirty days.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food a held, processed, prepared or served.

which food a held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO GRACK & CREVICE TREATMENT ONLY: Includes orese for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible wasta storage and enclosed processing systems (mits, darkes, adible oits, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a .cod area.

facity is in operation) also would be considered a lood area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, operating leading to voids and hollow spaces in wells, equipment legs and bases where insects hide. Care should be taken to evoid depositing the product onto exposed surfaces or introducing the material into the eir. Avoid contamination of food or food processing surfaces

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD MANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TYPE ATMENT TO NOT PERMITTED.

STORAGE DISPOSAL

Do not conterminate water, from or feet by storage of plaques,
a TORAGE Store in a cool, dry area away from heat or open flame
DISPOSAL. Do not use empty container. Replace cap, wrap empty container in newspaper and decard
in trash. Do not puncture or incinerate container.

Muniched by " - TOM PANIES, ING. P. C. Box 1812 * Waterbury, CT 08722 Made in USA





AEROSOL BORIC ACID

KILL8: Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants, Grain Weevils, Flour Beeties Orugatore Eveties, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, Termites, and Carpenter Bees

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Apartments, Buses, Boats, Ships, Trains, Trucks, Planes, Utilities, Meat Packaging and Food Processing Plants, Food Storage Areas, Restaurants and other Food Handling Establishments, Schools, Warehouses, and other Commercial Buildings

ACTIVE 'NGREDIENT: Orthoboric Acid INERT INGREDIENTS 80.0% 100.0%

CONTAINS PETROLEUM DISTILLATES

Contains no CFCs or other Ozone Depleting Substances. Federal regulations prohibit CFC propellants in serosols.

KEEP OUT OF REACH OF CHILDREN CAUTION

Special preceutions should be taken so that all residue will be out of reach of children or domestic animais. Avoid centaminătion of food and foodstuffs.

See Back Panel for Additional Precautionary Statements.

EP& Reg. 11. 9444-

EPA Est. No. 9444-LA-1

NET WEIGHT 14 oz / 397 a

