

CB<sup>®</sup>**AEROSOL BORIC ACID**

**KILLS:** Cockroaches, Waterbugs, Earwigs,  
Crickets, Sowbugs, Millipedes, Centipedes,  
Booklice, Silverfish, Firebrats, Ants, Grain Weevils,  
Flour Beetles, Drugstore Beetles, Darkling Beetles,  
Boxelder Bugs, Elm Leaf Beetles, Clover Mites,  
Cluster Flies; **WOOD INFESTING PESTS-** Winged  
and/or Exposed Wingless Termites (Subterranean  
& Formosan), Carpenter Ants and Carpenter Bees.

**FOR USE IN** Hospitals, Supermarkets,  
Motels, Hotels, Homes, Apartments, Buses,  
Boats, Ships, Trains, Trucks, Planes,  
Utilities, Schools, Warehouses, and  
other Commercial Buildings

**ACTIVE INGREDIENT:**

Orthoboric Acid.....20.0%

**INERT INGREDIENTS**.....80.0%

100.0%

**CONTAINS PETROLEUM DISTILLATES**

Contains no CFCs or other Ozone Depleting Substances.  
Federal regulations prohibit CFC propellants in aerosols.


**KEEP OUT OF REACH OF CHILDREN****CAUTION**

Special precautions should be taken so that all  
residue will be out of reach of children or domestic  
animals. Avoid contamination of food and foodstuffs.

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-150

EPS Est. No. 9444-LA-1

**NET WEIGHT 14 oz. / 397g**

**SHAKE WELL BEFORE USING  
PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

**FIRST AID**

**If Swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER-** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

**NOTE TO PHYSICIAN-** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers, motors or into outlets and switches or any other location where the powdery residue may foul or short electric contacts and circuits.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USE.** Before storing after use, invert container and spray until only air comes out to clear valve and spray nozzle. **SPRAY IN UPRIGHT POSITION ONLY.**

This insecticide is for use only with injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, lying and breeding. Place injector tip 1/2 inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second of spray. In serious infestation, spray approximately 12 inches apart. In light infestation or preventive treatment, spray approximately 3 feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestation or 3 feet per second in light infestation. This powdery spray leaves a white residue. Should misapplication occur, wipe off visible residue. See the additional directions below for effective kill of specified insects.

Apply as necessary. Any powder visible after application must be removed. Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants, or other places where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contaminate of feed and foodstuffs.

**CRAWLING INSECTS: Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, and Centipedes-**Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Apply into cracks and crevices, under tables and chairs.

**BOOKLICE, SILVERFISH, & FIREBRATS:** Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Repeat as necessary.

**ANTS:** Spray onto trails, nests and points of entry around doors, windows, structural cracks and crevices. Repeat as necessary.

**GRAIN WEEVILS, FLOUR BEETLES, DRUGSTORE BEETLES, DARKLING BEETLES (exposed adult and larval stages and hibernating stages of) BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES, AND CLOVER**

**MITES:** Spray infested areas such as cracks and crevices, in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

**CARPENTER ANTS, CARPENTER BEES, AND TERMITES:** Localized treatment of wood-destroying insects. Locate source of infestation. Inject spray 5-10 seconds into insect tunnels and cavities. For the control of swarming termites with wings and/or exposed wingless termites in localized areas, apply to voids and galleries in damaged wood, and in spaces between wooden structural members and between the sill plate and foundation where wood is vulnerable. These applications are not a substitute for mechanical alternation, soil treatment or foundation treatment but merely a supplement for controlling active infestations of subterranean termites. Formosan termite carton nests in building voids

3 8 3

may be injected using an injector tip. It is desirable to physically remove carton nest material from building voids when such nests are found.

For control of **carpenter ants** in houses and other structures, apply as a crack and crevice or wall void application. Repeat treatments when necessary. Apply around doors and windows and other places where carpenter ants may enter the premises. Spray into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area. For control of **carpenter bees** in structures, spray directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

**VOLUMETRIC TREATMENT OF INACCESSIBLE VOIDS:** (false ceilings, wall voids, equipment voids in attics, crawlspaces and manholes where human contact with treated surfaces will be minimal)—For exposed stages of **Cockroaches, Waterbugs, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Firebrats, Ants, and Beetles (including Darkling Beetles in poultry houses)**—calculate void horizontal surface area and treat at a rate of 1 second per square foot. Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat use every thirty days.

**APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS — APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.**

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, dry area away from heat or open flame. Do not store where children or pets may gain access.

**DISPOSAL:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]



Manufactured by  
**WATERBURY  
COMPANIES, INC.**

P. O. Box 1812  
Waterbury, CT 06722

985-878-6751 [For Reviewer: Optional text]

Made in USA

[www.CBProProducts.com](http://www.CBProProducts.com) [For Reviewer: Optional text]

[For Reviewer: Optional - CFCs logo]  
R2EPA150.6a

