

9444-170

4-24-2003

1/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Other

OPP Identifier Number

## Application for Pesticide - Section I

1. Company/Product Number 9444-170	2. EPA Product Manager Marion Johnson, Jr.	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CB-38-2 for Insect Control	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Waterbury Companies, Inc. P.O. Box 640/129 Calhoun Street Independence, LA 70446 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

## Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

APR 24 2003

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See attached cover letter for complete details.

## Section - III

## 1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/>
--	-----------------------------	---

6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____
---	--------------------------------------

## Section - IV

## 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Cynthia L. Rohner	Title Registration Specialist	Telephone No. (Include Area Code) (985) 878-8751 Ext. 210
---------------------------	----------------------------------	--

## Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

8. Date Application Received  
(Stamped)

2. Signature Cynthia L. Rohner	3. Title Registration Specialist
4. Typed Name Cynthia L. Rohner	5. Date April 11, 2003



[For Reviewer: Optional – Country Vet logo]

**CB<sup>®</sup>**

Pyrethrins Are Made From Chrysanthemum Flowers

## **CB-38-2 for Insect Control**

**NOTIFICATION**

**APR 24 2003**

•Provides Rapid Control of Residential, Industrial, and Barn Pests.

•Excellent Flushing

•8 to 1 Synergist Ratio

•Quick Knockdown

•Nonaqueous

•Highly Active Solvent System

**KILLS and REPELS:** House Flies, Mosquitoes, Gnats, Wasps, Hornets, Small Flying Moths, Silverfish, Crickets, Spiders, Cockroaches, Waterbugs, Centipedes, Sowbugs, Ants, Indianmeal Moths, Angoumois Grain Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites, Carpet Beetles, Bedbugs, Barn Flies, Deer Flies, Stable Flies and Horn Flies.

**FOR USE IN:** Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains), Barns, Stables, Dairy Farms, Animal Quarters, Milkrooms, Poultry Houses, Hog & Beef Operations and Poultry Operations.

**CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES.  
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.**

**ACTIVE INGREDIENTS:**

Pyrethrins.....0.30%

\*Piperonyl Butoxide, Technical.....2.40%

INERT INGREDIENTS.....97.30%

100.00%

\*Equivalent to 1.92% (butylcarbityl) (6-propylpiperonyl) ether and 0.48% related compounds.

**CONTAINS PETROLEUM DISTILLATES**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-170

EPA Est. No. 9444-LA-1

**NET WT 16 oz/454 g**

375

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply to food in commercial food handling facilities, cover or remove any food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. In the home all food processing surfaces and utensils should be covered during treatment in a way as to prevent contamination, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. **DO NOT APPLY DIRECTLY TO WATER.** Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from surfaces of fabrics to avoid possible staining. In hospitals and nursing homes, patients should be removed from the room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Note, when using this product in an enclosed area, such as a milkroom, barn or stable, remove animals before spraying.

**DAIRY FARM USE: Milking Parlor and Milkroom-**Close all windows and doors. Direct spray upwards, spraying for 5 seconds for 1000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Remove milk and cover milking utensils before spraying. After spraying, milking utensils must be washed with an effective cleaning compound followed by a potable water rinse.

**ANIMAL USE:** Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

**BEEF CATTLE OPERATIONS:** In barns, close all windows and doors. Spray at a rate of 5 seconds per 1000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

**ANIMAL USE:** For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animals face or eyes. Repeat application daily or as necessary.

**STANCHION BARN USE:** Walk behind animals and direct spray over back, allowing 5 seconds per animal. For most effective results apply each morning.

**HORSE BARN OR STABLES:** In horse and pony barns, close all windows and doors. Spray at the rate of 5 seconds per 1000 cubic ft. of space. Do not remain in treated area. Ventilate after treatment. Repeat the application as necessary.

**ANIMAL USE:** For animal application, lightly mist over backs of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

**HOG AND SWINE OPERATIONS:** In hog houses, close all doors and windows. Spray at the rate of 5 seconds per 1000 cubic ft. of space. Do not remain in the treated area. Ventilate after treatment. Repeat the application as necessary.

**ANIMAL USE:** For animal application, direct spray over back of hogs and spray for 5 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat the application daily or as necessary.

**POULTRY OPERATIONS:** In poultry houses, close all windows and doors. Spray roosts, walls, nests and cages thoroughly. Spray at the rate of 5 seconds per 1000 cubic ft. of space. Do not remain in treated areas.

4/5

Ventilate after treatment. Treat daily or as necessary.

**Flies, Mosquitoes, Gnats, Wasps or Flying Moths:** Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Do not remain in treated areas. Ventilate after treatment. Repeat treatment as necessary.

**Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs: General Volumetric Treatment-** Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks, and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

**Ants:** Spray trails, nests and pints of entry. Spray on ants when possible. Repeat as necessary.

**Indian Meal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of the room, especially around stored food product containers, pallets and darkened areas. Do not spray in areas where food is exposed in anyway. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatments. Do not remain in treated areas. Open and ventilate before reoccupying. Repeat application weekly or as needed.

**Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices around cartons or containers and other areas where those insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary.

**Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves, and carpets. Repeat treatment as necessary.

**Bedbugs:** Spray mattresses, particularly on around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat as necessary.

**Home Use: To Kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets-**Spray the insect directly when possible and spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances. Repeat as necessary.

**FOOD PROCESSING PLANT USE: To Kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets-**Spray the insect directly when possible. Spray all possible hiding places such as cracks, crevices, baseboards, sinks cabinets, shelves, under appliances and in food storage areas. To kill Flies, Mosquitoes, Gnats, Small Flying Moths spray upward, spraying for 2-3 seconds for 1000 cubic ft of space. Do not remain in treated areas. Ventilate after treatment.

**VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids):** For crack and crevice application, calculate void volume in cubic feet. Treat 20 seconds per 1000 cubic ft. Repeat as necessary.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Do not store near heat or open flame. Store in cool dry area away from children.

**Disposal:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Authorized by USDA for Use in Federally Inspected Meat and Poultry Plants.

For Additional Products and Information Visit Us At [www.Country-Vet.com](http://www.Country-Vet.com) [For Reviewer: Optional text]



[For Reviewer: Optional - CFCs logo]

Manufactured by  
**WATERBURY  
COMPANIES, INC.**  
P. O. Box 1812  
Waterbury, CT 06722  
985-878-6751 [For Reviewer: Optional text]  
Made in USA



[For Reviewer: Optional - Premium Pyrethrum logo]

129 Calhoun Street - P.O. Box 640  
Independence, Louisiana 70443  
Tel: 985.878.6751  
Fax: 985.878.2178

April 11, 2003

Mr. Marion Johnson, Jr., Product Manager #13  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U.S. Environmental Protection Agency  
Room 266 A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202-4501

**RE: Notification Request per PR Notice 2001-6  
CB-38-2 for Insect Control, EPA Reg. No. 9444-170**

Dear Mr. Johnson:


Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Via this notification we are also incorporating the "PREMIUM PYRETHRUM" logo to the label and the optional "COUNTRY VET" logo. We are also adding the verbiage "and Swine" to the Hog Operations statement under the "Directions for Use" section on the back panel, the alternate statement heading will read "Hog and Swine Operations:". The existing use sites "Hog & Beef Operations and Poultry Operations" are also being included in the "FOR USE IN" section of the label. Reference to our website and our phone number has also been added to the label.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or via email at [crohner@watco.com](mailto:crohner@watco.com) if additional information is needed to expedite this notification request.

Sincerely,



Cynthia L. Rohner  
Registration Specialist