

9444-170

07/17/2003

1/3



[For Reviewer: Optional - Country Vet logo]

**ACCEPTED**  
JUL 17 2003  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9444-170

**CB<sup>®</sup>**

Pyrethrins Are Made From Chrysanthemum Flowers

# CB-38-2 for Insect Control

- Provides Rapid Control of Residential, Industrial, and Barn Pests.
  - Excellent Flushing
  - 8 to 1 Synergist Ratio
  - Quick Knockdown
  - Nonaqueous
- Highly Active Solvent System

**KILLS and REPELS:** House Flies, Mosquitoes, Gnats, Wasps, Hornets, Small Flying Moths, Silverfish, Crickets, Spiders, Cockroaches, Waterbugs, Centipedes, Sowbugs, Ants, Indianmeal Moths, Angoumois Grain Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites, Carpet Beetles, Bedbugs, Barn Flies, Deer Flies, Stable Flies and Horn Flies.

**FOR USE IN:** Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains), Barns, Stables, Dairy Farms, Animal Quarters, Milkrooms, Poultry Houses, Hog & Beef Operations and Poultry Operations.

**CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES.  
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.30%
*Piperonyl Butoxide, Technical.....	2.40%
<b>INERT INGREDIENTS.....</b>	<b>97.30%</b>
	100.00%

\*Equivalent to 1.92% (butylcarbityl) (6-propylpiperonyl) ether and 0.48% related compounds.

**CONTAINS PETROLEUM DISTILLATES**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-170

EPA Est. No. 9444-LA-1

**NET WT 16 oz/454 g**

**PRECAUTIONARY STATEMENTS  
Hazards to Humans & Domestic Animals**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply to food in commercial food handling facilities, cover or remove any food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. In the home all food processing surfaces and utensils should be covered during treatment in a way as to prevent contamination, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

**FIRST AID**

**If Swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER-** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

**NOTE TO PHYSICIAN-** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from surfaces of fabrics to avoid possible staining. In hospitals and nursing homes, patients should be removed from the room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Note, when using this product in an enclosed area, such as a milkroom, barn or stable, remove animals before spraying.

**DAIRY FARM USE: Milking Parlor and Milkroom-**Close all windows and doors. Direct spray upwards, spraying for 5 seconds for 1000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Remove milk and cover milking utensils before spraying. After spraying, milking utensils must be washed with an effective cleaning compound followed by a potable water rinse.

**ANIMAL USE:** Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

**BEEF CATTLE OPERATIONS:** In barns, close all windows and doors. Spray at a rate of 5 seconds per 1000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

**ANIMAL USE:** For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animals face or eyes. Repeat application daily or as necessary.

**STANCHION BARN USE:** Walk behind animals and direct spray over back, allowing 5 seconds per animal. For most effective results apply each morning.

**HORSE BARN OR STABLES:** In horse and pony barns, close all windows and doors. Spray at the rate of 5 seconds per 1000 cubic ft. of space. Do not remain in treated area. Ventilate after treatment. Repeat the application as necessary.

**ANIMAL USE:** For animal application, lightly mist over backs of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

**HOG AND SWINE OPERATIONS:** In hog houses, close all doors and windows. Spray at the rate of 5 seconds 1000 cubic ft. of space. Do not remain in the treated area. Ventilate after treatment. Repeat the application as necessary.

**ANIMAL USE:** For animal application, direct spray over back of hogs and spray for 5 seconds per hog. Do not spray

directly toward the animal's face or eyes. Repeat the application daily or as necessary.

**POULTRY OPERATIONS:** In poultry houses, close all windows and doors. Spray roosts, walls, nests and cages thoroughly. Spray at the rate of 5 seconds per 1000 cubic ft. of space. Do not remain in treated areas. Ventilate after treatment. Treat daily or as necessary.

**Flies, Mosquitoes, Gnats, Wasps or Flying Moths:** Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Do not remain in treated areas. Ventilate after treatment. Repeat treatment as necessary.

**Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs: General Volumetric Treatment-** Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks, and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

**Ants:** Spray trails, nests and points of entry. Spray on ants when possible. Repeat as necessary.

**Indian Meal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of the room, especially around stored food product containers, pallets and darkened areas. Do not spray in areas where food is exposed in anyway. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatments. Do not remain in treated areas. Open and ventilate before reoccupying. Repeat application weekly or as needed.

**Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices around cartons or containers and other areas where those insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary.

**Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves, and carpets. Repeat treatment as necessary.

**Bedbugs:** Spray mattresses, particularly on around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat as necessary.

**Home Use: To Kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets-**Spray the insect directly when possible and spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances. Repeat as necessary.

**FOOD PROCESSING PLANT USE: To Kill Cockroaches, Spiders, Silverfish, Wasps,**

**Hornets, Crickets-**Spray the insect directly when possible. Spray all possible hiding places such as cracks, crevices, baseboards, sinks cabinets, shelves, under appliances and in food storage areas. To kill Flies, Mosquitoes, Gnats, Small Flying Moths spray upward, spraying for 2-3 seconds for 1000 cubic ft of space. Do not remain in treated areas. Ventilate after treatment.

**VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids):** For crack and crevice application, calculate void volume in cubic feet. Treat 20 seconds per 1000 cubic ft. Repeat as necessary.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Do not store near heat or open flame. Store in cool dry area away from children.

**Disposal:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Authorized by USDA for Use in Federally Inspected Meat and Poultry Plants.

For Additional Products and Information Visit Us At [www.Country-Vet.com](http://www.Country-Vet.com) [For Reviewer: Optional text]



Manufactured by  
**WATERBURY  
 COMPANIES, INC.**  
 P. O. Box 1812  
 Waterbury, CT 06722  
 985-878-6751 [For Reviewer: Optional text]  
 Made in USA



[For Reviewer: Optional - CFCs logo]

[For Reviewer: Optional - Premium Pyrethrum logo]