9444-1) reverse before comple	ting form.	-15-20	O O O S	proved.	OMB No.	2070-006	10. Approval expires 2-28
≎EPA	on Agency 160		F	Registration Amendment Other		OPP Identifier Number		
		Applicati	on for Pesi	ticide - Sec	tion l			
Company/Product Number 9444-171			1	PA Product Man arion Johnson,	· · · · ·		3. Pi	3. Proposed Classification None Restricted
4. Company/Product (Name CB-38-3 WB for Insect	PM# 10					<u> </u>		
5. Name and Address of Ap Waterbury Companie P.O. Box 640/129 Ca Independence, LA 70 Check if this	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name							
Name and a second			Section					
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in repsonse to PR Notice 2001-1. Agency letter dated "Me Too" Application.				
Notification - Explain	below.			Other - Explain below.			NC	TIFICATION
See attached cover letter for	complete details.		Section	- 18		· · · · · · · · · · · · · · · · · · ·		
1. Material This Product Wil	l Be Packaged In:							
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Solub Yes No If "Yes" Package wg	No. per		. Type of	Container Metal Plastic Glass Paper Other (5	Specify)
3. Location of Net Contents Information 4. Size(s) Re Label Container			tell Container		5. Locat	ion of Leb	el Directio	ons
6. Manner in Which Lebel is	Affixed to Product	Lithog Paper Stend	reph glued ited	Other				
			Section	- IV				€ / - f.
Contact Point (Complete items directly below for identification Name Cynthia L. Rohner			Title Registration Specialist			ary, to pro	Telephone No. (Include Area Code) (985) 878-6751 E.t. 210	
i acknowledge that an both under applicable	ments I have made on y knowlingliy false or (law.	misleading sto	all attachments itement may be				-	6. Date Application Received (Stamped)
2. Signature		1	3. Title					1

Registration Specialist

5. Dete

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Cynthia L. Rohner

White - EPA File Copy (original)

Yellow - Applicant Cor

$\mathsf{CB}^{ exttt{ iny R}}$

Pyrethrins Are Made From Chrysanthemum Flowers

CB-38-3 WB for Insect Control

 Provides Rapid Control of Residential, Industrial, and Barn Pests
 Excellent Flushing · 8 to 1 Synergist Ratio
 Quick Knockdown

KILLS and REPELS: House Flies, Mosquitoes, Gnats, Wasps, Hornets, Small Flying Moths,
Silverfish, Crickets, Spiders, Cockroaches, Waterbugs, Centipedes, Sowbugs, Ants, Indianmeal Moths,
Angoumois Grain Moths, Confused Flour Beetles, Sawtoothed Grain Beetles,
Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites, Carpet Beetles, Bedbugs, Barn Flies,
Deer Flies, Stable Flies and Horn Flies
CONTROLS: Garden Insects on Ornamental and Vegetable Plants

FOR USE in Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains), Home Gardens, Barns, Stables, Animal Quarters, Milkrooms, and Poultry Houses

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

ACTIVE INGREDIENTS:

Pyrethrins .	************************	0.30 9	%
	e, technical		
	Ś		%
		100 00 %	_

NOTIFICATION

AUG 1 5 2003

* Equivalent to 1.92% (butylcarbityl) (6-propylpiperonyl) ether and 0.48% of related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-171

EPA Est. No. 9444-LA-1

NET WEIGHT 18 oz / 510 g

SHAKE WELL BEFORE USE

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed, absorbed through skin, or inhaled. Causes moderate eye irritation. Wash thoroughly with soap and water after handling. Avoid contact with skin, or clothing. Remove contaminated clothing and wash before reuse.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. If not breathing, apply artificial respiration preferably mouth to mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from surfaces of fabrics to avoid possible staining.

Do not apply to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces and utensils should be covered during treatment in a way as to prevent contamination or thoroughly washed before use. In medical care facilities, remove all patients prior to treatment. Ventilate area for 2 hours before returning patients.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths: Close all doors and windows and spray room at the rate of 1 to 4 seconds per 1,000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Do not remain in treated areas. Ventilate after treatment. Repeat treatment as necessary.

Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Sowbugs: General Volumetric Treatment—Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1,000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

Ants: Spray trails, nests, and points of entry. Spray on ants when possible. Repeat as necessary.

Indianmeal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room, especially around stored food product containers, pallets, and darkened areas. Do not spray in areas where food is exposed in anyway. Spray 5 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Do not remain in treated areas. Ventilate after treatment. Repeat application weekly or as needed.

Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, around cartons or containers and other areas where these insects tend to congregate. Spray 20 to 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of. Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary. Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat as necessary.

HOME USE: To kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets—Spray the insect directly when possible and spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves and under appliances. Rèpeat as necessary.

FOOD PROCESSING PLANT USE: To kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets-Spray the insect directly when possible. Spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances, and in food storage areas. To Kill Flies, Mosquitoes, Gnats, Small Flying Moths-Close all windows and doors. Direct spray upward, spraying for 2 to 5 seconds for 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment.

VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids): For crack and crevice application, calculate void volume in cubic feet. Treat 20 seconds per 1,000 cubic feet. Repeat as necessary. Note, when using this product in an enclosed area, such as milkroom, barn or stable, remove animals before spraying. **DAIRY FARM USE: Milking Parlor and Milkroom**—Close all windows and doors. Direct spray upwards, spraying for 5 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Remove milk and cover milking utensils before spraying. After spraying, milking utensils must be washed with an effective cleaning compound followed by a potable water rinse.

ANIMAL USE: Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders, and back where saliva accumulates from head tossing.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 5 seconds per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

ANIMAL USE: For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

STANCHION BARN USE: Walk behind animals and direct spray over back, allowing 5 seconds per animal. For most effective results, apply each morning.

HORSE BARNS OR STABLES: In horse and pony barns, close all windows and doors. Spray at the rate of 5 seconds per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat the application as necessary.

ANIMAL USE: For animal application, lightly mist over back of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

HOG OPERATIONS: In hog houses, close all doors and windows. Spray at the rate of 5 seconds per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat the application as necessary.

ANIMAL USE: For animal application, direct spray over back of hogs and spray for 5 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

POULTRY OPERATIONS: In poultry houses, close all windows and doors. Spray roosts, walls, nests, and cages thoroughly. Spray at the rate of 5 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Treat daily or as necessary.

Controls Garden Insects on Ornamental and Vegetable Plants: Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants, spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains.

Use on Ornamentals (Roses, Asters, Dahlias, African Violets, Azaleas, Euonymus, Hydrageas, Junipers, Lilacs) to control Aphids, Rose Chafers, Japanese Beetles, Rose Slugs, Tent Caterpillars, Scales (including Euonymus and Juniper Scales), Leafhoppers, Tarnish Plant Bugs, Lace Bugs (including Azalea Lace Bugs), Thrips (exposed), Mealy Bugs (including Citrus Mealybugs), Mites (including Red Spider, Spider, and Broad Mites), Plant Bugs, Whiteflies, Leafminers, Hydrangea Leaf-tiers, Bagworms, and Leafrollers.

Acceptable for Use to Day of Harvest on Edible Plants.

Use on Vegetables (Peppers, Eggplants, Potatoes, Cucumbers, Squash, Meions, Beans, Sweet Corn and Tomatoes) to control Flea Beetles, Hornworms, Stink Bugs, Colorado Potato Beetles, Aphids (including Green Peach Aphids), Leafhoppers, Blister Beetles, Striped and Spotted Cucumber Beetles, Mexican Bean Beetles, Whiteflies, Twelvespotted Beetles and Japanese Beetles.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children.

Disposal: Do not Puncture or Incinerate! **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]



Manufactured by
WATERBURY
COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
985-878-6751[For Reviewer: Optional text]
Made in USA
www.CBProProducts.com [For Reviewer: Optional text]





#29 Calhoun Street - P.O. Box 640 Independence: #oulsiana 70-43 Tel: 985.878.6751 Fax: 985.878.2178

July 11, 2003

Mr. Marion Johnson, Jr., Product Manager #13
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266 A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

RE: Notification Request per PR Notice 2001-6

CB-38-3 WB for Insect Control, EPA Reg. No. 9444-171

Dear Mr. Johnson:

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Via this notification we are also incorporating the "PREMIUM PYRETHRUM" logo to the label, the optional "CB" logo and the optional "NO CFCs" logo. Reference to our website and our phone number has also been added to the label.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or via email at <u>crohner@watco.com</u> if additional information is needed to expedite this notification request.

Sincerely,

Cynthia L. Rohner

Registration Specialist

Cyptaia L. Rohner