



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 401 "M" St., S.W.
 Washington, D.C. 20460

EJ Reg. Number

9444-175

Date of Issuance:

2 MAY 1995

Term of Issuance: Conditional

Name of Pesticide Product: CB-80-1
 for Insect Control

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Waterbury Companies, Inc.
 P.O. Box 640
 129 Calhoun Street
 Independence, LA 70443

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 9444-175".

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official

131
 Richard P. Keigwin, Jr.

Date

5-2-95

With COMMENTS
In EPA Letter Dated
2 MAY 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide is
registered under EPA Reg. No.



9444-175

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. Voluntary Treatment of Food Areas and/or Food Handling Establishments: Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound and rinse with potable water before use. Voluntary Treatment in Homes: In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Before spraying in Medical Care Areas, remove all patients. After spraying, ventilate area for 2 hours before returning patients. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Revolvable Containers Under Pressure: Keep away from heat, sparks and open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.
If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.
If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
FLYING INSECTS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats— accurate cubic feet of space to be treated. Close all doors and windows. Spray in sweeping motion to all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.
CRAWLING INSECTS: Cockroaches, Ants, Spiders, Silverfish-Generals Voluntary Treatment: Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1,000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind stoves, cabinets, along baseboards and floors, around drains and plumbing, along insects, etc. Do not spray whenever possible. Also area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.
OR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door- and windowframes. Repeat as necessary.
CRACK & CREVICE APPLICATION: Food Areas and/or Food Handling Establishments— Spray in cracks and crevices, using the rack and fence nozzle provided. A crack and crevice application may be done in food areas and/or food handling establishments while these facilities are in operation by taking extreme care not to contaminate surfaces.
OR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, doorframes, bookcases and storage areas should be made. For best results, spray directly on insects.
OR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas, and especially in closets, basements, and other dark areas. For best results, spray directly on insects.
OR ANTS: Spray and treat cracks and points of entry. For initial clean-up, apply for 10-15 seconds per 100 square feet of floor area. Then periodically spray as a space treatment for 3-5 seconds per 100 cubic feet of space.
OR INDIANMEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, shelves and corners. Spray for 10 seconds for each 1,000 cubic feet of space. Also area closed for 15 minutes following treatment. Repeat application weekly if as needed.
OR CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.
OR CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around corners of containers in other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Treated stored food products in the home should be disposed of.
OR BEDBUGS: Spray mattresses, particularly around tufts and seams, on beds, chair and spray into all joints, feet, baseboards, no doors and floors. Repeat treatment as necessary.
OR FLEAS: Spray sweeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. If pet health, use with a recommended cat spray on pets.
HOME USE: To kill Cockroaches, spiders, fleas, Wasps, Gnats, etc.— spray the insect directly when possible and spray as possible hiding places such as cracks, crevices, baseboards, walls, cabinets, shelves and under appliances. Repeat as necessary.
FOOD PROCESSING PLANT USE: To kill Cockroaches, spiders, Silverfish, Wasps, Gnats, etc.— spray the insect directly when possible. Spray all of probable hiding places such as cracks, crevices, baseboards, walls, cabinets, shelves, under equipment and in food storage areas. To Kill Flies, Mosquitoes, Gnats, Small Flying Moths— close all windows and doors. Direct spray toward spraying for 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment.
METRIC TREATMENT FOR UNDESIRABLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids): For crack and crevice application, accurate void volume in cubic feet. Spray 20 seconds per 1,000 cubic feet. Repeat as necessary. Note: When using this product in an enclosed area, such as milkroom, barn or stable, remove animals before spraying.
MILK ROOM USE: Milk and Milkroom— Close all windows and doors. Direct spray upward, spraying for 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray. Feed and milk insects.
ANIMAL USE: Thoroughly spray— fire animals from approximately 2 feet distance. Do not spray directly toward animal's eyes, but treat with a, shoulders, and back where urine accumulates from head to tail.
DEER CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. After 15 minutes, ventilate the area. Repeat application as necessary.
HUMAN USE: For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily if as necessary.
STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing 5 seconds per animal. For most effective results, apply each morning.
HORSE BARN OR STABLES: In horse and pony barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1,000 cubic feet of space. Do not remain in the treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.
ANIMAL USE: For animal application, spray mist over back of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily if as necessary.
HOG OPERATIONS: In hog houses, close all doors and windows. Spray at the rate of 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.
PURSE USE: For animal application, direct spray over back of hogs and spray for 10 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily if as necessary.
POLYTRIC OPERATIONS: In poultry houses, close all windows and doors. Spray roofs, walls, walls, and floors thoroughly spray at the rate of 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. After 15 minutes, ventilate the area. Repeat daily if as necessary.

STORAGE & DISPOSAL

Do not contaminate water. Food or feed by storage or disposal.
STORAGE: Store in a cool, dry area away from heat or open flame. **DISPOSAL:** This container may be recycled. The new but growing number of communities where glass aerosol can recycling is available, before offering for recycling, empty the can by using the product economy in the label. DO NOT PUNCTURE. Recycling is not available. Refill the container and discard in the trash.

Manufactured by
WATERBURY COMPANIES, INC.
P.O. Box 1817
Waterbury, CT 06722
Made in USA



Pyrethrins Are Made From Chrysanthemum Flowers

CB-80-1

for

Insect Control

- Provides Rapid Control of Residential, Industrial, and Barn Pests
- Excellent Flushing • 8 to 1 Synergist Ratio
- Quick Knockdown • Nonaqueous
- Highly Active Solvent System

KILLS and REPELS: Flies, Mosquitoes, Wasps, Gnats, Cockroaches, Ants, Crickets, Spiders, Silverfish, Small Flying Moths, Indianmeal Moths, Angoumois Grain Moths, Carpet Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites, Bedbugs, Fleas, Barn Flies, Deer Flies, Stable Flies and Horn Flies

FOR USE in Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains), Barns, Stables, Farms, Animal Quarters, Milkrooms, and Poultry Houses

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl Butoxide, technical	4.00%
INERT INGREDIENTS	95.50%
	100.00%
* Equivalent to 3.2% (butylcarbitol-6-propylpiperonyl ether and 0.8% related compounds.)		

KEEP OUT OF REACH OF CHILDREN
CAUTION:

See Back Panel for Additional Precautionary Statements.
EPA Reg. No. 9444- EPA Est. No. 9444-LA-1

NET WEIGHT 20 oz / 567 g

BEST COPY AVAILABLE