Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be

handled with an effective cleaning compound and rinse with potable water before use. In medical care

facilities, remove all patients prior to treatment. Ventilate area for 2 hours before returning patients.

JUL 8 2005

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide

Registered unde EPA Reg. No. 9

(For Reviewer: Boxed and "bulleted" format will be used if label space permits,
FIRST AID ce permits, otherwise a paragraph format will be used.]

Remove pets, birds and cover fish aquaniums before spraying

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

to en uniconstitute prosent.
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

HOT LINE NUMBER- Have the product container of label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other widills. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios. TVs, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconent with its labeling.

FLYING INSECTS: FLIES, MOSQUITOES, SMALL FLYING MOTHS, WASPS, GMATS-Calculate cubic feet of space to be treated. Close all doors and windows. Spray in sweeping motion to all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fallen insects, Repent treatment as necessary.

CRAWLING INSECTS: COCKNOACHES, ANTS, SPIDERS, SELVERFISH: General Volumetrie Treatment—Open cabinets and doors in area to be treated. Shat off ar conditionent, tank, and close doors and windows before spraying. Spray for 20 seconds per 1,000 cubic feet of spece. Direct spray toward areas suspected of historing insects. Spray into hiding places such as cractor and cravices, behind sints, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray wrinnever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

FOR COCK/GACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stores and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door- and windowframes. Repet as necessary.

FOR SPICERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, doorframes, bookcases and storage areas should be made. For best results, spray directly on insects.

FOR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas, and especially in closess, basements, and other damp areas. For best results, spray directly on insects.

FOR ANTS: Spray and trails, nests and points of entry breaks. For lost teams, apply for 10-15 seconds per 100 square feet of floor area. Then periodically spray as a space series i 3-5 seconds per 100 cubic feet of space.

FOR INDIANNEAL MOTHS AND ANGOUNIOUS GRANT MOTHS: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repent application weekly or as

FOR CARPET BEETLES; Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as

FOR COMPLIED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRAMARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevious, processing and handling equipment, around cartons or containers and other areas where these insects lend to congregate. Spray 30 seconds for each 100 square test of surface. Keep area closed for 45 minutes to 1 hour, after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

FOR SEDEUCS: Sorry mattresses, particularly around turbs and seams. Take bads apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

FOR FLEAS: Spray siseping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets,

NOTICE TO APPLICATOR: During any volumetric treatment, wear a pasticide respirator jointly approved by the Min Enforcement & Safety Administration (formerly US Bureau of Mines) and by the National Institute for Occupational Saf sement & Safety Administration forme th under provision of 30 CFR Part 11.

VOLUMETRIC TREATMENT FOR IMACCESSIBLE VOIDS (Attics, false ceilings, well and equipment voids): For exposed stages of overtreethes, waterings, spiders, ants, afterfish, cricticits, certipedes, millipedes, seveluge and beedes, calcusts void volume and treat at a rate of 20 seconds per 1,000 cubic feet. Spray by placing injection tip into crack or cravios, hole or other small opening into void space. Repeat treatment as necessary.

CUITDOOR APPLICATION: To kill Sees, messanitees and geste in open areas and near buildings and in compgrounds, best results are obtained when temperature is 75F or less, and there is wind speed of 5 miles per hour or less. Apply at a rate of 60-80 seconds per acre. Spray in wide sprays across area to be trusted. Repeat treatment as necessary.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children.

Disposal: Do not Puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

WATERBURY COMPANIES, INC. P. O. Box 1812 Waterbury, CT 06722 985-878-6751[For Reviewer: Optional text] Made in USA

www.CBProProducts.com [For Review ver: Optional text]



THEOL



Pyrethrins Are Made From Chrysanthemum Flowers

GB=123=1

Insect Control

 Provides Rapid Control of Residential and Industrial Pest; Excellent Flushing
 Dual Synergists
 Quick Knockdow

Nonaqueous
 Highly Active Solvent System

KILLS and REPELS: Flies, Mosquitose, Small Flying Moths, Waspe, Gnats, Cockroaches, Waterbugs, Ants, Spiders, Silverfish, Fleas, Crickets, Centipedes, Millipedes, Sowbugs, Beetles, Indianmeel Moths, Angoumois Grain Moths, Carpet Beetles, Confused Flour Beetles,

Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites and Bedbugs FOR USE in Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories,

Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, and Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains)

CONTAINS NO CFC. OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

ACTIVE INGREDIENTS:

| Pyremins | . 1.00% |
|----------------------------------------|---------|
| * Piperonyl Butoxide, technical | . 2,00% |
| N-octyl bicycloheptene dicarboximide . | . 3.00% |
| INERT INGREDIENTS | 94.00% |
| - | 100.00% |

* Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds.

CONTAINS PETROLEUM DISTILLATES

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444- \ \ \ \ \ \

IPA Est. Nc. 9444 LA-1

NET WEIGHT 16 cz / 454 q

(For Reviewer: Optional - CFCs logol

[For Reviewer: Optional - Premium Pyrethrum logo]