Harmfull swallowed contains preventions of the prevention of the p Avoid breathing vapors or spary mist. Addit contact with skin array as the case of contact, flush with plenty of water. Wash, with scorp and war in water after use. About modical attention 6 to Nation porvious. Avoid contemptration of food or Nedstate.

Do not apply white good processing is underway, Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before rause. After spraying in balancies, meet packing plants, food processing plants, etc., all banches, shelving, equipment, etc., where exposed food will be handled must be washed with an effective de aning compound followed by a potable water rinse to remove all become for contamination; put to the contamination of the contamination o

In hospitals, remove pulleris prior to treatment. Verillate area for two hours prior to returning patients. Remove pets, birds, and cover fish accurriums before spraying.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poleon Control Center immediately. Do not induce vorniting because of asphalics

proummobilities To note IVC any thing by mouth its an unconscious person IF IN EYER Frush with planty of water. Get medical attention is it factor persons.

If ON SKIN OR CLOTHERCH Tempore content had clothing and wash before your Wash skin with soap and warm water. Get medical attention if inflation persists.

IF MNALED: Remove victim to treat air. Apply artificial respiration if andicated, preferably mouth for fourth. ber medical afternoon.

Physical or Charmical Hazards Contents under pressure. Keep savey from heat, sparks, and open flame. Do not puncture or incherate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconstitient with its lobeling

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and all conditioners. Put out all flashes and plat lights. Close doors and windows. Point valve opening away from face and eyes when researing. Use one-unit for each 8.000 bubble feet of unobstructed space. Use additional units for remote rooms or where free flow of milkt is not assured. Do not remain in the area during it estiment, and ventilate thoroughly before reentry.

TO OPERATE VALVE. To lock valve in open position for extomatic (literange, press valve button all the way down, hooking the catch. Then place togger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or paid under togger. Leave building at once and knep building closed for two hours before alting output to the position of the windows and althout oat for one-helf hour, placest spraying in two weeks or when necessary. To IDS Troke and Place: Destroy pat's old bedding and replace. Like product as above. Pets should be treated with a registered tick and flace control product prior to reanity. Repeat agreed service but ing interstation under control.

Do not use this unit in a cabinet or under a counter or table. Do not use in an area less than 100 cubic feet.

In 1 500 munt for 5000 call

Mounty

STORAGE & DISPOSAL

Do not conteminate water, food, or feed by storage of disposal.

STORAGE Store in a cool, dry even sever from heat or open flame.

Ots POSAL: This container may be recycled in the few but growing number of communities where steel aurosol can recycling is evaluable. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE if recycling is not evaluable, wrap the container and discard in the trash.



Manufactured by WATERBURY COMPANIES, INC. P. O. Box 1812 Waterbury, CT 06722 Made in USA



with PYRETHRINS

TREATS 9,000 CUBIC FEET

KILLS EXPOSED STAGES OF: COCKROACHES, FLEAS, TICKS, HOUSEFLIES, MOSQUITOES, SMALL, FLYING MOTHS. WASPS, CRICKETS, AND SILVERFISH

For Use in Food and Non-food areas of Homes. Food Processing Plants, Restaurants, Industrial Buildings: Schools, Warehouses, Offices, Theaters, Garages, Hotels, Motels, Hospitals, and Kennels.

ACTIVE INGREDIENTS:

Equivalent to 0.80% of (butylcarbity) (6-propylpiperony)) Lylina turge deermalise colored ether and 0.20% related compounds.

MGK 264, Insecticide Synergist Contains presenteum destellate 400,100,00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-755

EPA Est. No. 9444-LA-1

NET WEIGHT 9 oz / 255 g

BEST COPY AVAILABLE

MI. KUDCH MCHUOZA Waterbury Companies, Inc. P.O. Box 640 129 Calhoun Street Independence, LA 70443 Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the following label changes: a. Revise the EPA Registration Number to read, "EPA Reg. No. 9444-185". b. Add a footnote to the inert ingredients which reads as follows: Contains petroleum distillate, xylene, or xylene range aromatic solvent. c. Modify the directions for use to clarify that the 9000 cu.ft. applies to the 9 oz container and that 5000 cu.ft. applies to the 5 oz container. Signature of Approving Official he Richard P. Keigwin, Jr. Product Manager 10 Insecticide & Rodenticide Branch Registration Division 7505C CONCURRENCES SYMBOL SURNAME

A Form 1326-1A (1/90) Printed on Recycled Paper

A service of the Control of the Contro

OFFICIAL FILE COPY

- d. Modify the Precautionary Statements to read as follows:
 Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin eyes, or clothing. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before reuse.
- e. Move the discussion of protecting food and hospital patients to the directions for use, and modify the last sentence of the food section to read as follows:

 After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse prior to use.
- f. Modify the If Swallowed statement to read as follows:
 Call a physician or Poison Control Center immediately.
 Do not induce vomiting. Do not give anything by mouth to
 an unconscious person. Avoid alcohol.
- g. Modify the If Inhaled statement to read as follows:

 Remove victim to fresh air. Apply artificial respiration
 preferably mouth to mouth. Get medical attention.
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

PRECAUTIONARY STATEMENTS

Hazarde te Humans & Domestic Animals

Harmfull swallowed Contains performed within Denot between things coursed cape eller present in head of the Audit contains a few properties of the performance with places of contact. But with plenty of water. Wash with some and war m water after use. Stately medical attention if in that long-perfore. Avoid contamination of food by the details.

Do not apply white food processing in underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before it use. After spreying in believe at, meet peaking plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a cotable water rins a to remove all these root contaminations. The state is the second contamination of the

In hospitals, remains patients prior to treatment. Ventilate area for two hours prior to returning patients: Remove pets, birde, and cover (ish aquartums before spraying

Statement of Practical Treatment

if SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because

The Article World of the Control of

IF BIHALED: Remove victim to tresh air. Apply afficial respiration if indicated. Product by Yhou it is to sell in Physical or Chemical Hazards. For these out Life Contents under pressure. Keep away from heat, sparks, and open flume. Do not puncture or incherate container Exposure to Immersial container.

DIRECTIONS FOR USE

If it is a violation of Federal law to use this product in a manner inconsistent with its labeling

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to see to be treated. Shut off fams and at conditioners. Put out all flames and plot sights. Close doors and wholever Point valve opening away from face and eyes when releasing. Use one unit for each 3 Conditional units for remote rooms or where tree flow of might is not assured. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

BOOD, Hy service every:

10 0.2 BLATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place togger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under togger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and atlowto air for one-half hour. Repeat spraying in two weeks or when necessary. To RR Trocks and Rees: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered tick and ties control product prior to reminy. Repeat as necessary to tring infestigation under control.

Do not use this unit in a cabinet or under a quarter or table. Do not use in an area less than 100 cubic feet

A 12. on 1 5 5 2 cm. 4 (40 500 60 cm fr

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposed.

STORAGE Store in a cool, dry at se away from heat or open fame.

Dis POSAL: This container may be recycled in the law but growing number of communaties where steel acrost care recycling is evaluated. Sefere affering for recycling, empty the can by using the product according to the laber. DO NOT PUNCTURE it recycling is not evaluately, wrap the container and discard



Menufectured by WATERBURY COMPANIES, INC. P. O. Box 1812 Waterbury, CT 06722 Made in USA





with PYRETHRINS

TREATS 9,000 CUBIC FEET

KILLS EXPOSED STAGES OF: COCKROACHES, FLEAS, TICKS, HOUSEFLIES, MOSQUITOES, SMALL FLYING MOTHS, WASPS, CRICKETS, AND SILVERFISH

For Use In Food and Non-food areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings: Schools, Warehouses, Offices, Theaters, Garages, Hotels, Motels, Hospitals, and Kennels.

ACTIVE INGREDIENTS:

* Piperony Butoxide, technical 1.00%

* Piperony Butoxide, technical 1.00%

* N. Octyl bicycloheotene dicarboximide 1.00%

INERT INGREDIENTS 97.50%

Confluent patch learn des telle at 1.00,00%

- 1.00% of the telle at 1.00% * Equivalent to 0.80% of (butylcarbity) (6-propylpiperony) tether and 0.20% related compounds.
* * MGK 284, insecticide Synergist

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444- / 35

EPA Est. No. 9444-LA-1

DEC

NET WEIGHT 9 oz / 255 a

BEST COPY AVAILABLE