

9444-186

2/8/2006

Page 1 of 3

CB<sup>®</sup>**INVADER<sup>®</sup> RESIDUAL WITH PROPOXUR**

- 15% VOC Formulation
- Provides Rapid Control of Residential and Industrial Pests
- Quick Knockdown

**KILLS:** Cockroaches, Waterbugs, Spiders, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Carpenter Ants and Termites

**FOR USE IN** Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Aircraft), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings

**ACTIVE INGREDIENT:**

2-(1-methylethoxy) phenyl

methylcarbamate.....

1.00%

**INERT INGREDIENTS**.....99.00%

100.00%


Contains no CFCs or Other Ozone Depleting Substances. Federal Regulations  
Prohibit CFC Propellants in Aerosols.

**KEEP OUT OF REACH OF CHILDREN****CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-186

EPA Est. No. 9444-LA-1

**NET WEIGHT 14 oz / 397 g**

**CRACK AND CREVICE INJECTION USE ONLY****PRECAUTIONARY STATEMENTS  
Hazards to Humans & Domestic Animals****CAUTION**

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician- Atropine Sulfate is antidotal.

**FIRST AID**

**If Swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER-** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

**NOTE TO PHYSICIAN-** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

**PHYSICAL OR CHEMICAL HAZARDS**

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

**CRAWLING PESTS: Cockroaches, Waterbugs, Spiders, Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes, and Centipedes-Spray** into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

**BOOKLICE & SILVERFISH:** Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

**ANTS:** Spray into nests, trails and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

**GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES:**

Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: **CARPENTER ANTS** and **CARPENTER BEES**-Locate source of infestation. Inject 5-10 seconds of spray into insect tunnels and cavities. For **CARPENTER BEES**, seal entrance openings with small pieces of stainless steel wool after spray application.

**For TERMITES:** Locate source of infestation. Apply to voids and channels in damaged wooden members of a structure or to cracks, spaces or bearing joints between wooden members of a structure. Inject 5-10 seconds spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment.

3 7 3  
but is merely a supplemental treatment. This product is intended to kill workers or winged reproductive forms which may be present in the treated areas.

**APPLICATIONS IN AIRCRAFT:** Do not use this product in aircraft cabins.

### APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

**Limited to Crack & Crevice Treatment Only.** Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. **Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.**

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Do not store near heat or open flame. Store in cool dry area away from children.

**Disposal:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Authorized by USDA for Use in Federally Inspected Meat and Poultry Plants.

Manufactured by  
**WATERBURY  
COMPANIES, INC.**  
P. O. Box 1812

Waterbury, CT 06722

985-878-6751 [For Reviewer: Optional text]

Made in USA

[www.CBProProducts.com](http://www.CBProProducts.com) [For Reviewer: Optional text]



[For Reviewer: Optional – CFCs logo]



[For Reviewer: Optional – Premium Pyrethrum logo]