Meast read marriations on reverse before completing form.	9-30-2013 Form AD	proved, OMB No. 2070-C	0060, Approval expires 2-28-95	
United State Environmental Protect Weekington, DC 2	i tion Agency	Registration Amendment  Other	OPP Identifier Number	
Application for Pesticide - Section I				
1. Company/Product Number 9444-188	2. EPA Product Men Marion Johnson	2. EPA Product Menager  Marion Johnson  None  Restricted		
Company/Product (Name)     CB 123-3 for Insect Control	<b>PM#</b> 10	PM#		
5. Name and Address of Applicant (Include ZIP Code) WATERBURY COMPANIES, INC. P.O. BOX 640/129 CALHOUN STREET INDEPENDENCE, LA 70443 Check if this is a new address	(b)(i), my product to:	EPA Reg. No.		
Section - II				
Amendment - Explain below.  Resubmission in response to Agency letter dated "Me Too" Applica  Notification - Explain below.  Other - Explain be		Application.	NOTIFICATION SEP 3 0 2003	
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  See attached cover letter for complete details.				
Section - III				
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes  No  * Cartification must be submitted  If "Yes" Unit Packaging wgt.  No. per contains	Water Soluble Packaging  Yes No  If "Yes" No. per Package wgt contains	2. Type of Conte	al tic Is	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions				
6. Menner in Which Lebel is Affixed to Product Lithograph Other Stenolled				
Section - IV				
1. Contact Point	ation of individual to be contacted,	<del></del>	र २००	
Name Title Cynthia L. Rohner Registration Specialist		P .	hone No. (Include Area Code) 878-6751 EXT. 210	
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complets.  I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  8. Deta Application Received  (Stamped)				
2. Signature	3. Title	ALL COST	5 4 0 0 00	
Cyntheidnohna	Registration Specialist	, · 6 & 3	2 <b>4.00</b>	
4. Typed Name Cynthia L. Rohner	5. Data 2 3 3 1 12		6 9 0 6 6	



## Country Vet Farm Dairy CV-40-3D Insect Spray

Pyrethrins Are Made From Chrysanthemum Flowers

Provides Rapid Control of Residential and Industrial Pests
Excellent Flushing
Dual Synergists
Quick Knockdown
Nonaqueous
Highly Active Solvent System

KILLS and REPELS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats, Cockroaches, Waterbugs, Ants, Spiders, Silverfish, Crickets, Centipedes, Millipedes, Sowbugs, Beetles, Indianmeal Moths, Angoumois Grain Moths, Carpet Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites and Bedbugs

FOR USE IN Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, and Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains)

Contains no CFCs or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants in Aerosols.

## **ACTIVE INGREDIENTS:**

Pyrethrins	1.00%
*Piperony! Butoxide, technical	
N-octyl bicycloheptene dicarboximide	
INERT INGREDIENTS	
	100.00%

\*Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-188

EPA Est. No. 9444-LA-1

**NET WEIGHT 17 oz / 482 g** 

# PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. Where exposed food will be handled with an effective cleaning compound and rinse with potable water before use. In hospitals, nursing homes, and day-care centers, remove occupants prior to treatment of the area. Ventilate treated area 2 hours prior to re-entry. Remove pets, birds and cover

#### **FIRST AID**

If Swallowed: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

fish aquariums before spraying.

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

#### **DIRECTIONS FOR USE**

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

FLYING INSECTS: FLIES, MOSQUITOES, SMALL FLYING MOTHS, WASPS, GNATS-Calculate cubic feet of space to be treated. Close all doors and windows. Spray in sweeping motion to all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.

CRAWLING INSECTS: COCKROACHES, ANTS, SPIDERS, SILVERFISH: General Volumetric Treatment-Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1,000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

FOR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door and windowframes. Repeat as necessary.

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, doorframes, bookcases and storage areas should be made. For best results, spray directly on insects.

FOR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas, and especially in closets, basements, and other damp areas. For best results, spray directly on insects.

FOR ANTS: Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 100 square feet of floor area. Then periodically spray as a space aerosol 3-5 seconds per 100 cubic feet of space.

FOR INDIANMEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray-into all parts of room especially around stored food product containers, pellets and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

FOR CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as

necessary.

FOR CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment Repeat application as necessary. Infested stored food products in the home should be disposed of.

FOR BEDBUGS: Spray mattresses, particularly around tuffs and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

FOR FLEAS: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

75

NOTICE TO APPLICATOR: During any volumetric treatment, wear a pesticide respirator jointly approved by the Mining Enforcement & Safety Administration (formerly US Bureau of Mines) and by the National Institute for Occupational Safety & Health under provision of 30 CFR Part 11.

**VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS (Attics, false ceilings, wall and equipment voids):** For exposed stages of **cockroaches, waterbugs, spiders, ants, silverfish, crickets, centipedes, millipedes, sowbugs and <b>beetles**, calculate void volume and treat at a rate of 20 seconds per 1,000 cubic feet. Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat treatment as necessary.

**OUTDOOR APPLICATION:** To kill **fleas, mosquitoes** and **gnats** in open areas and near buildings and in campgrounds, best results are obtained when temperature is 75°F or less, and there is wind speed of 5 miles per hour or less. Apply at a rate of 60-80 seconds per acre. Spray in wide sprays across are to be treated. Repeat treatment as necessary.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children.

**Disposal:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Authorized by USDA for use in Federally Inspected Meat and Poultry Plants.

Manufactured by
WATERBURY
COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
985-878-6751[For Reviewer: Optional text]

Made in USA
www.CBProProducts.com [For Reviewer: Optional text]



[For Reviewer: Optional – CFCs logo]

[For Reviewer: Optional - Premium Pyrethrum logo]



129 Calhoun Street - P.O. Box 640 Independence, Louisiana 70443

Tel: 985.878.6751 Fax: 985.878.2178

August 22, 2003

Mr. Marion Johnson, Jr., Product Manager #10 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266 A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202-4501

RE: Notification Request per PR Notice 2001-6

CB-123-3 for Insect Control, EPA Reg. No. 9444-188

Dear Mr. Johnson:

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or via email at <u>crohner@watco.com</u> if additional information is needed to expedite this notification request.

Sincerely,

Cynthia L. Rohner

Registration Specialist

Cythia Lechron