

9444-210

4-13-2004

115



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide – Section I

<p>1. Company/Product Number 9444-210</p>	<p>2. EPA Product Manager Richard Gebken</p>	<p>3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted</p>
<p>4. Company/Product (Name) Country Vet Farm and Dairy CV-80D for Insect Control</p>	<p>PM# 10</p>	
<p>5. Company/Product Number WATERBURY COMPANIES, INC. P.O. BOX. 640/129 CALHOUN STREET INDEPENDENCE, LA 70443 <input type="checkbox"/> Check if this is a new address</p>	<p>6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____</p>	

Section - II

<p><input type="checkbox"/> Amendment. – Explain below.</p> <p><input type="checkbox"/> Resubmission in response to Agency letter dated _____</p> <p><input checked="" type="checkbox"/> Notification – Explain below.</p>	<p><input type="checkbox"/> Final printed labels in response to Agency letter dated _____</p> <p><input type="checkbox"/> "Me-Too" Application.</p> <p><input type="checkbox"/> Other – Explain below.</p>
--	--

NOTIFICATION

APR 13 2004

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

By notification, we are reformulating language that is currently in the text body of the label into a marketing phrase that can be used as a bullet point. See Attached cover letter for complete details.

Section - III

1. Material This Product Will Be Packaged In:			
<p>Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____</p>
<p>*Certification must be submitted</p> <p>If "Yes" Unit Packaging wgt. No. per Container</p>		<p>If "Yes" Unit Packaging wgt. No. per Container</p>	
<p>3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container</p>	<p>4. Size(s) Retail Container</p>		<p>5. Location of Label Directions <input type="checkbox"/> On label <input type="checkbox"/> On Labeling accompanying product</p>
<p>6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled</p>			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Cynthia L. Rohner	Title Registration Specialist	Telephone No. (Include Area Code) 985-878-6751 Ext. 210.

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6 Date Application Received
(Stamped)

<p>2. Signature <i>Cynthia L. Rohner</i></p>	<p>3. Title Registration Specialist</p>
<p>4. Typed Name Cynthia L. Rohner</p>	<p>5. Date 4/2/04</p>

APR 13 2004



[For Reviewer: Optional - Country Vet logo]

CB[®] [For Reviewer: Optional - CB[®] logo]

Pyrethrins Are Made From Chrysanthemum Flowers

Country Vet Farm and Dairy CV-80D for Insect Control

Instant Knockdown

.50% Pyrethrins for Quick Kill

- Use as a premise spray or directly on animal

KILLS and REPELS: Flies, Mosquitoes, Small Flying Moths, Wasps, Hornets, Gnats, Cockroaches, Ants, Fleas, Crickets, Spiders, Barn Flies, Deer Flies, Stable Flies, Horn Flies, Horse Flies, House Flies, Face Flies, Fruit Flies, Lice, Centipedes, Millipedes, Clover Mites, Cluster Flies and Mud Daubers

FOR USE [in] [and] [around] Beef Cattle Operations, Dairy Farms (including Milk House, Milk Parlor, Loafing Sheds, and Holding Lot), Hog Operations, Kennels, Barns, Stables, Farms, Animal Quarters, Milkrooms, and Poultry Houses

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl Butoxide, technical	4.00%
INERT INGREDIENTS	95.50%
	100.00%

* Equivalent to 3.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.80% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-210

EPA Est. No. 9444-LA-1

NET WEIGHT 24 oz. / 680 g

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER- Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Note: When using this product in an enclosed area, such as a milkroom, barn or stable, remove animals before spraying.

DAIRY FARM USE: Milking Parlor and Milkroom-Close all windows and doors. Direct spray upwards, spraying for 1-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects.

ANIMAL USE (Do not spray sick animals): Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat application as necessary.

ANIMAL USE: For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing 1 seconds per animal. For most effective results, apply each morning.

HORSE BARN OR STABLES: In horse and pony barns, close all window and doors. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, lightly mist over back of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

HOG OPERATIONS: In hog houses, close all doors and windows. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, direct spray over back of hogs and spray for 1-2 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

POULTRY OPERATIONS: Use only in empty poultry houses (when birds are not present). In poultry houses, close all windows and doors. Spray roosts, walls, nests, and cages thoroughly. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Treat daily or as necessary.

MUD DAUBER AND WASP NEST: Spray mist directly on insects and their nests from approximately 2 ft. distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

4/5

FLEAS: General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor areas are contacted. Change litter before application. Keep area closed for 15 minutes. Remove animals before spraying. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

KENNELS AND CATTERIES: Remove animals before spraying. Ventilate after treatment is completed.

OUTDOOR GROUND APPLICATION: Flies, Gnats, and Mosquitoes in open areas near buildings and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 60-80 seconds per acre. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

For Additional Products and Information Visit Us At www.Country-Vet.com [For Reviewer: Optional text]

Manufactured by
**WATERBURY
COMPANIES, INC.**

P. O. Box 1812
Waterbury, CT 06722
985-878-6751 [For Reviewer: Optional text]

Made in USA

www.CBProProducts.com [For Reviewer: Optional text]



[For Reviewer: Optional - CFCs logo]



[For Reviewer: Optional - Premium Pyrethrum logo]



WATERBURY
COMPANIES, INC.

5/5

129 Calhoun Street - P.O. Box 640
Independence, Louisiana 70443
Tel: 985.878.6751
Fax: 985.878.2178

April 2, 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266 A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

ATTN: Sherada Hobgood

**RE: Country Vet Farm and Dairy CV-80D Insect Control, EPA Reg. No. 9444-210
Notification per PR Notice 98-10**

Dear Ms. Hobgood:

By notification, we are reformulating language that is currently in the text body of the label into a marketing phrase that can be used as a bullet point. We are also adding the word "in" to the front panel For Use In section of the label, this statement now reads "FOR USE [in] [and] [around]...". The optional "Country Vet" logo has also been revised.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or crohner@watco.com if additional information is needed to expedite this notification request.

Sincerely,

Cynthia L. Rohner
Registration Specialist

