9444 - 210
Please read instructions on reverse before completing form.

06/16/2005 Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

United States Environmental Protection Agency Washington, DC 20460

]	Registration
]	Amendmen


OPP Identifier Number

	∠ Other										
		Apı	plication	for Pes	ti	icide – Section I	•				
1. Company/Product Number	<u>-</u>			2. EPA Product Manager					3. Proposed Classification		
9444-210						Richard Gebken					
4. Company/Product (Name)				PM#					[X] None	[] Restri	icted
Country Vet Farm and [Dairy CV-80	D for I	insect Cont	rol		10		-			
5. Company/Product Number					6. Expedited Review. In accordance with FIFRA Section 3(c)(3)						
WATERBURY COMPANIES	, INC.			1 2	(b)(i), my product is similar or identical in composition and labeling						
P.O. BOX. 640/129 CALHOL	IN STREET			1 1	o: -						
INDEPENDENCE, LA 70443				- 1	E	PA Reg. No					
[] Check if this is a new add	ress				Product Name						
Section - II											
Amendment Explain below	'.]	[] Final printed labels in response to NOTIFICATION						
Resubmission in response to Agency letter dated						Agency letter dated I "Me-Too" Application.			JUN 16		
X Notification - Explain below.						•			JUN I O	_003	
Notification = Explain below.				L	•	Other - Explain below.					
Explanation: Use additional page(s) if necessary. (For Section I and Section II.)											
	, , , , , , , , , , , , , , , , , , , ,										
	·										
			,	Section	1	- 111					
Material This Product Will B	e Packaged In	1:									
Child-Resistant Packaging	Unit Packagir	ng		Water S	r Soluble Packaging 2. Type of				Container		
[] Yes	[]Yes			[]Yes	es [] Me] Meta			
[] No	[] No			[] No	10] Plast			
*Certification must	If "Yes" No. per If "Ye			If "Yes"	Yes" No. per [[[] Glass			
be submitted	Unit Packagir							[] Paper [] Other (Specify)			
		لـــــــ	<u> </u>				<u> </u>				
3. Location of Net Contents Inform		4. Siz	re(s) Retail Container				5.	5. Location of Label Directions			
[] Label [] Cont	ainer						[] On label [] On Labeling accompanying product				uct
6. Manner in Which Label is Affix	ed to Product	·	1 Lithograph						Labering accompanying product		
of Market III Transcription	75 10 1 100001		Paper glued	1		[
		Ī] Stenciled	•							
Section - IV											
1. Contact Point (Complete items	directly below	for ider	ntification of ir	ndividual to	o L	be contacted, if necessar	y, to	process	this application.)	
Name Title					Telep				hone No. (Include Area Code)		
Cynthia L. Rohner Registration					n Specialist 985-8				78-6751 Ext. 210	J	
						<u></u>			6 Date Applic	etion	
Certification					parete are true accurate and complete				6. Date Application Received		
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. (Stamped)											
			3. Title								
a to a football			Registration Specialist								
Cythia Lachu	~ \										
yped Name			5. Date								
Cynthia L. Rohner											
•	may 18,2005										





[For Reviewer: Optional - Country Vet logo]



Pyrethrins Are Made From Chrysanthemum Flowers

Country Vet Farm and Dairy CV-80D for Insect Control

Instant Knockdown

.50% Pyrethrins for Quick Kill

• Use as a premise spray or directly on animal

[• Premise Use & On-Animal]

[• For use in and around barns and stables]

[• For outdoor and campground use]

[• Use directly on horses]

KILLS and REPELS: Flies, Mosquitoes, Small Flying Moths,
Wasps, Hornets, Gnats, Cockroaches, Ants, Fleas, Crickets,
Spiders, Asian Beetles, Barn Flies, Deer Flies, Stable Flies, Horn Flies, Horse Flies,
House Flies, Face Flies, Fruit Flies, Lice, Centipedes,
Millipedes, Clover Mites, Cluster Flies and Mud Daubers

FOR USE [in] [and] [around] Beef Cattle Operations, Dairy Farms (including Milk House, Milk Parlor, Loafing Sheds, and Holding Lot),
Hog Operations, Kennels, Barns, Stables, Farms, Animal
Quarters, Milkrooms, and Poultry Houses

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl Butoxide, technical	4.00%
INERT INGREDIENTS	
	100.00%

* Equivalent to 3.20% (butylcarbityl) (6-propylplperonyl) ether and 0.80% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-210

EPA Est. No. 9444-LA-1

NET WEIGHT 24 oz. / 680 a

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash throughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER- Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST.

After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

DIRECTIONS FOR USE

 π is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Note: When using this product in an enclosed area, such as a milkroom, barn or stable, remove animals before spraying. DAIRY FARM USE: Milking Parlor and Milkroom—Close all windows and doors. Direct spray upwards, spraying for 1-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects.

ANIMAL USE (Do not spray sick animals): Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing. BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat application as necessary.

ANIMAL USE: For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing 1 seconds per animal. For most effective results, apply each morning.

HORSE BARNS OR STABLES: in horse and pony barns, close all window and doors. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, lightly mist over back of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

HOG OPERATIONS: In hog houses, close all doors and windows. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, direct spray over back of hogs and spray for 1-2 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

dows and doors. Spray roosts, walls, nests, and cages thoroughly. Spray at the rate of 1-2 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Treat daily or as necessary.

MUD DAUBER AND WASP NEST: Spray mist directly on insects and their nests from approximately 2 ft. distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

4/=

FLEAS: General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor areas are contacted. Change litter before application. Keep area closed for 15 minutes. Remove animals before spraying. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

KENNELS AND CATTERIES: Remove animals before spraying. Ventilate after treatment is completed.

JTDOOR GROUND APPLICATION: Flies, Gnats, and Mosquitoes in open areas near buildings and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 60-80 seconds per acre. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call

your local solid waste agency or 1800-CLEANUP for disposal instructions. [For Reviewer: The Steel graphics symbol is optional if label space allows it.]

[INTENDED FOR AGRICULTURAL USE]

For Additional Products and Information Visit Us At www.Country-Vet.com [For Reviewer: Optional text]

Manufactured by
WATERBURY
COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
985-878-6751[For Reviewer: Optional text]
Made in USA
www.CBProProducts.com [For Reviewer: Optional text]



NO CFCs

PA210notif#3.Mv5

[For Reviewer: Optional - CFCs logo]

[For Reviewer: Optional - Fremium Pyrethrum logo]



129 Calhoun Street - P.O. Box 640 Independence. Louisiana 70443 Tel: 985.878.6751 Fax: 985.878.2178

May 18, 2005

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266 A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202-4501

ATTN: Sherada Hobgood

RE: Country Vet Farm and Dairy CV-80D Insect Control, EPA Reg. No. 9444-210

Notification per PR Notice 98-10

Dear Ms. Hobgood:

By notification, we are reformulating language that is currently in the text body of the label into marketing phrases that can be used as bullet points. We are also adding the optional phrase "INTENDED FOR AGRICULTURAL USE" to the label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or crohner@watco.com if additional information is needed to expedite this notification request.

Sincerely.

Cynthia L. Rohner

Registration Specialist

Cyptaia L. Robins