Please redd internactions on	everse before complet	tina form. 9-	-30-20	Form Approve	d. OMB No. 2	<u>070-006</u>	O. Approval expires 2-28-99	
SEPA Environmental Protection Ager Washington, DC 20460					Registra Amenda Other	uon	OPP Identifier Number	
		Application	n for Pestic	ide - Sectior] [
1. Company/Product Number 9444-214			i	2. EPA Product Manager Marion Johnson			oposed Classification	
4. Company/Product (Name) Drax 2X Granular Bait with Boric Acid and Nylar			РМ# 10	1 TO			None Restricted	
5. Name and Address of Applicant (Include ZIP Code) WATERBURY COMPANIES, INC. P.O. BOX 640/129 CALHOUN STREET INDEPENDENCE, LA 70443 Check if this is a new address				6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			Section -					
Amendment - Explain	Amendment - Explain below.			Final printed labels in repsonse to N			OTIFICATION	
Resubmission in response to Agency letter dated Notification - Explain below.				"Me Too" Application. Other - Explain below.		S	SEP 3 0 2003	
			Section -	ill				
I. Meterial This Product Wil Child-Resistant Packaging	T		W Catable	0	2 7	C	_	
Yes No	Unit Packaging Yes No	Water Soluble Yes No	Metal Plastic Glass			·		
Certification must se submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container		4 -	Specify)	
Label Label	Information Container	4. Size(s) Re	tail Container	5. 	Location of Leb	el Directi	ons	
. Manner in Which Lebel is	Affixed to Product	Lithog Paper Steno	raph glued iled	Other _				
			Section -	IV				
. Contact Point (Complete	items directly below i	for identification	on of individual to	be contacted, if n	ecessary, to pr	ocess thi	s application.	
Name Cynthia L. Rohner			Title Registration Specialist			Telephone No. (Include Area Code) 985-878-6751 EXT. 210		
	ments I have made or ny knowlingity false or law.		i all attachments t		_		6. Data Application Received (Stamped)	
Cyptoca Juckery			3. Title Registration Specialist					
F. Typed Name	to see		5. Date	, , , , , , , , , , , , , , , , , , ,			-	
Cynthia L. Rohner			(3) 3 2 1 33					



NOTIFICATION
SEP 3 0 2003

DRAX® 2X

GRANULAR BAIT with Boric Acid and Nylar®

A WEATHER RESISTANT BAIT FOR THE CONTROL OF ANTS, INCLUDING CARPENTER ANTS, COCKROACHES, CRICKETS, MOLE CRICKETS AND SILVERFISH

For Both Interior and Exterior Use

For use in and Around Homes, Nursing Homes, Apartments, Garages, Public and Private Institutions, Schools, Hotels, Motels, Hospitals, Pet Stores, Zoos, Kennels, Factories, Vending Machines, Detention Facilities, Ships and Railcars, Non-Food Areas of Supermarkets, Grocery Stores, Restaurants, Warehouses, Food Processing Establishments and Food Handling Establishments.

ACTIVE INGREDIENT

Orthoboric Acid	1.00%
*2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.25%
INERT INGREDIENTS	
TOTAL	100.00%

*Nylar® is a Registered Trademark of McLaughlin Gormley King.

CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-214

EPA Est. No. \$444-LA-1

NET WEIGHT 5 lbs./2.27 kilos

PRECAUTIONARY STATEMENTS Hazard to Humans & Domestic Animals CAUTION

Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. If Swallowed: Call a physician immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with

finger. Do not give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Contact a physician if

warranted.

If On Skin or In Eyes: Flush with plenty of water. Contact a physician if irritation persists.

This product is a ready-to-use, weather resistant bait for the control of Ants, Cockroaches, Crickets, and Silverfish including: **ANTS:** Argentine, Carpenter, Fire, Thief, Pharaoh, Ghost, Little Black, Pavement, Odorous House and Crazy Ants. **COCKROACHES:** Asian, American, Brown, Brown Banded, Smokey Brown, German and Oriental Cockroaches. **CRICKETS:** Camel, House and Field Crickets.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

FOR THE CONTROL OF ANTS, COCKROACHES AND CRICKETS ON LAWNS, ORNAMENTAL TURF, PLAYING FIELDS AND PARKS: Use a mechanical spreader to apply bait evenly to affected area at the rate of 2 pounds per 1,000 square feet (3.2 ounces or 2/3 cup or 6 ready-to-use bait stations per 100 square feet) or 90 pounds per acre. EXTERIOR BAITING FOR THE CONTROL OF ANTS, INCLUDING CARPENTER ANTS AROUND HOMES AND OTHER STRUCTURES: Treat exterior perimeter areas of structure in a band at least 2 to 4 feet wide at a rate of 6 ounces or 12 ready-to-use bait stations per 100 square feet. Also apply product in a 2 to 4 foot band around all trees, stumps, firewood piles and other locations where carpenter ants may nest. If the nest is located in a hollow tree or stump, apply 1/2 to 1 ounce of product directly into the cavity. Apply along ant trails and in areas where ant activity has been noted.

FOR THE CONTROL OF ANTS, COCKROACHES, CRICKETS, AND SILVERFISH IN AND AROUND HOMES, HOTELS, APARTMENT BUILDINGS, STORES AND RESTAURANTS (NON-FOOD AREAS) WAREHOUSES AND SEWERS: For interior applications. Apply at a rate of 4 pounds per 1,000 square feet (6 ounces or 1.25 cups or 12 ready-to-use bait stations per 100 square feet) of surface area. Spread evenly in crawl spaces, attics, drop ceilings and cellars with dirt or gravel floors. In attics, be sure to apply in eaves and access drains. In warehouses, factories, garages and basements, concentrate application along walls and baseboards. Concentrate application in areas where insect activity is most prevalent. Apply in inaccessible areas such as cracks and crevices where insects may hide. Reapply as necessary. Apply in pits of elevator, dumbwaiter and trash chute shafts. Apply under and behind pallets and boxes in storerooms. Bait may also be placed in removable trays in areas accessible to insects but away from children and pets. Always record the location and number of bait stations. In sewers, apply along ledges and around manhole entrances. Treat exterior perimeter building walls in a band approximately 2 feet wide and scatter bait in flower beds, leaf litter, wood piles, trash cans and refuse areas.

For treating new construction: Apply in wall voids and other areas where insects may hide.

FOR PERIMETER TREATMENTS: Spread bait at a rate of 6 ounces or 1.25 cups or 12 ready-to-use bait stations per 100 square feet in a band at least 2 feet wide around foundations, patios, driveways, sidewalks, entrances to homes and buildings or other areas where insects are present. Apply around landscape, floodlights, street lamps or other exterior fixtures and scatter bait in flower beds, leaf litter, wood piles, trash cans and refuse areas. Reapply as necessary.

For treating ant mounds: Apply 1/2 to 1 ounce (1-2 ready-to-use bait stations) of this product around all ant mounds. Supplement by broadcast application in immediate area and along ant trails and in areas where ant activity has been noted.

TO CONTROL ANTS, COCKROACHES, CRICKETS AND SILVERFISH IN: Non-food areas of handling establishments, homes, restaurants, markets, schools, warehouses, factories, detention facilities, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, chips, boats, trains, trucks, yachts, camps, mobile homes, buses, pet stores, zoos, kennels, military bases, utilities and sewers. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared food/feed are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Non-food/non-feed areas are areas such as garbage rooms, lavatories, floordrains, sewers, entries and vestibules, offices, locker rooms, machine room, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. Apply liberally,

4/15

scattering/dusting under and behind refrigerator, cooler, stove, sink, dishwasher, washing machine and dryer, tubs; counters; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards. It is recommended that bait be placed in removable trays and/or ready-to-use bait stations. Always record the number and location of bait stations. This product is designed to be used as a residual treatment in an Integrated Pest Management program incorporating good sanitation practices.

This product may be applied in appropriate areas with a power duster. Consult equipment manufacturer for recommended settings.

WARRANTY LIMITATIONS AND DISCLAIMER

Because of varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risk of usage and handling except when used or handled in accordance with this label.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in dry place. Do not store where children or animals may gain access.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by
WATERBURY
COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
985-878-6751[For Reviewer: Optional text]
Made in USA
www.CBProProducts.com [For Reviewer: Optional text]

RVEPA214S&D





129 Calhoun Street - P.O. Box 640 Independence, Louisiana 70443 Tel: 985.878.6751 Fax: 985.878.2178

August 22, 2003

Mr. Marion Johnson, Jr., Product Manager #10 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266 A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202-4501

RE: Notification Request per PR Notice 2001-6

Drax 2X Granular Bait with Boric Acid and Nylar, EPA Reg. No. 9444-214

Dear Mr. Johnson:

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Attached are EPA Form 8570-1 and a copy of the label with the revisions highlighted in yellow. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or via email at <u>crohner@watco.com</u> if additional information is needed to expedite this notification request.

Sincerely,

Cynthia L. Rohner

Registration Specialist

Cyrithia Folkhon