. 9444-217 (3.21.2003 1. Expedite "

Please read instructions on re	<u>werse before completir</u>	ng form.		Form Approv	ed. OMB No.	2070-0060	Approval expires 2-28-95	
<b>⊕EPA</b>	United States Environmental Protection Age Washington, DC 20460			•	Registra Amenda Other		OPP Identifier Number	
Application for Pesticide - Section I								
1. Company/Product Number 9444-217				2. EPA Product Manager George LaRocca 3. Proposed Classification Restricted				
Company/Product (Name)     CB Insecticide with Deltamethrin			<b>PM#</b> 13					
5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)					
Waterbury Companies, Inc. P.O. Box 640/129 Calhoun Street Independence, LA 70443			(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
Check if this is a new address			Product Name					
			Section -	ll				
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.				Agency letter dated			AR 1 4 2003	
Explanation: Use addition Notification of an Alternate Br consistent with the guidance have been made to the labell of PR Notice 2001-6 and the enforcement action and pena	rand Name per per Notic in PR Notice 2001-6 and ng or the confidential sta requirements of 40 CFR	te 98-10. The A the requirement ternent of formit t 156.10 and 40	Alternate Brand Na nts of EPA's regula ula of this product. CFR 152.46, this	ations at 40 CFR 1 I understand that product may be in	56.10 and 40 0 t if this notificati	OFR 152.46 on is not ∞	, and no other changes ensistent with the guidance	
			Section - I	<u> </u>				
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes No	Unit Packaging Yes No If "Yes" No, per		Water Soluble Packaging Yes No If "Yes" No. per		2. Type of Container  Metal Plastic Glass Paper			
* Certification must be submitted	Unit Packaging wgt.		Package wgt	container		Other (S	pecify)	
Label Container		4. Size(s) Retai		5. Location of Label Directions Other		ns		
	;	Lithogra Paper g Stencile	Ag				:	
			Section - I	<u>v</u>				
1. Contact Point (Complete	items directly below fo	r identification	of individual to b	e contacted, if n	ecessary, to pr	ocess this	application.	
Name Cynthia L. Rohner			Title Registration Specialist			Telephone No. (Include Área Code) (985) 878-6751 Ext. 210		
	ments I have made on t y knowlinglly false or n law.		all attachments th		r imprisonmen		6. Date Application Received (Stamped)	
2. Signature			3. Title					
Cynthia L. Robins			Registration Specialist					
4. Typed Name			5. Date					
Cynthia L. Rohner		j	7.00 111 7003					

#### CB D-Force HPX Residual with Deltamethrin

Broad Spectrum Insect Control, KILLS: Ants, Bees, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Gnats, Midges, Mole Crickets, Moths, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects.

Also Controls and Kills: Wood Infesting Pests - Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees.

FOR USE IN Food Handling Establishments, Including Food Service, Manufacturing and Processing Establishments, Such as Restaurants, Cafeterias, Supermarkets, Bakeries, Breweries, Dairies, Meat, Poultry & Egg Processing & Packaging Plants, Canneries, Feed Handling Establishments Including Feed Manufacturing and Processing Establishments. Also For Use In Homes, Tents, Aircraft, Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Bottling facilities, Buses, Cabins, Campers, Candy Plants, Carports, Cat Sleeping Quarters, Clothes Storage, Condominiums, Decks, Dens, Driveways, Garages, Gazebos, Granaries & Grain Mills, Hospitals, Hotels, Industrial Buildings, Kitchens, Laboratories, Lanais, Living Rooms, Mausoleums, Offices, Parlors, Patios, Pet Sleeping Areas, Play Rooms, Porches, Railcars, Recreational Vehicles, Rooms, Schools, Ships & Vessels, Solariums, Storage Areas, Sun Rooms, Trailers, Trucks, Utility Rooms, Verandahs, Warehouses and Wineries.

Protects for up to 8 Weeks

·Killing Action and Residual Control

NOTIFICATION

·Keeps on Killing for Up to 8 Weeks

MAR 1 4 2003

·For Indoor/Outdoor Use

For 15% VOC Formulation:

·Low 15% VOC Formulation

**ACTIVE INGREDIENT:** 

EPA Reg. No. 9444-217

EPA Est. No. 9444-LA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements.

NET WEIGHT 20 oz/567g

# PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID					
If Inhaled	Move person to fresh air.				
	• If person is not breathing, call 911 or an ambulance, then give artificial				
	respiration, preferably by mouth-to-mouth, if possible.				
	Call a poison control center or doctor for further treatment advice.				
If on Skin or	Take off contaminated clothing.				
Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	• Remove contact lenses, if present, after the first 5 minutes, then continue				
	rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
If Swallowed	Call a poison control center or doctor for treatment advice.				
	• Have person sip a glass of water if able to swallow.				
)	• Do not induce vomiting unless told to do so by the poison control center or				
	doctor.				
	Do not give anything by mouth to an unconscious person.				
HOT LINE NUMBER					
Have the produc	t container or label with you when calling a poison control center or doctor, or				
going for treatme	ent. For emergency information, call (985) 878-6751, Monday through Friday,				
8:00 am to 4:30	pm CST. After 4:30pm call your poison control center. For product information				
call (203) 597-18	812, Monday-Friday, 8:00 am to 5:00 pm EST.				
NOTE TO PHYSICIAN					
Contains petrole	Contains petroleum distillate - vomiting may cause aspiration pneumonia.				

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to any body of water.

## PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in the vicinity of open flame or pilot lights.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product has residual action which keeps on killing for up to 8 weeks after you spray. Remove pets, birds and cover fish aquariums before spraying.

Hold container upright. Do not spray up into air. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Spray surface until slightly wet.

INDOOR: Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ants, booklice, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas palmetto bugs, silverfish, sowbugs, ticks and waterbugs:

Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Repeat as necessary.

[ROACHES: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

Ants: Spray freely around ant trails, doors and windows and other places where ants enter the house.

Ticks and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate product before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test first for staining on an inconspicuous piece prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other

[SILVERFISH, CRICKETS, SPIDERS: Apply to areas infested by these pests or spray pests directly.]

locations where these pests are found.

PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found. Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Food/Feed Handling Establishments: For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/feed handling and processing establishments as a general surface, spot or crack and crevice treatment. 1 second spray per spot. This product is authorized for use in Federally Inspected Meat and Poultry Plants as a crack and crevice treatment. Do not use in commercial food/feed handling establishments, restaurants, or other commercial establishments while food is commercially prepared, processed, or served. In the home, all food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and "enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed areas.

Non-Food/Non-Feed Areas: Examples of non-food/non-feed reas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

General Surface Applications: Do not use this application method in the food/feed handling areas of the facility when the facility is in operation or foods/feeds are exposed. Do not apply directly to food/feed products. Cover or remove all food/feed processing and/or handling

equipment during application. After application in food/feed processing plants, cafeterias and similar facilities, wash all equipment, benches, shelving and other surfaces which food/feed will contact. Clean food/feed handling or processing equipment and thoroughly rinse with clean, fresh water. After application in bakeries, clean all food contact surfaces thoroughly with appropriate equipment.

Spot or Crack & Crevice Applications: Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation provided exposed food is covered or removed from area being treated prior to application. Do not apply directly to food or food-handling surfaces.

In the home, do not allow spray to contact food/feed surfaces. If it does, clean surfaces with soap and water.

Do not apply directly to food. Volumetric Treatment of Food Areas and/or Food Handling Establishments: Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. Where exposed food will be handled and rinse with potable water.

**OUTDOORS:** Point nozzle away from face. Hold can on a slight downward angle, approximately 12 – 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to ants, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include areas such as screens, window frames, eaves, porches, patios, garages and refuse dumps.

CRAWLING INSECTS: Ants, Cockroaches, (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants.

Ants: Apply to ant trails, around doors and windows and other places where ants maybe found. Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Mud Daubers, Hornets and Bees: Spray nests and bees directly.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

WOOD INFESTING INSECTS: Termites\* (Subterranean, Formosan and Drywood)- For control of above-ground termites in localized areas, apply to voids and galleries in damaged wood, and in spaces between wooden structural members and between the sill plate and foundation where wood is vulnerable. Applications may be made to inaccessible areas by drilling, and then injecting with the supplied void injector into the damaged wood or wall voids. These application are not a substitute for mechanical alteration, soil treatment or foundation. treatment but merely a supplement for controlling active infestations of subterranean termites. Termite carton nests in building voids may be injected using a void injector. It is desirable to physically remove carton nest material from building voids when such nests are found. This type of application is intended to be a supplemental treatment for control of drywood and aboveground subterranean termites and other wood-infesting insects.

Application to attics, crawl spaces, unfinished basements, or manmade voids may be sprayed to control exposed worker and winged reproductive forms of termites. For control of swarming or reproductive stages of termites, spray to the swarm or area on which they collect.

The purpose of such applications of this product is to kill workers or winged reproductive forms which may be present at the time of treatment. Such applications are not a substitute for

mechanical alteration, soil treatment or foundation treatment but are merely a supplement. This product is not recommended as sole protection against termites. For active indoor termite infestations, get a professional inspection.

For control of above-ground termites inside trees, utility poles, fencing and decking materials and similar structural members, drill to find the interior infested cavity and spray using void injector. Termite carton nests in trees may be spray injected with product using the supplied void injector. Multiple injection points to varying depths may be necessary. It is desirable to physically remove carton nest material from trees when such nests are found.

Carpenter Ants: For effective control in houses and other structures, apply as general surface, spot, crack and crevice or wall void application. Apply around doors and windows and other places where ants may enter the premises and where they crawl and hide. Spray into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. For control of carpenter bees in structures, spray the liquid directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

## STORAGE AND DISPOSAL

**Storage:** Do not store near heat or open flame. Store in a cool, dry area away from children. **Container Disposal:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.