



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:
9444-227

Date of Issuance:
MAY 18 2005

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:
Conditional

Name of Pesticide Product:
CB Deltamethrin Foam
Insecticide

Name and Address of Registrant (include ZIP Code):

Waterbury Companies, Inc.
P.O. Box 640
Independence, LA 70443

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 9444-227".
 - b. Under the heading Hazards to Humans and Domestic Animals, expand "Wash thoroughly after handling." to read "Wash thoroughly after handling and before eating, drinking, chewing gum, or using tobacco."
 - c. Under the heading Wood infesting Insects, in the eighth sentence revise "winded forms" to read "winged forms".

Signature of Approving Official:

Date:

MAY 18 2005

- d. Delete the term "Low Odor". Low odor is a subjective phrase that cannot be easily quantified.
- e. Delete "Highly Effective". Words or phrases implying that a product possesses unique characteristics because of its composition are not acceptable..
- f. Under the Wood Infesting Insects paragraph, delete the last sentence beginning "For severe termite infestations...." since the intent of this statement is already addressed in the previous statements.
- g. Following the last sentence under Spot or Crack and Crevice Applications, add the following statement: "Cover or remove exposed food/feed from the treatment area prior to application."
- h. Following the description of what a Food/Feed Area is add the following description of a Non-Food/Non-Feed Area: "Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entrees and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets, and storage (after packing, canning or bottling)."
- i. The Spot or Crack and Crevice Application paragraph should be the second paragraph under Food Handling Establishments.
- j. Replace the fourth sentence under Food/Feed Handling Establishments with the following: "General surface applications may be used only when the facility is not in operation provided exposed food/feed has been covered or removed prior to application."
- k. Under Directions For Use add the following precautions: "In schools and nurseries do not apply when classrooms are in use nor when children are present. Do not apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirm."

3. Submit four (4) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

CB® Deltamethrin Foam Insecticide

Broad Spectrum Insect Control, KILLS: Ants, Bees, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Gnats, Midges, Mole Crickets, Moths, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects.

Also Kills: Wood Infesting Pests – Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees.**

** For localized above ground treatment only.

FOR USE IN Food Handling Establishments, Including Food Service, Manufacturing and Processing Establishments, Such as Restaurants, Cafeterias, Supermarkets, Bakeries, Breweries, Dairies, Meat, Poultry & Egg Processing & Packaging Plants, Canneries, Feed Handling Establishments Including Feed Manufacturing and Processing Establishments. Also For Use In Homes, Tents, Aircraft (cargo areas only), Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Bottling facilities, Buses, Cabins, Campers, Candy Plants, Carports, Cat Sleeping Quarters, Clothes Storage, Condominiums, Decks, Dens, Driveways, Garages, Gazebos, Granaries & Grain Mills, Hospitals, Hotels, Industrial Buildings, Kitchens, Laboratories, Lanais, Living Rooms, Mausoleums, Offices, Parlors, Patios, Pet Sleeping Areas, Play Rooms, Porches, Railcars, Recreational Vehicles, Rooms, Schools, Ships & Vessels, Solariums, Storage Areas, Sun Rooms, Trailers, Trucks, Utility Rooms, Verandahs, Warehouses and Wineries.

·Killing Action and Residual Control

·Keeps on Killing for Up to 8 Weeks

·For Indoor/Outdoor Use

·Ready-To-Use

·Low Odor

·Highly Effective

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAY 18 2005**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
9444-227**

ACTIVE INGREDIENT:

Deltamethrin.....	0.06%
INERT INGREDIENTS.....	99.94%
	100.00%

EPA Reg. No. 9444-EET

EPA Est. No. 9444-LA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements.

NET WEIGHT 9.25 oz/262g

4/6

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.</p>	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in the vicinity of open flame or pilot lights. Do not apply to plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. **DO NOT APPLY WHERE ELECTRICAL SHOCK HAZARDS EXIST.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product has residual action which keeps on killing for up to 8 weeks after you apply.

Remove pets, birds and cover fish aquariums before applying.

Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed.

SHAKE WELL BEFORE EACH USE. (Product Name) is a ready-to-use formulation intended to kill existing above-ground infestations of Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees. (Product Name) may be used in above-ground areas where conditions are conducive to infestation by subterranean termites.

INDOOR AND OUTDOOR TREATMENTS

WOOD INFESTING INSECTS- Termites (Subterranean, Formosan and Drywood)- To kill subterranean termite infestations in localized, above-ground areas of the structure, inject into galleries or voids in termite-damaged wood, or into spaces between termite-damaged wooden structural members. Inject a sufficient amount (2 fl. oz of product will produce 1 gallon of foam) to allow for thorough coverage of all surfaces of the construction void being treated. This particular product has an expansion rate of approximately 60:1. Locate galleries by visual signs of termite infestation or through the use of mechanical sounding techniques. Where necessary, penetrate the galleries or voids by drilling holes to receive the injector tip. Distribute drill holes to adequately treat the infestation. Applications may be made to inaccessible structure voids by drilling and then injecting into the infested void. For termites, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment, but are merely a supplement. For severe termite infestations, contact a professional pest control operator in your area.

Carpenter Ants: For effective control in houses and other structures, apply as general surface, spot, crack and crevice or wall void application. Apply around doors and windows and other places where ants may enter the premises and where they crawl and hide. Apply into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. **For control of carpenter bees** in structures, apply directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

INDOOR: Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ants, booklice, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas palmetto bugs, silverfish, sowbugs, ticks and waterbugs: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Repeat as necessary.

PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Apply in cracks and crevices behind and under cupboards and cabinets.

Carpet Beetles (Black, Furniture and Varied): Apply in cracks and crevices in closets or other localities where these insects are found.

Spot or Crack & Crevice Applications: Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation. Do not apply directly to food or food-handling surfaces.

Food/Feed Handling Establishments: For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/feed handling and processing establishments as a general surface, spot or crack and crevice treatment. 1 second spray per spot. This product is authorized for use in Federally Inspected Meat and Poultry Plants as a crack and crevice treatment. Do not use in commercial food/feed handling establishments, restaurants, or other commercial establishments while food is commercially prepared, processed, or served. In the home, all food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed areas.

6/6

OUTDOOR TREATMENTS

OUTDOORS: Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to **ants, clover mites, crickets and sowbugs (pillbugs)**. Apply to foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet.

Construction practices, soil subsidence and other factors may create situations in which a continuous chemically treated barrier cannot be provided when using conventional liquid applications alone. When necessary, conventional treatments may be supplemented through the use of foam to provide a continuous treated barrier. Applications may be made behind veneers (concrete or wood), piers, chimney bases, into rubble foundations, into block voids, or structural voids, wall voids, under slabs, stoops, porches, or to the soil in crawl spaces and other similar voids

Termite carton nests building voids may be injected with foam using an injection applicator. Multiple injection points to varying depths may be necessary. It is desirable to physically remove carton nest material from building voids when such nests are found.

TERMITES AND CARPENTER ANTS LIVING INSIDE TREES, UTILITY POLES AND

FENCING: (Product Name) may be used as a spot treatment for control of above-ground termites inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an interior infested cavity and inject in the appropriate quantities. Repeat applications as needed to maintain control of re-infestations

AERIAL TERMITE CARTON IN TREES: Termite carton nests in trees may be injected with foam using an injection applicator. Multiple injection points to varying depths may be necessary. It is desirable to physically remove carton nest material from building voids when such nests are found.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool, dry area away from children.

Disposal: Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1800-CLEANUP for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Manufactured by
**WATERBURY
COMPANIES, INC.**

P. O. Box 1812
Waterbury, CT 06722

985-878-6751 [For Reviewer: Optional text]

Made in USA

www.CBProProducts.com [For Reviewer: Optional text]