

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505P)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number: 9444-241

Date of Issuance:

JUL 1 3 2009

Term of Issuance: Conditional

Name of Pesticide Product:

Country Vet Fogger with IGR

NOTICE OF PESTICIDE:

X Registration Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Waterbury Companies, Inc.

129 Calhoun Street

Independence, Louisiana 70443 USA

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7) (A) provided you:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Submit the listed data below, conducted in accordance with the 40 CFR Part 158 test guidelines referred to below:

Title of Study	OPPTS Guideline	Due Date
One-year Storage Stability Study	830.6317	August 1, 2010
Corrosion Characteristics Study	830.6320	August 1, 2010

You are required to generate a one year storage stability study for the subject product under warehouse conditions. It is recommended that observations be made at 0, 3, 6, 9, and 12 months. The corrosion characteristics study may be conducted concurrently. An accelerated study will not substitute for a one year study under warehouse conditions.

Signature of Approving Official:

Richard Gebken, Product Manager (13), RD/IB (7505P)

Date:

JUL 1 3 2009

- 3. You will make the following label changes before you release the product for shipment:
 - a) Add the phrase "EPA Registration No. 9444-241"
 - b) Change "6,000 cubic feet" to "5,000 cubic feet" on your label since your product application indicates that your product is to be sold in 5 oz. containers instead of 6 oz. as is the case for the cited 'me-too' product and the supporting efficacy data. Note that you must also revise the room size example on your label to read 25'x 25'x 8'
 - c) Change 'Storage' to read "Pesticide Storage" in the "Storage and Disposal Statement".
 - d) Change 'Disposal' to "Container Disposal" and add "Never place unused product down any indoor or outdoor drain." to the container disposal directions.
- 4. The basic Confidential Statement of Formula (CSF) dated March 10, 2009 is acceptable and is the CSF of record.
- 5. Submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions.

A stamped copy of the label and the data evaluation reviews are enclosed for your records. If you have any questions, please contact Kevin Sweeney at (703)-305-5063 or by email sweeney.kevin@epa.gov

Richard Gebken

Product Manager 13

Registration Division (7505P)

Insecticide Branch

Enclosure

* <u>2</u>

CB[®][For Reviewer: Optional – CB® logo]

With COMMENTS
in EPA Letter Dated
linder the Federal Insecticide,
rungheide, and Rodenticide Act.
as amended, for the pesticide
registered under EPA Rog. No.



[For Reviewer: Optional - Country Vet logo]

Country Vet Fogger with IGR

ONE UNIT TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTETD SPACE [27 ft. x 27 ft. x 8 ft.]

[Nylar®][This product][this fogger][brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development.

[Nylar®][This product][this fogger][brand name] stops [prevents] the flea and cockroach from developing into egg laying adults

[Nylar®][This product][this fogger][brand name]can be used as part of an integrated pest management [IPM] program

[Nylar®][This product][this fogger][brand name] can be a biorational approach to insect control

[Nylar®][This product][this fogger][brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to [144 days][24 weeks][6months] kills [controls] existing cockroaches and effectively breaks the cockroach life cycle.

Works with nature to interrupt [break] the life cycle of the cockroach

Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby] eliminating future generations] [Nylar®][This product][this fogger][brand name]keeps working on cockroaches for [144 days] [24weeks][6 months] Stops cockroaches from generating reproductive offspring

Prevents [stops][inhibits] nymphal cockroaches from becoming adults [breeding adults][reproductive adults][egg laying adults]

[Nylar®][This product][this fogger][brand name] works for [144 days] [24 weeks][6 months] against hatching cockroaches [nymphal (preadult) cockroaches][hatching eggs (hatching eggs(nymphs)]

Inhibits reinfestation by fleas for up to [210 days][30 weeks][7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks][7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days][30 weeks][7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®][This product][this fogger][brand name] keeps working on fleas for [210 days][30 weeks][7months] Control [stops (kills)(prevents)] stages of fleas that don't look like fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

ACTIVE INGREDIENTS:

(S)-cyano (3-phenoxyphenyl) methyl-	
(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.10%
(RS)-2-Methyl-4-oxo-3-(2-propynyl)	
cyclopent-2-enyl (1RS)-cis, trans-chysanthemate	0.04%
2-[1-Methyl-2-(4-phenoxphenoxy)	
ethoxy] pyridine	0.60%
OTHER INGREDIENTS	<u>99.26%</u>
	100.00%

[EVERCIDE], NYLAR® is a Reg. TM of McLaughlin Gormley King

ANS NO CFC'S OR OTHER OZONE DEPLETI. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS

KEEP OUT OF REACH OF CHILDREN CAUTIONSee Back Panel for Additional Precautionary Statements.

EPA Reg No. 9444-XXX	EPA Est. No. 9444-LA-1	
NET WEIGHT	oz / g	

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

FIRST AID

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.]

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER- Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.



Highly Flammable Ingredient Ingrediente Altamente Inflamable

[This product][this fogger][brand name] contains a combination of three insecticides that stops [blocks (interrupts)(terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is [Nylar®][brand name], an insect growth regulator, which will not allow the cockroach and flea to reproduce viable offspring thereby providing long-term [residual] control. [Nylar®][brand name], inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®][brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development. The second, [ETOC™] is a highly active insecticide that provides quick knock-down and flushing of insects from their hiding place to aid in a more complete control [kill]. The third active insecticide provides activity until [Nylar®][brand name] takes effect.

[This product][this fogger][brand name] [with] [Nylar®] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [this product][this fogger][Nylar®][brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [This product][Nylar®][brand name][this fogger] will kill adult cockroaches and inhibits its natural ability to reproduce future generations for [144 days][24 weeks][6 months] by preventing [stopping][inhibiting] nymphal cockroaches from becoming adults [breeding adults][reproductive adults][egg laying adults].

[This fogger][this product][brand name] kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] before they grow up to bite. [Nylar®][brand name], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] for 210 days [30 weeks][7 months[by preventing their development into the adult biting stage. [This product][brand name][this fogger] can be used to control [kill (interrupt)(terminate)(block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

[To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use [EPA registered flea and tick products], [brand name][flea] or [flea and tick collar], [brand name][pet dust], [brand name][pet spray], [brand name][pet dip], [brand name][pet shampoo], [flea shampoo] or [flea and tick pet shampoo], in conjunction with this application and prior to re-entry. As part of a complete flea control program use [EPA registered][brand name] outdoor [lawn][home and garden] spray, [brand name][pressurized] flea and tick [indoor][premise] spray.]

[This fogger][brand name][this product] can provide long term control of both cockroaches and fleas with the insect growth regulator [Nylar®][brand name] by preventing their offspring from becoming reproductive adults. When used as directed, [this product][this

fogger][brand name] kills present [today _ cocnoaches and fleas and prevents new [tomb w's, populations from developing a effectively controls other listed insects.

Kills [controls] insects [on contact][such as]:

Cockroaches

[adults (nymphs)]

Smokey Brown Cockroach

[adults (nymphs)]

Brown Banded Cockroach

[adults (nymphs)]

Asian Cockroach

[adults (nymphs)]

German Cockroach

[adults (nymphs)]

American Cockroach

fadults (nymphs)] Australian Cockroach

[adults (nymphs)]

Oriental Cockroach [adults (nymphs)]

Waterbugs [adults (nymphs)]

Palmetto Bugs

[adults (nymphs)]

Crickets

[adults (nymphs)]

Granary Insects

Flat Grain Beetles

Cadelles

Rice Weevils

Flour Beetles Cigarette Beetles **Drugstore Beetles**

Lesser Grain Borers Merchant Grain Beetles Saw-toothed Grain Beetles

Grain Weevils Warehouse Beetles

Red Flour Beetles

Confused Flour Beetles

Grain Mites Cheese Mites Sowbugs, Spiders

Millipedes, Scorpions

Beetles

Ground Beetles

Elm Leaf Beetles

Boxelder Bugs

Earwigs

Lice **Dust Mites Pillbugs**

Clover Mites

Dermestids [Carpet Beetles

(Trogoderma)]

Centipedes

Midges

Flies

Gnats Cluster Flies Mosquitoes Sciarid Flies **Firebrats**

Silverfish **Booklice**

Bedbugs

Wood Borers (exposed stages)

Wasps

Yellow Jackets [Easter

(Western)]

For Use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets and birds and cover fish aquariums before spraying.

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

Fleas

[adults (larvae)(eggs)(preadult)]

Ticks

[that carry and transmit Lyme Disease]

Brown dog Ticks

Lone Star Ticks

Deer Ticks

Other Ixodid Species

American Dog Ticks

Foraging Ants [Fire Ants]

[Pharaoh Ants]

Carpenter Ants [Eastern (Western)]

Flying Moths

Almond Moths

Chocolate Moths Tobacco Moths Indian Meal Moths Indian Mealworms **Angoumois Grain Moths**

Hornets Carpenter Bees

PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Instead, allow fog to enter from other rooms. Tum off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call you gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start the fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly. Thoroughly clean all covered food processing areas before using. After first use, treat twice more about 3 months apart.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For Additional Products and Information Visit Us At www.Country-Vet.com [For Reviewer: Optional text]

Manufactured by WATERBURY COMPANIES, INC. P. O. Box 1812 Waterbury, CT 06722

985-878-6751[For Reviewer: Optional text]
Made in USA

www.CBProProducts.com [For Reviewer: Optional text]

[For Reviewer: Optional - CFCs logo] CountryVetFoggerwIGR