



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JUN - 6 2011

Ms. Cynthia L. Rohner Waterbury Companies, Inc. 129 Calhoun Street P.O. Box 640 Independence, La 70443

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Rohner:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 27, 2011 for the following product(s):

Country Vet Fogger with IGR

Reg. No. 9444-241

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager

Insecticide Branch

Registration Division (7504P)

	2
]	8

Please read instructions on reverse	F	Form Approved, PMB No. 2070-0060. Approval expires 2-28-95						
<b>≎</b> EPA	Environmental Protection Agency Washington, DC 20460  [ ]				mendment ther		OPP Identifier Number	
	Apr	olication fo	r Pesticide – Se	ection I				
1. Company/Product Number			2. EPA Produ	2. EPA Product Manager     Richard Gebken     3. Proposed Classi			osed Classification	
9444-241  4. Company/Product (Name)  Country Vet Fogger with IGR			PM# 10	CONCIT	[X] None [ ] Restricted			
5. Company/Product Number WATERBURY COMPANIES, INC. P.O. BOX. 640/129 CALHOUN STREET INDEPENDENCE, LA 70443			6. Expedited F (b)(i), my produto:	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  NOTIFICATION				
[ ] Check if this is a new address			Product Nam	Product Name JUN - 6 2011				
		S	ection - II					
Amendment. – Explain below.				Final printed labels in response to Agency letter dated				
Resubmission in response to Agency letter dated			[ ] "Me-Too" A	[ ] "Me-Too" Application.				
X Notification – Explain below.			[ ] Other – Ex	[ ] Other – Explain below.				
Explanation: Use additional See Attached cover letter for com		r. (For Section I	l and Section II.)	·				
		Se	ection - III		<u></u>			
Material This Product Will B     Child-Resistant Packaging         [] Yes         [] No     *Certification must     be submitted	e Packaged In: Unit Packaging [ ] Yes [ ] No  If "Yes" Unit Packaging wgt.	No. per I	Water Soluble Packag [ ] Yes [ ] No f "Yes" Jnit Packaging wgt.	ES [ ] Metal [ ] Plastic [ ] Glass [ ] Paper				
2. Landian of Nat Contents Infor	notion A Si-	ro(a) Patail Cont	toiner	[ ] Other (Specify)				
3. Location of Net Contents Information 4. Size(s) Retail Container  [ ] Label [ ] Container			dantei	5. Location of Label Directions  [ ] On label  [ ] On Labeling accompanying product				
6. Manner in Which Label is Affixed to Product  [ ] Lithograph								
		Se	ection - IV					
Contact Point (Complete items     Name     Cynthia L. Rohner	vidual to be contacted	To be contacted, if necessary, to process this application.)  Telephone No. (Include Area Code) 985-878-6751 Ext. 210						
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Application Received  (Stamped)						i Ştamped)		
2. Signature  Cuntil Inal		3. <b>Title</b> Registration	n Specialist	pecialist c c c c c c c c c c c c c c c c c c c			( (((((	
4. <b>Typed Name</b> Cynthia L. Rohner		5. Date	044			( ( )	(	
		April 27, 20	ווע				(	



April 27, 2011

Ms. Sherada Hobgood
United States Environmental Protection Agency
Office of Pesticide Programs
Registration Division (H7504P)
Document Processing Desk
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Attn: Sherada Hobgood

RE: Notification per PR Notice 98-10

Country Vet Fogger with IGR, EPA Reg. No. 9444-241

By notification, we are adding the additional establishment numbers "10807-GA-1" and "11623-GA-1" to the above mentioned label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent wit the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed is a copy of the label, with the changes highlighted, the application for pesticide, EPA Form 8570-1, and the revised basic CSF reflecting these additional establishment numbers/producers. Also enclosed is a self-addressed, stamped postcard so that we may obtain notice when the Agency has processed this notification.

Please contact me at (985) 878-6751 Ext. 210 or via email at <a href="mailto:crohner@watco.com">crohner@watco.com</a> if additional information is needed to expedite this notification request and thank you for your continued support.

Sincerely,

Cynthia L. Rohner

**Registration Specialist** 

Contain frame

### $CB^{\textcircled{\$}}$ [For Reviewer: Optional – CB\$ logo]



NOTIFICATION
JUN - 6 2011

[For Reviewer: Optional - Country Vet logo]

## **Country Vet Fogger with IGR**

#### ONE UNIT TREATS A ROOM OF UP TO 5,000 CUBIC FEET OF UNOBSTRUCTETD SPACE [25 ft. x 25 ft. x 8 ft.]

[Nylar®][This product][this fogger][brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development.

[Nylar®][This product][this fogger][brand name] stops [prevents] the flea and cockroach from developing into egg laying adults

[Nylar®][This product][this fogger][brand name]can be used as part of an integrated pest management [IPM] program

[Nylar®][This product][this fogger][brand name] can be a biorational approach to insect control

[Nylar®][This product][this fogger][brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to [144 days][24 weeks][6months] kills [controls] existing cockroaches and effectively breaks the cockroach life cycle.

Works with nature to interrupt [break] the life cycle of the cockroach

Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby] eliminating future generations] [Nylar®][This product][this fogger][brand name]keeps working on cockroaches for [144 days] [24weeks][6 months] Stops cockroaches from generating reproductive offspring

Prevents [stops][inhibits] nymphal cockroaches from becoming adults [breeding adults][reproductive adults][egg laying adults]

[Nylar®][This product][this fogger][brand name] works for [144 days] [24 weeks][6 months] against hatching cockroaches [nymphal (preadult) cockroaches][hatching eggs (hatching eggs(nymphs)]

Inhibits reinfestation by fleas for up to [210 days][30 weeks][7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks][7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days][30 weeks][7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®][This product][this fogger][brand name] keeps working on fleas for [210 days][30 weeks][7months]

Control [stops (kills)(prevents)] stages of fleas that don't look like fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

#### ACTIVE INGREDIENTS

ACTIVE INGREDIENTS:	
(S)-cyano (3-phenoxyphenyl) methyl-	
(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.10%
(RS)-2-Methyl-4-oxo-3-(2-propynyl)	
cyclopent-2-enyl (1RS)-cis, trans-chysanthemate	0.04%
2-[1-Methyl-2-(4-phenoxphenoxy)	
ethoxy] pyridine	0:60%
OTHER INGREDIENTS	<u>99.26%</u>
	100.00%

[EVERCIDE], NYLAR® is a Reg. TM of McLaughlin Gormley King

CONTAINS NO CFC'S OR OTHER OZONE DEPLETING SUSTANCES.
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg No. 9444-241

EPA Est. No. 9444-LA-1 10807-GA-1 11623-GA-1

NET WEIGHT \_\_\_\_\_ oz / \_\_\_\_ g

6

# PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

#### **FIRST AID**

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.]

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER-** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (985) 878-6751, Monday through Friday, 8:00 am to 4:30 pm CST. After 4:30pm call your poison control center. For product information call (203) 597-1812, Monday-Friday, 8:00 am to 5:00 pm EST.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.



Highly Flammable Ingredient Ingrediente Altamente Inflamable

[This product][this fogger][brand name] contains a combination of three insecticides that stops [blocks (interrupts)(terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is [Nylar®][brand name], an insect growth regulator, which will not allow the cockroach and flea to reproduce viable offspring thereby providing long-term [residual] control. [Nylar®][brand name], inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®][brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development. The second, [ETOC™] is a highly active insecticide that provides quick knock-down and flushing of insects from their hiding place to aid in a more complete control [kill]. The third active insecticide provides activity until [Nylar®][brand name] takes effect.

[This product][this fogger][brand name] [with] [Nylar®] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [this product][this fogger][Nylar®][brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [This product][Nylar®][brand name][this fogger] will kill adult cockroaches and inhibits its natural ability to reproduce future generations for [144 days][24 weeks][6 months] by preventing [stopping][inhibiting] nymphal cockroaches from becoming adults [breeding adults][reproductive adults][egg laying adults].

[This fogger][this product][brand name] kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] before they grow up to bite. [Nylar®][brand name], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] for 210 days [30 weeks][7 months[ by preventing their development into the adult biting stage. [This product][brand name][this fogger] can be used to control [kill (interrupt)(terminate)(block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

[To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use [EPA registered flea and tick products], [brand name][flea] or [flea and tick collar], [brand name][pet dust], [brand name][pet spray], [brand name][pet dust], [brand name][pet spray], [brand name][pet dust], [brand name][pet spray], [brand name][pet spray], [brand name][pet spray], [brand name][pet spray], [brand name][pet spray][pet spray][pe

[This fogger][brand name][this product] can provide long term control of both cockroaches and fleas with the insect growth regulator [Nylar®][brand name] by preventing their offspring from becoming reproductive adults. When used as directed, [this product][this

ددند

Kills [controls] insects [on contact][such as]:

effectively controls other listed insects.

Cockroaches

[adults (nymphs)]

Smokey Brown Cockroach

[adults (nymphs)]

**Brown Banded Cockroach** 

[adults (nymphs)]

Asian Cockroach

[adults (nymphs)]

German Cockroach [adults (nymphs)]

American Cockroach

[adults (nymphs)]

Australian Cockroach

[adults (nymphs)]

Oriental Cockroach [adults (nymphs)]

Waterbugs [adults (nymphs)]

Palmetto Bugs

[adults (nymphs)]

Crickets

[adults (nymphs)]

**Granary Insects** 

Flat Grain Beetles

Cadelles

Rice Weevils

Flour Beetles Cigarette Beetles **Drugstore Beetles** Lesser Grain Borers

Merchant Grain Beetles Saw-toothed Grain Beetles

Grain Weevils Warehouse Beetles Red Flour Beetles

Confused Flour Beetles

Grain Mites

Sowbugs, Spiders

[adults (larvae)(eggs)(preadult)] Millipedes, Scorpions

[that carry and transmit Lyme Disease]

Brown dog Ticks

**Ground Beetles** Lone Star Ticks

Elm Leaf Beetles Deer Ticks

Boxelder Bugs Other Ixodid Species

Earwigs American Dog Ticks

Lice **Dust Mites** Pillbugs

**Beetles** 

Clover Mites

Dermestids [Carpet Beetles

(Trogoderma)]

Centipedes Carpenter Ants [Eastern

(Western)]

Flying Moths

Almond Moths

Chocolate Moths

Indian Meal Moths

Indian Mealworms

Tobacco Moths

Carpenter Bees

Hornets

Wasps

[Pharaoh Ants]

Foraging Ants [Fire Ants]

Midges

Flies Gnats Cluster Flies Mosquitoes Sciarid Flies Firebrats

Silverfish Booklice

**Bedbuas** Wood Borers (exposed stages)

Angoumois Grain Moths

Yellow Jackets [Easter (Western)] Cheese Mites

For Use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets and birds and cover fish aquariums before spraying.

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 5,000 cubic feet (approximately 25 ft x 25 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

# 8

#### PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Instead, allow fog to enter from other rooms. *Turn off ALL ignition sources such as pilot lights* (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call you gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

#### READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start the fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly. Thoroughly clean all covered food processing areas before using. After first use, treat twice more about 3 months apart.

#### STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed.

CONTAINER DISPOSAL: Do Not Puncture or Incinerate! Never place unused product down any indoor or outdoor drain.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For Additional Products and Information Visit Us At www.Country-Vet.com [For Reviewer: Optional text]

Manufactured by WATERBURY COMPANIES, INC. P. O. Box 1812 Waterbury, CT 06722

985-878-6751[For Reviewer: Optional text]
Made in USA

www.CBProProducts.com [For Reviewer: Optional text]

[For Reviewer: Optional – CFCs logo] AMREPEST#APEPA241.Ap11

