

INTER-STATE ROSE SPRAY

... for ...
DISEASE and RED SPIDER MITE
CONTROL

INGREDIENTS

ACTIVE INGREDIENTS:	
Folpet [N-(trichloromethylthio) phthalimide]	39.00%
Tetradifon (4-chlorophenyl 2,4,5-Trichloro-phenyl Sulfone)	3.75%
Lindane--Gamma Isomer of Benzene Hexa-chloride	2.00%
INERT INGREDIENTS:	
Phaltan	44.25%
Tedion	

CAUTION

KEEP OUT OF REACH OF CHILDREN
See back panel for additional required
caution statements.

Net Weight One Pound

Manufactured For
Inter-State Nurseries
HAMBURG, IOWA 51610

ROSE SPRAY

DIRECTIONS FOR USE

INTER-STATE'S ROSE SPRAY CONTROLS BLACK SPOT
POWDERY MILDEW ON ROSES AND CERTAIN DISEASES
OF OTHER FLOWERS, ORNAMENTALS.

ROSES

To control Black Spot, Powdery Mildew, Red Spider Mite,
and other diseases on roses, spray thoroughly with
this spray at intervals of 7 to 10 days, starting
when the buds are opening and continuing through
the summer months.

FLOWERS AND ORNAMENTALS

For control of Black Spot, Powdery Mildew, and
other diseases on flowers and ornamentals, spray
thoroughly with this spray at intervals of 7 to 10 days,
starting when the buds are opening and continuing
through the summer months.

CAUTION

This spray is highly toxic to fish, birds, and
other aquatic life. Do not use in or near
water. Do not use on lawns, lawns, or
other areas where children or pets may
play. Do not use on plants that are
sensitive to sulfur. Do not use on
plants that are stressed or damaged.

DO NOT USE ON PLANTS IN BLOOM

NET WT. 1 LB.

ACCEPTED