



CHEMICAL MFG. CO.

2101 WASHINGTON BLVD.
BALTIMORE, MD. 21230

CHLORINE—LIQUEFIED

(UNDER PRESSURE)

ACTIVE INGREDIENT—CHLORINE 100%

DANGER POISON

HAZARDOUS LIQUID AND GAS UNDER PRESSURE KEEP OUT OF REACH OF CHILDREN

This needle valve is standard for Chlorine—all threads are right hand. Turn clockwise to tighten. Never use pipe fittings having standard tapered thread.

CYLINDER NO.	GROSS	TARE	NET
			100 <input type="checkbox"/>
			150 <input type="checkbox"/>
			200 <input type="checkbox"/>
			<input type="checkbox"/>
INSPECTED BY		DATE FILLED	



CHEMICAL MFG. CO.

2101 WASHINGTON BLVD.
BALTIMORE, MD. 21230

CHLORINE—LIQUEFIED

(UNDER PRESSURE)

ACTIVE INGREDIENT—CHLORINE 100%

DANGER! HAZARDOUS LIQUID AND GAS UNDER PRESSURE.

DO NOT HANDLE OR USE UNTIL SAFETY PRECAUTIONS RECOMMENDED BY MANUFACTURER HAVE BEEN READ AND UNDERSTOOD.

Do not breathe air containing this gas.

Do not get in eyes or on skin.

Do not heat cylinders.

Have available emergency gas masks approved by U. S. Bureau of Mines for Chlorine service.

In case of exposure, move patient to fresh air, keep him warm and quiet, and CALL A PHYSICIAN.

CYLINDER HANDLING AND STORAGE

Keep away from heat.

Do not store in sunlight.

Never drop cylinders.


Be sure connections are tight.

ICC REGULATIONS PROHIBIT REFILLING WITHOUT PERMISSION OF OWNER

Do not tamper with fusible safety plug in valve.

Always replace valve outlet cap and valve protection cover.

USDA REG. NO. 9488-1



94887

KEEP COOL
CAUTION
CHLORINE
 Non-Inflammable — COMPRESSED GAS
DO NOT DROP

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the regulations prescribed by the Interstate Commerce Commission.

DELTA CHEMICAL MFG. CO.
 2101 WASHINGTON BLVD.
 BALTIMORE, MD.
 21230

EMPTY **RETURN TO**
DELTA CHEMICAL MFG. CO.

2101 WASHINGTON BLVD.
 BALTIMORE, MD. 21230

CYL. NO.

TARE

NET

CONSIGNEE

FILLED CYLINDER TAG
CAUTION

TEAR OFF FILLED TAG, ALONG
 DOTTED LINE, AS SOON AS EMPTY.

ICC REGULATIONS PROHIBIT SHIPMENT OTHERWISE

CHLORINE



KEEP COOL
CAUTION
CHLORINE
Non-Inflammable — COMPRESSED GAS
DO NOT DROP

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the regulations prescribed by the Interstate Commerce Commission.

DELTA CHEMICAL MFG. CO.
2101 WASHINGTON BLVD.
BALTIMORE, MD.
21230

CYL. NO. _____
TARE _____
NET _____

FILLED

EMPTY
DELTA CHEMICAL MFG. CO.
2101 WASHINGTON BLVD
BALTIMORE, MD. 21230
RETURN
CO.

ACCEPTED
11/2/72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON, REGISTER-
ED UNDER NO. 9291-2 SUBJECT
TO ATTACHED COMMENTS.

9291-2



SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS
ON THE BACK/SIDE PANEL

POOL TROL chlorine powder

70% AVAILABLE CHLORINE
BACTERICIDE · DISINFECTANT
CHLORINE FOR SWIM POOLS

DIRECTIONS FOR USE

Use Only a Clean, Dry Spoon or Scoop Made of Metal,
Ceramic, Plastic or Glass.

For initial treatment use 4 teaspoonfuls of Chlorine Powder per 1,000 gallons of water (or 2 oz. per 5,000 gallons of pool water). Thereafter, use 2 teaspoonfuls of Chlorine Powder per 1,000 gallons of water (or 1 oz. per 5,000 gallons of pool water). Distribute required amount daily over water surface. If desired, Chlorine Powder may be stirred into a sprinkler can or pail of water, allow to settle for several hours and spread the clear liquid over the pool. During extreme heat or with heavy bather load, add proper amount of Powder every 2 hours. Test water at regular intervals using vue pool test kit (available at your dealer) to insure required chlorine residual of 0.6 to 1.0 ppm and a pH range of 7.2 to 7.6.

CHEMICAL PROPERTIES

DANGER: Irritating to eyes, skin and lungs. Strong Oxidizing Agent. Contact with heat, friction, moisture, foreign materials,* or contamination from any source, may result in fire. Never mix with other materials. Harmful if swallowed. Avoid contact with skin and eyes. Store in cool, dry place. Keep closed when not in use.

DANGER: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH SKIN AND EYES.

NET WEIGHT : 15 POUNDS AVDP.

ACTIVE INGREDIENT	
calcium hypochlorite	70%
INERT INGREDIENTS	30%

Keep away from heat, fire and combustible materials. Rinse empty container thoroughly with water and discard it.

DANGER: Keep Out of Reach of Children. May be Fatal or Harmful if Swallowed. May produce severe chemical burns. Do not get on skin or in eyes. In case of skin and eye contact, flush with plenty of water. If skin irritation persists, get medical attention.

ANTIDOTE: External — Wash thoroughly with water. For eyes, get prompt medical attention. Internal — Give milk, water or egg whites. Call Physician Immediately.

*Some of the foreign materials which could cause a fire are: Oils, grease, paint, thinners, solvents, cosmetics, suntan lotions and creams, sugars, syrups, beverages, fertilizers, blood, sours and dead vegetation and other organic material.

MADE AND PRINTED IN U.S.A. 9144JIHGF
E.P.A. Registration No. 9291-2
POOL TROL PRODUCTS, INC.
CARLSTADT, N.J.