

APR 26 2001

National Chelating Corporation
c/o Ms. Terri Aal
Siemer & Associates, Inc.
4672 W. Jennifer, Ste. 103
Fresno, CA 93722

Dear Ms. Aal:

SUBJECT: Label Amendment Revising First Aid Statements
Spurge X
EPA Registration Number: 9499-1
Your Submission Dated January 30, 2001

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided you:

1. Make the following changes to the First Aid statements in accordance with PR Notice 2001-1, which superseded PR Notice 2000-3:

- ☐ Change "If Product ... Gets on skin" to read "If Product ... Gets on skin or clothing".
- ☐ Revise the "If Product ... Is swallowed:" statements to read:
 - Call poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

2. Delete the following statements from the paragraph under "Hazards to Humans and Domestic Animals":

"In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists." [NOTE: These statements are incomplete and/or inconsistent with the required First Aid statements.]

RD:STANTON:PM Team 23:Rm. 239:CM-2:305-5218:Disk #14:S593482.LET

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	S. Stanton							
DATE ▶	Apr 26, 2001							

-2-

3. Delete the following statement from the first paragraph on page 3 of both the Spurge X and Oxalis X labels:

"This chemical is biodegradable and beneficial to most plants after going down into the soil." [NOTE: Such safety claims are not allowed on pesticide products labels pursuant to FIFRA §2(q)(1)(A) and 40 CFR §156.10(a)(5)(ix).]

This labeling supersedes previously accepted labeling for the subject product. Stamped copies of the Spurge X label and alternate brand name label, Oxalis X, are enclosed for your records. Submit one copy of your final printed labeling before you release the product for shipment.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Susan L. Stanton, for".

Daniel J. Rosenblatt
Acting Product Manager (25)
Herbicide Branch
Registration Division (7505C)

Enclosures

3 7 5



CONCENTRATE
FOLIAGE
SPRAY

KILLS SPURGE IN DICHONDRA LAWNS (also kills oxalis)

ACCEPTED
with COMMENTS
In EPA Letter Dated

APR 26 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9499-1

ACTIVE INGREDIENT:

*Ammonium Thiosulfate.....	55.0%
Other ingredients.....	45.0%
TOTAL.....	100.0%

*Patent No. 351-5535

GUARANTEED ANALYSIS:

Nitrogen, Ammonic.....	9%
Sulfur, Combined.....	18%

Active ingredient and guaranteed analysis is derived from Ammonium Thiosulfate

CAUTION

KEEP OUT OF REACH OF CHILDREN

FIRST AID	
If Product:	
Gets in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 5 minutes. • Remove contact lenses, if present. • Continue to rinse eyes for 10-15 minutes. • Call a poison control center or doctor for treatment advice.
Gets on skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Is swallowed:	<ul style="list-style-type: none"> • Have person sip a glass of water if able to swallow.

- Notes:
- Have the product container or label with you when calling a poison control center or doctor or going for treatment.
 - In the event of a medical emergency, you may also contact the National Pesticide Telecommunications Network at 1-800-858-7378.

SEE BACK LABEL FOR OTHER PRECAUTIONARY STATEMENTS

EPA REG. NO. 9499-1

EPA EST. NO. 08002CA01

NET CONTENTS: 1 QUART (32 FL. OZ.)



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

When using this product in vegetable gardens and around fruit trees, spray should be applied to weeds growing between rows and in such a manner as not to contaminate edible parts.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash container.

NATIONAL CHELATING CORP.
Orange, CA 92665



KILLS SPURGE IN DICHONDRA LAWNS ALSO KILLS OXALIS

Water the lawn the day before use. Do not water again for at least 24 hours. Be sure foliage is dry at time of application. SPURGE X will not work at temperatures below 72°. Above 80°, at time of use, may cause severe temporary damage to dichondra foliage. Bladegrass lawns can tolerate this up to 95°. Tip burn will usually recover in a week or two. It can be used on young dichondra. Do not use in new bladegrass lawns until at least three mowings. This chemical is biodegradable and beneficial to most plants after going down into the soil. It will not prevent seeds from germinating. If possible, weeds should be killed before they go to seed, thus reducing future infestations. Do not apply immediately after mowing. Wait for new growth to the lawn and weeds before use. Works best in sunlight rather than shade or cloudy conditions.

A CONCENTRATED FOLIAGE SPRAY THAT KILLS SPURGE Also kills oxalis

DIRECTIONS FOR USE – Cont'd

1. Mix 4 oz. per gallon of water per 100 square feet of area to be treated. The addition of a good spreader-sticker is recommended. Apply to dichondra lawns when temperatures are in the mid-seventies. Bladegrass lawns up to 95°.
2. Use pressure type tank sprayer. Hose-end garden sprayers or water cans are not effective and should not be used. Leaves must be thoroughly saturated.
3. Repeat as necessary every 10 days to two weeks. If you do get regrowth, repeated treatments will cause the roots to die.

Clean spray equipment after use with clear water.

