

HYPOCHLORITE

NET CONTENTS GALS.

IRRITANT. CONTAINS SODIUM HYPOCHLORITE. AVOID CONTACT WITH EYES AND OTHER MUCOUS MEMBRANCES. IN CASE OF CONTACT WITH EYES, FLUSH THOROUGHLY WITH WATER. HARMFUL IF SWALLOWED, GIVE ONE OR TWO GLASSES OF WATER OR MILK. CALL PHYSICIAN. KEEP OUT OF REACH OF CHILDREN.

ACTIVE INGREDIENT SODIUM HYPOCHLORITE 11.15 %

INERT INGREDIENTS 88.85 %

DEGRADES WITH AGE. USE A TEST KIT AND INCREASE DOSAGE AS NECESSARY TO OBTAIN REQUIRED LEVEL OF AVAILABLE CHLORINE.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE RETURNING. *9510-2*

EPA REG. NO. 9510-2


DIRECTIONS FOR USE

DISINFECTING:

2 oz. Sodium Hypochlorite in 3 gallons of water will produce a solution having 600 ppm available chlorine. Apply solution to area with mop or cloth. Rinse off with water. Do not use on steel, aluminum, silver, nor apply with natural sponge.

SANITIZING:

For a solution with 200 ppm available chlorine dissolve 2 oz. sodium hypochlorite in 9 gallons water. Apply with mop or cloth. Rinse with clear water. Do not use on steel, aluminum, silver nor apply with natural sponge.



INDUSTRIAL:

For chlorination feed solution through chlorinator into system to be chlorinated. Test solution for desired ppm chlorine. Adjust rate of feed till desired readings are obtained. Follow Federal, State and Local Health Depts. for the maintenance of acceptable chlorine residuals.

SWIMMING POOLS

FOR PUBLIC AND SEMI-PUBLIC POOLS:

Follow State and Local Health Department Regulations regarding use of positive displacement feeders and maintenance of acceptable chlorine residuals.

FOR PRIVATE POOLS:

Daily dosage should be carried out in the early morning or late evening. Pools with a high bathing load or exposed to high temperatures or strong sunlight will require extra dosing. A constant check for chlorine residual should be made and additions made as needed to maintain 0.6 to 1.0 ppm residual chlorine. For effective chlorination, the pH of the water should be adjusted to the 7.2 to 7.8 range.

INITIAL CHLORINATION:

Four fluid ounces of Sodium Hypochlorite Solution per 1000 gallons of pool water is recommended whenever the pool is emptied and refilled. After initial treatment, allow to circulate in pool. Check chlorine residual. Do not use pool until chlorine residual falls to 1.0 ppm.

REGULAR TREATMENT:

Use one fluid ounce of Sodium Hypochlorite Solution per 1000 gallons of pool water each day, whether the pool is in use or not. Pool water should be treated daily or more frequently if needed to maintain 1.6 to 1.0 ppm. residual chlorine.

SUPERCHLORINATION:

Superchlorination is recommended once every other week - more often if high bathing loads are common. Use Sodium Hypochlorite Solution: 8 ounces per 1000 gallons of pool water. Apply in evening after pool has closed for the day. Superchlorination is needed for algae control when continuous chlorine residuals have not been maintained and to destroy ammonium complexes that have been formed in the pool. Do not use pool until chlorine residual falls to 1.0 ppm.

KEEP COVERED UPRIGHT IN COOL PLACE

LEVENSON



PE

APPLICATIONS:

OKAY ALGAECIDE CONCENTRATE is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using OKAY ALGAECIDE CONCENTRATE.

For pools having just visible algae growth add an initial dose of 11 to 17 fl. oz. of OKAY ALGAECIDE CONCENTRATE per 10,000 gal. of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 6 to 11 fl. oz. of OKAY ALGAECIDE CONCENTRATE per 10,000 gal. of water.

To maintain pools free of visible algae growth, subsequent additions of 2 to 4 fl. oz. of OKAY ALGAECIDE CONCENTRATE per 10,000 gal. of water should be made every 5 to 7 days after the initial treatment.

Uniform distribution of OKAY ALGAECIDE CONCENTRATE throughout the water in the pool is necessary for maximum effectiveness.

OKAY ALGAECIDE CONCENTRATE is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. OKAY ALGAECIDE CONCENTRATE can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix OKAY ALGAECIDE CONCENTRATE with concentrated dry or liquid chlorine products.

**ALGAECIDE
CONCENTRATE**

SWIMMING POOL ALGAECIDE

Active Ingredient:

Poly[oxyethylene (dimethyliminio) ethylene (dimthyliminio) ethylene dichloride] 60.0 percent

Inert Ingredient: 40.0 percent

**CAUTION:
KEEP OUT OF REACH
OF CHILDREN**

ACCEPTED
May 31, 1974
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISONING PREVENTED UNDER NO. 9554-

9554-25

1407 HARNEY

Manufactured for
Levenson CHEMICAL CO.