

GRE-TEX WEED & FEED 12-6-6
For Lawns
 HERBICIDE FERTILIZER

ACTIVE INGREDIENT (relative to herbicide)
 -butyl-n-ethyl-s,a,a-trifluoro-2-m-dinitro-p-toluidine 29%
 INERT INGREDIENTS 99%
 100.00%

NUTRIENT ANALYSIS

Nitrogen (N) 12%
 Available Phosphoric Acid (P₂O₅) 6%
 Soluble Potash (K₂O) 6%

FOR CONTROL OF
 Smooth crabgrass Goosegrass.
 Hairy crabgrass Foxtail (green & yellow)
 Annual Bluegrass (Poa Annual) Watergrass

WHEN APPLIED AS DIRECTED

CAUTION: Keep Out Of Reach of Children

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after use. Avoid contamination of food, feed, drinking water, fish ponds, etc. This product is toxic to fish.

DIRECTIONS FOR USE

1. A selective herbicide fertilizer for pre-emergence control of certain weeds. To be effective for weed control, Gre-Tex Weed and Feed 12-6-6 must be applied before the emergence of weeds. To prevent Smooth Crabgrass, Hairy Crabgrass, Goosegrass, Yellow & Green Foxtail apply in late winter or early spring prior to germination. To prevent Annual Bluegrass apply prior to germination in early fall.
2. Apply at the rate 2.0 pounds per 100 square feet. This 50 lb. bag fertilizes and treats 2500 square feet of lawn.

Spreader Settings					
Precision	8	Red Devil	8	Scott's	6
K Mart	8	Cyalone	5	Sears	4


3. After application water thoroughly to get material into root zone. For further control of indicated weeds, it may be necessary to apply again in four to five months.

PRECAUTIONS

1. Avoid application on fruit and vegetable plants.
2. Do not apply to newly seeded lawns. Reseeding should be delayed for at least 6 weeks after application.
3. Do not apply to newly sprigged area until root growth is established.
4. Do not apply to bentgrass or dichondra lawns.
5. Do not apply in the spring to blue grass planted the previous fall.
6. May thin out fine-leaf fescues.

BURN EMPTY BAG PROMPTLY. Do not use or store near heat or open flame.
 Read all directions before using.

USDA REG. NO. _____



TYLER FERTILIZER COMPANY
 420 S. Oakland.
 Tyler, Texas 75701

BEST DOCUMENT AVAILABLE

22

ACTIVE INGREDIENT (relative to herbicide)
-butyl-di-ethyl-a,a,a-trifluoro-2,6-dinitro-
INERT INGREDIENTS

Microgen (N).
Available Phosphoric Acid (P₂ O₅).
Soluble Potash (K₂O).

FOR CONTROL OF
Smooth crabgrass
Hairy crabgrass
Annual Bluegrass (Poa Annual)

WHEN APPLIED

CAUTION: Keep Out
Harmful if swallowed. Avoid contact with
eye. Wash thoroughly after use.
Do not contaminate drinking water, fish ponds, etc. This product

DIRECTIONS FOR USE

1. A selective herbicide fertilizer for pre- and post-emergence use. To be effective for weed control, Gro-Tex should be applied before the emergence of weeds. To prevent Goosegrass, Yellow & Green Foxtail apply before germination. To prevent Annual Bluegrass apply in fall.
2. Apply at the rate 2.0 pounds per 100 square feet and treats 2500 square feet of lawn.

		Spreader
Precision	8	Red
K Kart	8	Cycl

3. After application water thoroughly to grass.
4. For further control of indicated weeds, re-apply in four to five months.

PRECAUTIONS

1. Avoid application on fruit and vegetable lawns.
2. Do not apply to newly seeded lawns. 6 weeks after application.
3. Do not apply to newly sprigged areas.
4. Do not apply to bentgrass or dichondra.
5. Do not apply in the spring to bluegrass.
6. May thin out fine-leaf fescues.

KEEP THIS PRODUCT IN ORIGINAL CONTAINER. Do not use or store in other containers.
Read all directions on label.

USE ONLY IN THE UNITED STATES. NO. _____ ACCEPTED
12-10-60
954