

C  
B  
A

A  
B

REDUCES CHLORINE DEMAND — CONTROLS ALGAE SLIME

### DIRECTIONS

**INITIAL DOSE:** To a clean pool or, when algae are not visible, add one quart to 12,000 gallons of water. When algae are visible the initial dose must be repeated after removal of settled algae.

**MAINTENANCE DOSE:** 10 ounces to each 15,000 gallons of water every 3 to 4 days. In extremely hot, sunny weather and where pool has heavy bathing load, maintenance dosage should be stepped up to once every two days. Distribute dosage at various points around the pool.

### CHEMICAL PROPERTIES

When used as directed, this Algicide will kill and prevent development of Chlorella Pyroidosa (green), Phormidium inundatum (black algae), Phormidium retzii (Square D algae), Lyngba versi-color (blue-green), and other swimming pool algae.

Note: "Kill" refers to initial dosage. "Prevent development" refers to maintenance dosage.

BGP

B

ACCEPTED  
May 21, 1969  
UNITED STATES DEPARTMENT OF AGRICULTURE  
FEDERAL AGENCY FOR REGULATORY AND DEFENSE SERVICES  
WASHINGTON, D.C. 20250

U





U.S.D.A. Reg. No. 9556-3

### WARNING

HARMFUL IF SWALLOWED. AVOID CONTACT WITH EYES AND SKIN. IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER. SHOULD IRRITATION PERSIST, GET MEDICAL ATTENTION. ALGAECIDE SHOULD NOT BE ALLOWED TO COME IN CONTACT WITH FOOD. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

This Algicide is a concentrate and should be diluted before using. It will not harm pool equipment and is compatible with most commonly used swimming pool chemicals. However, it should not be mixed with soap or other cleaners - or pre-mixed with other water treating chemicals. Algicide works best when added by itself directly to pool water.

Manufactured for

**Ortex Products Inc.**

560 Ferry St., Newark, N. J. 07105

1/6



REDUCES CHLORINE DEMAND -- CONTROLS ALGAE SLIME

## DIRECTIONS

**INITIAL DOSE:** To a clean pool or, when algae are not visible, add one quart to 12,000 gallons of water. When algae are visible the initial dose must be repeated after removal of settled algae.

**MAINTENANCE DOSE:** 10 ounces to each 15,000 gallons of water every 3 to 4 days. In extremely hot, sunny weather and where pool has heavy bathing load, maintenance dosage should be stepped up to once every two days. Distribute dosage at various points around the pool.

## CHEMICAL PROPERTIES

When used as directed, this Algicide will kill and prevent development of Chlorella Pyroidosa (green), Phormidium inundatum (black algae), Phormidium retzii (Square D algae), Lyngba versi-color (blue-green), and other swimming pool algae.

Note: "Kill" refers to initial dosage. "Prevent development" refers to maintenance dosage.



U.S.D.A. Reg. No. 9556-2

## WARNING

HARMFUL IF SWALLOWED. AVOID CONTACT WITH EYES AND SKIN. IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER. SHOULD IRRITATION PERSIST, GET MEDICAL ATTENTION. ALGAECIDE SHOULD NOT BE ALLOWED TO COME IN CONTACT WITH FOOD. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

This Algicide is a concentrate and should be diluted before using. It will not harm pool equipment or be incompatible with most commonly used swimming pool chemicals, however, it should not be mixed with some other cleaners. Do not mix with other water treating chemicals. Always use work chest when added by itself directly to pool water.

Manufactured for

**Ortex Products, Inc.**

560 Ferry St. Newark, N. J. 07105

**WARNING: KEEP AWAY FROM REACH OF CHILDREN.**

ACCEPTED