



## KEEP YOUR POOL CRYSTAL CLEAR & SANITARY

### DIRECTIONS

1. Proper conditioning of pool water is necessary to insure maximum effectiveness of SLOW DISSOLVING TABLETS. To the freshly filled or previously unconditioned pool water, add 1 1/2 lbs of our CONDITIONER AND STABILIZER for each 8000 gals of water.
2. Adjust pool water pH to 7.2 - 7.6 range with our pH INCREASER or pH DECREASER.
3. CHLORINE DEMAND—To a clean and algae free pool, broadcast over the deepest end of pool, 4 oz of our POOL SHOCK (80% available chlorine) for every 12000 gals of water to super chlorinate and satisfy the demand of the raw water. On the following day if chlorine residual is not at least 0.8 ppm on the test kit, repeat dosage until the 1.0 ppm is obtained.
4. MAINTENANCE DOSE—Put into KROLL'S FLOATING BASKET, 7 - 2 oz SLOW DISSOLVING TABLETS every 8th day for each 12000 gals water and attach the basket to the water return outlet with a 5 to 6 ft. plastic string. The tablets should completely dissolve within the 7 days giving an available chlorine dosage of 1.06 to 1.1 ppm. If tablets dissolve before 7 days and residual is below 0.8, repeat dosage. Check pool water frequently with a test kit and maintain 0.8 to 1.5 chlorine residual and pH of 7.2 - 7.6.
5. During extremely hot weather or/and heavy bathing load, additional dosage may be required by adding 2 more tablets to the basket for each 12000 gals which will provide 0.3 ppm additional chlorine during the next 7 days. However, if immediate chlorine dosage is desired, broadcast 4 oz of our POOL SHOCK directly to the pool water for each 12000 gals and will provide 1.1 ppm chlorine.
6. Each time 8 tablets (1 lb) has been added to the basket, broadcast 1/2 lb of pH INCREASER to balance the normal low pH of these tablets. NEVER PUT TABLETS DIRECTLY INTO POOL WATER as they could bleach the liner or paint surface.



### 2 oz. SLOW DISSOLVING CHLORINE STABILIZED TABLETS


Active Ingredients: Trichloro-s-Triazinetrione 100%  
Available chlorine 85%

**WARNING** KEEP OUT OF REACH OF CHILDREN.  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

Keep out of reach of children. Avoid contact with skin. In case of contact, immediately flush with water. For eyes get medical attention. In case of ingestion, do not induce vomiting. Hazardous chlorine container closed and stored in a cool, dry place. Thoroughly wash hands when used.

EXTERNAL: Immediate medical attention.  
INTERNAL: Feed by mouth.  
CALL A

# Pool Brite



## 2 oz. SLOW DISSOLVING CHLORINE STABILIZED TABLETS

Active Ingredients: Trichloro-s-Triazinetrione 100%  
Available chlorine 85%

**WARNING** KEEP OUT OF REACH OF CHILDREN.  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

## WARNING

Keep out of reach of children. May be fatal if swallowed. Strong oxidizing material. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Avoid breathing dust. Contact with organic matter may cause fire. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Keep away from open flames. Keep container closed and in a cool dry place when not in use. Rinse container thoroughly when discarding or if for re-use.

## ANTIDOTE

EXTERNAL: Immediately flush with plenty of cold water.

INTERNAL: Feed bread soaked in milk followed by olive oil or cooking oil.  
CALL A PHYSICIAN.

U.S.D.A. Reg. No. 9556-11

**Ortex Products Inc.**

560 Ferry St., Newark, N. J. 07105

effectiveness of  
conditioned pool  
each 5000 gals

CREASER or pH

over the deepest  
for every 12000  
water. On the  
test kit, repeat

7 - 2 oz SLOW  
and attach the  
tablets should  
dosage of 1.06  
below 0.8, repeat  
maintain 0.8 to 1.5

dosage may be  
gals which will  
or, if immediate  
directly to the

addcast 1/2 lb of  
solid bleach the