



Keep out of a Do not get is from contact sists, get me plenty of wation. Strong fire. Keep use. Rinse This product discharge public was label.

EXTERNA water. F. INTERN. milk fo A PHY

E.P.A.

560 Ferry Si

DANGER

Keep out of reach of children. May be fatal if swallowed. Do not breathe dust. Do not get in eyes or on skin. May produce chemical burns. Fire may result from contact with heat, acids or cumbustible matter. If skin irritation persists, get medical attention. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Avoid food contamination. Strong oxidizing agent. Contact with organic matter may cause fire. Keep container closed and in a cool, dry place when not in use. Rinse empty container with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Apply this product only as specified on this label.

POISON - ANTIDOTE

EXTERNAL — Immediately flush with plenty of cold water. For eyes get medical attention.

INTERNAL — Immediately feed bread soaked in milk followed by ólive or cooking oil. CALL A PHYSICIAN.

Manufactured for

E.P.A. Reg. No. 9556-16

Ortex Products Inc.

560 Ferry St., Newark, N. J. 07105



POOL SHOCK

Active Ingredient, Trichloro-s-Triazinetrione 70%
Inert Ingredient, Sodium Carbonate 30%
Available chlorine 63%

DANGER.—KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Harmful if ial. Contacte. Avoid of In case of contacted eyes with contacted eyes, ing dust. Mairritating and gases. Keet tainer close in use. Doughly and display and display

This products should not to lakes, so ply this product Never nal concentration occur.

EXTERNAL cold water. INTERNAL milk follow PHYSICIA

E. P. A