



DANGER

SEA LAMPREY LARVICIDE



Active Ingredient:

a,a,a-TRIFLUORO-4-NITRO-m-CRESOL,

SODIUM SALT 33.2%;

ACTIVE INGREDIENT AS FREE CRESOL, 30%

Inert Ingredient: 66.8%

FOR USE ONLY BY SPECIALLY TRAINED FEDERAL EMPLOYEES OR UNDER THEIR DIRECT SUPERVISION

MANUFACTURED FOR

USDA Reg. No. 9571-1

GROSS _____ NET _____ TARE _____

Production Date _____

Maumee Control No. _____

DRUM _____ OF _____

ACCEPTED
Aug 25-1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR SEVERAL PERSONS REGISTERED
UNDER NO. 9571-1

with comments



MAUMEE
CHEMICAL COMPANY

1310 Expressway Drive,
Toledo, Ohio 43608

DANGER



WARNING: KEEP OUT OF REACH OF CHILDREN

For use by trained operators only. May be fatal if swallowed or absorbed through skin. Avoid contact with skin and eyes. May produce severe burns; care must be exercised in handling the concentrated forms of the larvicide. Protective clothing, rubber gloves, and face masks are necessary for the minimum protection of handlers. Wash thoroughly after handling.

Containers should be rendered useless by piercing after use and flushed with water — then buried. Spillage should be flushed with water.

NO KNOWN EFFECTIVE ANTIDOTE:

If swallowed, *CALL PHYSICIAN IMMEDIATELY. INDUCE VOMITING* by giving milk or white of egg beaten in water, then a tablespoon of salt in glass of warm water and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water. In case of contact, flush skin or eyes with water for at least 15 minutes; for eyes, get medical attention.

ACCEPTED

AUG 25 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC REASON REGISTERED
UNDER NO. 71-1 SUBJECT
TO ATTACHED COMMENTS.