

6%-LCF

LIQUID COPPER FUNGICIDE

ACTIVE INGREDIENTS

Copper salts of rosin and fatty acids* 72%

INERT INGREDIENTS

28%

Total 100%

*Total copper as metallic 6%

DIRECTIONS FOR USE

For the control of cercospera leaf spot on peanuts, apply as soon as there is any evidence of leaf spotting. Mix $\frac{1}{3}$ to $\frac{1}{2}$ gallons of 6%-LCF in 12 to 25 gallons of water for one acre coverage. The amount of water required will depend upon the type of spray equipment used. Apply at 14 day intervals.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist as it may cause irritation of the nose, throat or skin, and avoid contact with eyes.

This product is toxic to fish. Keep out of lakes, streams and ponds.

COMBUSTIBLE

Keep away from heat and open flame.

NOTICE

Park Chemical Company, Inc. can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil, or other property resulting from failure to follow directions for use or to observe warning printed on this package.

USDA REG. NO. 9586-1

PARK CHEMICAL CO., INC.

BEST ROAD • P. O. BOX 159 • COLLEGE PARK, GEORGIA

ACCEPTED
9586-1

MAR 19 1951

UNDER THE FEDERAL
FUNGICIDE AND
FOR ECONOMIC
ED UNDER NO.
IO ATTACHED