

PRO KILL BEST AVAILABLE COPY

**INDUSTRIAL & INSTITUTIONAL
 INSECT SPRAY**



ACCEPTED
 JUN 15 1987

Under the
 Fungi 1...
 as a...
 registered
 EPA Reg. No. 9591-26

KILLS ANTS, COCKROACHES, FLEAS

Spiders, Brown Dog Ticks, Fleas, Gnats, Mosquitoes, Paperlice, Punies, Crickets, Millipedes, Centipedes, Scorpions, Silverfish, Sandflies, Saw Bugs, Clover Mites, Earwigs, Firebrats, Exposed stages of Cigarette Beetles, Beetles, Dermestids, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, and Sawtoothed Grain Beetles.

Active Ingredients
 O-Isopropoxyphenyl methylcarbamate 1%

INERT INGREDIENTS:
 Petroleum Distillate 90%

RESTRICTIONS

Do not use as a soace sprayer. Provide adequate ventilation of areas being treated. Do not allow spray to contact food or feedstuffs. Thoroughly wash dishes and food handling utensils with potable water to remove all traces of contamination. Do not store near feed or food products. Avoid contamination of feed, food processing equipment, and food handling surfaces. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal.
CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.
CONTAINERS 1 GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes on skin or on clothing. Avoid breathing of mist. In case of contact, wash immediately with soap and warm water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Should illness occur, get prompt medical aid. To physician—Atropine sulfate is antidotal. Do not use, pour, spill, or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** - Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains petroleum solvent.
- IF INHALED** - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES** - Flush eyes with plenty of water. Call a physician if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat, sparks or open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not directly apply to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E.P.A. Registration No. 9591-26
 E.P.A. Establishment No. 9591-OH-1

NATIONWIDE CHEMICAL PRODUCTS, INC.
 P.O. Box 3027 Hamilton Ohio 45013

CAUTION: "KEEP OUT OF REACH OF CHILDREN" SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

DIRECTIONS FOR USE

GENERAL:
 Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run off. Apply to all insect breeding sites and harborage. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

Cockroaches - Thoroughly treat the infested area. Spray baseboards, cracks and crevices around window and door frames, the under surfaces of shelves, drawers and work tables behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

Ants - Apply to trails and places where ants enter premises such as window frames, door sills, spray hills and runways outdoors. Stored Grain Pest aids in controlling Cigarette Beetles, Dermestids, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, and Sawtoothed Grain Beetles.

Exposed Stages - Thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

Silverfish, Firebrats - Apply to localized areas infested by these insects. Spray baseboards, window frames, door frames and storage areas.

Brown Dog Ticks - Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Clover Mites, Crickets, Earwigs, Millipedes, Centipedes, Sawbugs, Scorpions, and Spiders - Thoroughly spray the interior and exterior perimeter of the infested premises.

For Clover Mites give special attention to window sills, fleas, gnats, mosquitoes, punies, and sandflies (only). Spray infested areas thoroughly including outside surfaces of screens, doors, and window frames, foundations, patios and other areas where insects may enter.

FOOD HANDLING ESTABLISHMENTS - This is other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY includes areas for receiving, storage, packing, cleaning, bottling, wrapping, boxing, preparing, edible waste storage, and enclosed processing systems (units, dairies, edible oils, syrups). Serving areas where food is exposed and facility is in operation also would be considered a food area.

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction between equipment and floor openings leading to voids and hollow spaces in walls, equipment legs and bases where exposed stages of stored grain pests, cockroaches and ants hide prior to application of energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the ON position.

Care should be taken to avoid depositing the product onto exposed surfaces or in introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

Insect Control in Research Facilities: The use of Residual Spray in and around research animal quarters for insect control will not induce changes in liver microsomal enzyme activity in these animals.

This Residual Spray is a highly effective ready to use formulation for control of the insects listed including those resistant to certain chlorinated hydrocarbon and phosphite insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.