

ACCEPTED  
 FEB 26 1980  
 U.S. DEPARTMENT OF AGRICULTURE  
 FEDERAL REGISTER  
 No. 9591-35

**DIRECTIONS FOR USE**

**FOR USE IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS, AND SMALL OUTDOOR AREAS**

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using.

**THERMAL APPLICATIONS INDOORS:**

For the control of flies, mosquitoes and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Sweep up and destroy fallen insects. Repeat treatment as necessary. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1-1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one half hour. Do not remain in treated areas. Ventilate the area after treatment.

**THERMAL APPLICATIONS OUTDOORS:**

For reduction in annoyance from flies, mosquitoes, and gnats in yards, patios around swimming pools, picnic areas, camp sites, driveways, and horse stables, and other small area applications.

Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

**PRO KILL**

**FOGGING INSECTICIDE 002**

SBP-1382 OIL BASE INSECTICIDE 0.20%. A SYNTHETIC PYRETHROID FOR CONTROL OF FLIES, MOSQUITOES AND GNATS IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS, AND FOR SMALL OUTDOOR AREAS.

**ACTIVE INGREDIENTS:**

• resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.200% w/w
Related compounds	0.027%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	99.500%

**INERT INGREDIENTS:** 0.008%  
 100.000%

\*Cis/trans isomer ratio max 30% (±)cis and min 70% (±) trans.  
 +U.S. Patent No. 3,465,007

**CAUTION:** "KEEP OUT OF REACH OF CHILDREN" See side panel for antidote statement and other precautions.

Net Contents \_\_\_\_\_ Gallons

**PRECAUTIONARY HAZARDS TO**

**CAUTION**

Harmful if swallowed or absorbed. Avoid contact with skin, eyes, and breathing mist.

**FIRST AID**

In case of contact immediately flush eyes with plenty of water for 15 minutes. For skin and eyes call a physician.

**PHYSICAL OR CHEMICAL HAZARDS**

Extinguish open flame before use. Formulation is combustible. DO NOT NEAR HEAT OR OPEN FLAME.

**DIRECTIONS**

It is a violation of Federal Law to use in a manner inconsistent with the label.

**STORAGE AND DISPOSAL**

**STORAGE:** Store at room temperature. 32 F. Keep container closed or open flame.

**PROHIBITIONS:** Do not use on food or feed by storage or contact. Use is prohibited. This product is not for sale in California.

**PESTICIDE DISPOSAL:** Do not mix with other pesticides, or mixtures, or rinseate that chemically reprocessed should be sent to a landfill approved for pesticide disposal. Place away from water supply.

**CONTAINER DISPOSAL:** Empty container (and offer for recycling or disposal) in approved landfills. A container size of 3 gallons or less may be recycled or resealed and offered for reuse.

**GENERAL:** Consult local health and disposal authorities for proper disposal procedures.

MANUFACTURED BY

**NATIONAL CHEMICAL PRODUCTS**  
 P.O. BOX 100  
 HAMILTON, OH 45002

E.P.A. ESTABLISHMENT NO. 100-100-01

E.P.A. REGISTRATION NO. 100-100-01

01  
 10  
 BEST DOCUMENT AVAILABLE

**ACCEPTED**  
 FEB 26 1980  
 U.S. DEPARTMENT OF AGRICULTURE  
 FEDERAL AGENCY FOR ANIMAL INDUSTRY REGULATION  
 Registration No. **9591-35**

# PRO KILL

## FOGGING INSECTICIDE 002

SBP-1382 OIL BASE INSECTICIDE 0 20%. A SYNTHETIC PYRETHROID FOR CONTROL OF FLIES, MOSQUITOES AND GNATS IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS, AND FOR SMALL OUT-DOOR AREAS

**ACTIVE INGREDIENTS:**

* resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.200% w/w
Related compounds	0.027%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	99.500%

<b>INERT INGREDIENTS:</b>	0.008%
	100.000%

\*Cis/trans isomer ratio max 30% (±)cis and min 70% (±) trans  
 †U.S. Patent No 3,465,007

**CAUTION:** "KEEP OUT OF REACH OF CHILDREN" See side panel for antidote statement and other precautions

Net Contents \_\_\_\_\_ Gallons

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist.

**FIRST AID**

In case of contact immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes call a Physician.

**PHYSICAL OR CHEMICAL HAZARDS**

Extinguish open flame before spraying. This formulation is combustible. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:** Store at room temperature above 32 F. Keep container closed. Do not store near heat or open flame.

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. A container size of 30 gals. or more may be resealed and offered for reconditioning.

**GENERAL:** Consult federal, state or local disposal authorities for approved alternate procedures.

MANUFACTURED BY  
**NATIONWIDE**  
 CHEMICAL PRODUCTS INC.  
 P.O. BOX 3027  
 HAMILTON OHIO 45013

**E.P.A. ESTABLISHMENT NO. 9591-OH-1**  
**E.P.A. REGISTRATION NO. 9501-35**

**DIRECTIONS FOR USE**

**APPLICATIONS IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS AND SMALL OUTDOOR AREAS**

Product is to be used undiluted in only thermal applicator equipment that produces particle sizes within the aerosol range.

Remove or carefully cover all food processing surfaces before treatment or thoroughly clean.

**APPLICATIONS INDOORS:**

Control flies, mosquitoes and gnats in restaurants and industrial institutions. Exposed food handling surfaces and plant life. Shut off ventilating and air-conditioning equipment and area to be treated. Do not apply if dining plant is occupied or in use and destroy fallen insects as necessary. Extinguish all lights. Apply as a dry fog at the rate of 1 ounce per 1,000 cubic feet of volume of thermal applicator toward center of the room and along the perimeter of the room for at least one half hour in treated areas. Ventilate the area.

**APPLICATIONS OUTDOOR:**

Reduction in annoyance from flies, mosquitoes and gnats in yards, patios, around picnic areas, camp sites, driveways, and other small areas.

Apply at least five feet from any plants and shrubbery. Avoid wet surfaces. Apply undiluted at the rate of 1 ounce per 1,000 cubic feet of volume. Fog only when there is no wind and velocity is less than 3 miles per hour. Fogging is generally at dusk when the temperature and the air temperature and humidity are approximately the same. Conditions the fog will linger in the treated area longer time. Apply fog while the treated area. Avoid inhalation of mist over the treated area until the fog has been applied as necessary.

BEST DOCUMENT AVAILABLE

*Handwritten mark*